Terraform Remote Backend on Azure (Storage Container)

Overview

- Terraform allows you to store your state file remotely using an Azure Storage Container.
- This ensures better collaboration and state consistency across teams.
- Additionally, it provides state locking which prevents simultaneous operations that could corrupt the state.

Prerequisites

Before setting up the remote backend, ensure you have:

- An **Azure Account** with necessary permissions.
- **Azure CLI** installed and configured.
- **Terraform** installed on your system.

Setting Up Storage Account Container for Remote Backend

Steps:

1. Create the project directory: **azure-remote-terraform**.
2. Define providers:
    - Create a *providers.tf* file in the *azure-remote-terraform* directory.
    - Define:
        - terraform
            - required_providers
        - provider
            - azure
    - Reference: providers.tf.
3. Define infrastructure:
    - Create *main.tf* file.
    - Use predefined modules:
        - module.resource-group
        - module.storage
    - Reference: main.tf.
4. Define local variables:
    - Create *locals.tf* file.
    - Define variables:
        - local.subscription-id
        - local.resource-group-properties
        - local.vnet-public-subnet-id
        - local.storage-properties

      ◦ Reference: [locals.tf](#).

> Ensure you give the appropriate values to the variables defined in *locals.tf* file.

Provisioning the Infrastructure

Steps:

1. Open PowerShell.
2. Navigate to `azure-remote-terraform` directory.
3. Run:
   - `terraform fmt -recursive` → Format Terraform files.
   - `terraform init` → Initialize Terraform.
   - `terraform validate` → Validate configuration.
   - `terraform plan` → Plan resource creation.
   - `terraform apply` → Apply configuration (type `yes` when prompted).
4. Verify the created resources in Azure Console.

Configuring a Sample Project for Remote Backend

Steps:

1. Create the project directory: **sample-terraform**.
2. Define providers:
   - Create *providers.tf* file.
   - Define:
     - terraform
       - required_providers
         - backend
     - provider
       - azure
   - Reference: [providers.tf](#).
3. Define infrastructure:
   - Create *main.tf* file.
   - Use predefined modules, e.g.,

```
module "resource-group" {
    source = "github.com/inflection-templates/devops-
templates/terraform/modules/azure/resource-group"

    resource-group-properties = local.resource-group-properties
}
```

4. Define local variables:
   - Create *locals.tf* file.
   - Define

- local.subscription-id
- local.resource-group-properties
  - Reference: locals.tf.

> Ensure you give the appropriate values to the variables defined in *locals.tf* file.

Provisioning the Sample Infrastructure

Steps:

1. Open PowerShell.
2. Navigate to `sample-terraform` directory.
3. Run:
   - `terraform fmt -recursive` → Format files.
   - `terraform init` → Initialize Terraform.
   - `terraform validate` → Validate configuration.
   - `terraform plan` → Plan resource creation.
   - `terraform apply` → Apply configuration (type `yes` when prompted).
4. Verify resources in Azure Console.

Migrating an Existing Terraform State to Remote Backend

Steps:

1. Run `terraform init -migrate-state` to migrate local state to Storage Container.
2. Run `terraform state list` to verify the migrated resources.
3. Run `terraform show` to confirm the remote state.
4. Run `terraform plan` and `terraform apply` to reapply infrastructure if needed.

Destroying the Sample Infrastructure

Steps:

1. Open PowerShell.
2. Navigate to `sample-terraform` directory.
3. Run `terraform destroy` (type `yes` when prompted).
4. Resources will be deleted.

Destroying the Azure Remote Backend Infrastructure

Steps:

1. Open PowerShell.
2. Navigate to `azure-remote-terraform` directory.
3. Run `terraform destroy` (type `yes` when prompted).
4. Resources will be deleted.

Conclusion

- By following this guide, you have successfully set up a Terraform remote backend using Azure Storage Container for state storage & locking.
- This ensures secure, scalable, and team-friendly infrastructure management.