

JKBOSE CLASS 10TH - MATHEMATICS

Series: 10th ARF(SZ) JKUT 2024-25 - Series A-3-Z | Code: 103-Z | Total Questions: 40

Time: 3 Hours

Max Marks: 80 Marks

GENERAL INSTRUCTIONS: Section A (1 mark each), Section B (2 marks each), Section C (3 marks each), Section D (4 marks each)**SECTION - A : OBJECTIVE & VERY SHORT QUESTIONS**

(1 Mark Each)

1. Find zeroes of the quadratic polynomial $x^2 - 3$. [1 Mark]
2. $P(E) + P(\text{not } E) = \dots\dots\dots$ [1 Mark]
3. 1.4 can be the probability of an event. (State True or False) [1 Mark]
4. The number of tangents that can be drawn from a point on the circle is/are [1 Mark]
5. The area of a circle with radius 'R' = [1 Mark]
6. $\sqrt{5}$ is a rational number. (State True or False) [1 Mark]
7. Which of the following is a rational number? [1 Mark]
 - (A) $(2 - \sqrt{3})^2$
 - (B) $2(\sqrt{2} + \sqrt{3})$
 - (C) $(2 - \sqrt{3})(2 + \sqrt{3})$
 - (D) $2\sqrt{7}$
8. HCF of (8, 9, 25) is [1 Mark]
9. The graph of $x = -2$ is a line: [1 Mark]
 - (A) Parallel to X-axis
 - (B) Parallel to Y-axis
 - (C) Passing through origin
 - (D) None of these
10. If the pair of linear equations has infinitely many solutions, then the lines representing them: [1 Mark]
 - (A) Coincide
 - (B) Intersect at one point
 - (C) Are parallel to each other
 - (D) None of these
11. The 10th term of an A.P. : 2, 7, 12, ... is [1 Mark]
12. If $a_n = 5n^2 + 2$, find a_3 . [1 Mark]
13. Write the nth term formula of an A.P. whose first term is 'a' and common difference is 'd'. [1 Mark]
14. The value of $\tan A$ is always less than 1. (State True or False) [1 Mark]
15. Evaluate: $(2 \tan 30^\circ) / (1 + \tan^2 30^\circ)$ [1 Mark]

16. A quadratic equation $ax^2 + bx + c = 0$ ($a \neq 0$) has no real roots if: [1 Mark]
(A) $D = 0$
(B) $D < 0$
(C) $D > 0$
(D) None of these
17. Find the distance between the points (0, 0) and (3, -4). [1 Mark]
18. If the median and mean of a dataset are 'm' and 'n' respectively, then mode is given by: [1 Mark]
(A) $2m - 3n$
(B) $2m - n$
(C) $m + n$
(D) $3m - 2n$
19. The volume of a cone of radius 'r' and height 'h' is: [1 Mark]
(A) $\pi * r * l$
(B) $\pi * r^2 * h$
(C) $(1/3) \pi * r^2 * h$
(D) $(4/3) \pi * r^3$
20. Find the mode of the given data: 2, 6, 4, 5, 0, 2, 1, 3, 2 and 3. [1 Mark]

SECTION - B : SHORT ANSWER QUESTIONS

(2 Marks Each)

21. Find whether the pair of linear equations $3x + 2y = 5$ and $2x - 3y = 7$ are consistent or inconsistent. [2 Marks]
22. Find the nature of the roots of the quadratic equation: $3x^2 - 4\sqrt{3}x + 4 = 0$. [2 Marks]
23. If $\sin A = 3/4$, find $\cos A$ and $\tan A$. [2 Marks]
24. Find the point on the X-axis which is equidistant from (2, -5) and (-2, 9). [2 Marks]

--- OR ---

Find the value of 'y' for which the distance between the points P(2, -3) and Q(10, y) is 10 units.

25. Find the quadratic polynomial whose sum and product of zeroes are respectively 1 and 1. [2 Marks]
26. Find the area of sector of a circle with radius 6 cm and the angle of the sector is 60 deg. [2 Marks]

SECTION - C : SHORT ANSWER QUESTIONS

(3 Marks Each)

27. Find the area of a rhombus whose vertices are (3, 0), (4, 5), (-1, 4) and (-2, -1) taken in order. [3 Marks]
28. Prove that a parallelogram circumscribing a circle is a rhombus. [3 Marks]

--- OR ---

Prove that in two concentric circles, the chord of the larger circle which touches the smaller circle is bisected at the point of contact.

29. The length of the minute hand of a clock is 14 cm. Find the area swept by the minute hand in 5 minutes. [3 Marks]

30. Show that $3\sqrt{2}$ is an irrational number. [3 Marks]

31. If a line divides any two sides of a triangle in the same ratio, then prove that the line is parallel to the third side. [3 Marks]

--- OR ---

ABCD is a trapezium in which $AB \parallel DC$ and its diagonals intersect each other at point O. Show that $AO / BO = CO / DO$.

32. Find the sum of all odd numbers between 0 and 50. [3 Marks]

33. One card is drawn from a well-shuffled deck of 52 cards. Find the probability of getting: (i) a spade, (ii) a red face card, (iii) a jack. [3 Marks]

34. D is a point on side BC of a triangle ABC such that $\angle ADC = \angle BAC$. Show that $CA^2 = CB \cdot CD$. [3 Marks]

--- OR ---

E is a point on the side AD produced of a parallelogram ABCD and BE intersects CD at F. Show that $\triangle ABE \sim \triangle CFB$.

SECTION - D : LONG ANSWER QUESTIONS

(4 Marks Each)

35. Find the value of K so that the quadratic equation $Kx(x - 2) + 6 = 0$ has two equal real roots. [4 Marks]

--- OR ---

The altitude of a right triangle is 7 cm less than its base. If the hypotenuse is 13 cm, find the other two sides.

36. A spherical glass vessel has a cylindrical neck 8 cm long and 2 cm in diameter; the diameter of the spherical part is 8.5 cm. Find the volume of the vessel. [4 Marks]

--- OR ---

A medicine capsule is in the shape of a cylinder with two hemispheres stuck to each of its ends. The length of the entire capsule is 14 mm and the diameter of the capsule is 5 mm. Find its surface area.

37. The shadow of a tower standing on a level ground is found to be 40 m longer when the Sun's altitude is 30° than when it was 60° . Find the height of the tower. [4 Marks]

--- OR ---

The angle of elevation of the top of a building from the foot of a tower is 30° and the angle of elevation of the top of the tower from the foot of the building is 60° . If the tower is 50 m high, find the height of the building.

38. Prove the trigonometric identity: $[\cos A / (1 + \sin A)] + [(1 + \sin A) / \cos A] = 2 \sec A$ [4 Marks]

39. If AD and PM are medians of triangles ABC and PQR respectively, where Triangle ABC ~ Triangle PQR, prove that $AB / PQ = AD / PM$. [4 Marks]

--- OR ---

Two tangents TP and TQ are drawn to a circle with centre O from an external point T. Prove that $\angle PTQ = 2 \times \angle OPQ$.

40. The distribution below gives the weights of 30 students of a class. Find the median weight of the students: [4 Marks]

Weight (in kg)	Number of Students
40 - 45	2
45 - 50	3
50 - 55	8
55 - 60	6
60 - 65	6
65 - 70	3
70 - 75	2
Total	30