

Name: Sahil kumar
Department: CSE

Roll no: CSB24068
Course: Advance Programming


Create a simple React component that maintains a list of todos using useState. Allow the user to add a todo and display all added todos on the screen.

```
App.jsx App.css
src > App.jsx > ...
1  import { useState } from "react";
2  import "./App.css";
3
4  export default function App() {
5    const [text, setText] = useState("");
6    const [list, setList] = useState([]);
7
8    const add = () => {
9      if (!text.trim()) return;
10     setList([...list, { t: text, d: false }]);
11     setText("");
12   };
13
14   const toggle = (i) => {
15     const copy = [...list];
16     copy[i].d = !copy[i].d;
17     setList(copy);
18   };
19
20   const remove = (i) => {
21     setList(list.filter((_, x) => x !== i));
22   };
23
24   return (
25     <div className="bg">
26       <div className="todo-box">
27         <h1> 🌟 My Tasks</h1>
28
29         <div className="row">
30           <input
31             value={text}
32             onChange={(e) => setText(e.target.value)}
33             placeholder="Type your task..."
34           />
35           <button onClick={add}>Add</button>
36         </div>
37
38         {list.map((x, i) => (
39           <div className={`item ${x.d ? "done" : ""}`} key={i}>
40             <span onClick={() => toggle(i)}>{x.t}</span>
41             <b onClick={() => remove(i)}>X</b>
42           </div>
43         ))}
44       </div>
45     </div>
46   );
47 }
48
49 }
```

src > css App.css > *

```
1  * {
2    margin: 0;
3    padding: 0;
4    box-sizing: border-box;
5    font-family: system-ui;
6  }
7
8  .bg {
9    min-height: 100vh;
10   display: flex;
11   justify-content: center;
12   align-items: center;
13   background: linear-gradient(135deg, #5f6cff, #9a4dff);
14 }
15
16 .todo-box {
17   width: 380px;
18   padding: 30px;
19   background: rgba(255,255,255,.15);
20   backdrop-filter: blur(15px);
21   border-radius: 20px;
22   box-shadow: 0 20px 40px rgba(0,0,0,.25);
23   color: white;
24 }
25
26 h1 {
27   text-align: center;
28   margin-bottom: 20px;
29 }
30
31 .row {
32   display: flex;
33   gap: 10px;
34 }
35
36 input {
37   flex: 1;
38   padding: 12px;
39   border-radius: 10px;
40   border: none;
41   outline: none;
42 }
43
44 button {
45   padding: 12px 18px;
46   border-radius: 10px;
47   border: none;
48   background: #fff;
49   cursor: pointer;
50 }
51
52 .item {
53   margin-top: 12px;
54   padding: 12px;
55   background: rgba(255,255,255,.2);
56   border-radius: 10px;
57   display: flex;
58   justify-content: space-between;
59   animation: pop .3s ease;
60 }
61
62 .item span {
63   cursor: pointer;
64 }
```

Output:



<http://localhost:5173/>