

Tailwind CSS Installation Guide

Step-by-Step Setup 📖

1. Initialize Project

Create a `package.json` file:

```
npm init -y
```

2. Create CSS Files

Make two files in your root directory:

- `input.css` – for Tailwind directives
 - `style.css` – compiled output file
-

3. Add Tailwind to Input

In `input.css`, write:

```
@import "tailwindcss";
```

4. Link Output in HTML

In your `index.html` `<head>`, link the `style.css`:

```
<link rel="stylesheet" href="style.css">
```

5. Test Tailwind

Use a basic Tailwind class in your HTML:

```
<h1 class="text-2xl font-bold text-blue-600">Hello Tailwind</h1>
```

6. Compile with CLI ⚙️

Run Tailwind in watch mode:

```
npx @tailwindcss/cli -i input.css -o style.css --watch
```

7. Add Script (Optional)

To simplify, edit your `package.json`:

```
"scripts": {  
  "dev": "npx @tailwindcss/cli -i input.css -o style.css --watch"  
}
```

Then run:

```
npm run dev
```

Notes 📝

- Keep the terminal running while working — it watches for changes.
 - Stop it anytime after you're done (`CTRL + C`).
-

Now you're all set to build with Tailwind CSS! Let me know if you want a setup with PostCSS or custom config.

Thank you Sahil