Mobil Programlama

Hafta 11



Instagram Clone

- Verileri bir yerde saklamak gerekli
 - Parse Sunucusunda saklayacağız.
 - https://parseplatform.org

Firebase yada BackupForApp den farkı tamamen sunucuya yüklenmesi ve sistemden bağımsız çalışabilmesi

Destekleyenler

Google Cloud

Microsoft Azure

AmazonWeb Services **

Hareku https://www.heroku.com



Amazon Web Services





AWS Accounts Include 12 Months of Free Tier Access

Including use of Amazon EC2, Amazon S3, and Amazon DynamoDB

Visit aws.amazon.com/free for full offer terms

Contact Sales Support ▼ English ▼ My Account ▼ Sign In to the Console

AWS Management Console



AWS services Find Services You can enter names, keywords or acronyms.	
▼ Recently visited services	
□ EC2	
▼ All services	
☐ Compute	Machine Learning
FC2	Amazon SageMaker

Launch instance

To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.




Note: Your instances will launch in the US East (Ohio) Region

Step 1: Choose an Amazon Machine Image (AMI)

Current generation

Cancel and Exit

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. You can select an AMI provided by AWS, our user community, or the AWS Marketplace; or you can select one of your own AMIs.



Step 2: Choose an Instance Type

All instance types

Filter by:



Show/Hide Columns