CASE STUDY 13

ATM TRANSACTION SEQUENCE SIMULATION

Python Program:

```
print("===== ATM TRANSACTION SYSTEM =====")


balance = float(input("Enter initial balance: "))


transactions = []


while True:
    print("\n1. Deposit")
    print("2. Withdraw")
    print("3. Check Balance")
    print("4. Exit")

    choice = input("Enter your choice: ")

    if choice == "1":
        amount = float(input("Enter deposit amount: "))

        if amount > 0:
            balance += amount
            transactions.append("Deposit: Rs. " + str(amount))
            print("Deposit successful.")
```

```
        else:
            print("Invalid deposit amount.")

    elif choice == "2":
        amount = float(input("Enter withdrawal amount: "))

        if amount <= 0:
            print("Invalid withdrawal amount.")
        elif amount > balance:
            print("Insufficient balance.")
        else:
            balance -= amount
            transactions.append("Withdrawal: Rs. " + str(amount))
            print("Withdrawal successful.")

    elif choice == "3":
        print("Current balance: Rs. {:.2f}".format(balance))

    elif choice == "4":
        print("\n===== TRANSACTION SUMMARY =====")

        for transaction in transactions:
            print(transaction)

        print("Final balance: Rs. {:.2f}".format(balance))
```

```
            print("Thank you for using the ATM.")
            break

        else:
            print("Invalid choice. Please try again.")
```

Output

