

PROJECT TOPIC: Restaurant website (Froy)

TEAM MEMBERS:

19011P0523
19011P0528
19011M2115
19011M2116
19011M2218

DESCRIPTION:

It is a website for a restaurant called Froy Bistro. Web pages included in this website are Homepage, contact us page, Login page, Menu page, Reservation page, Order online page, About us page. Each web page has its own functionality.

Homepage: This gives the basic view of the restaurant. It provides links to other web pages.

Contact us page: This provides the contact information of the restaurant.

Login page: A user can login to avail offers, or reserve a table.

Menu page: This page holds information about the menu of the restaurant.

Reservation page: Users can refer to this page to reserve a table.

About us page: This page provides with information of the restaurant.

ABSTRACT:

This website is designed for a restaurant - FROY . This helps the users to view information about the restaurant. Users can login and reserve a table if needed and can also check out the menu. Users can also give a response to the restaurant using contact form.

Front-end Technologies used:

HTML

CSS

JavaScript

Back-end Technologies used:

JSP

JavaScript

Servlets

Database :

MySQL

STATIC PAGES:

1. Home page
2. Login page
3. Sign up page
4. Menu page
5. Reserve table page
6. Contact Us page

1. HOME PAGE:

```
<!DOCTYPE html>
<html>
<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&dis
play=swap" rel="stylesheet">
<link rel="stylesheet" type="text/css" href="style.css">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Froy.com</title>
<</head>
<body>
<section class="first">
<div class="firstd">
<header class="head">

<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="#second">About Us</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
<li><a href="logout">Logout</a></li>
<li><a href="details2.jsp" style="font-size:10px"><%= session.getAttribute("name") %></a></li>

</ul>
</nav>
</header>
<div class="res">
<button onclick="location.href='Reserve.jsp'" type="button"><b>Reserve a table</b>
</button>
</div>
<div class="welcome">
<h1>FROY</h1>
<p>
Delight in every bite
</p>

</div>

</div>
</section>

<section id="second" class="about">
<div class="second">
<center>


<p class="aboutp">Froy specializes in delicious food featuring fresh ingredients and masterful preparation by the Froy culinary
```

team. Whether you are ordering a multi-course meal or grabbing a drink and pizza at the bar, Froy's lively, casual yet upscale atmosphere makes it perfect for dining with friends, family, clients and business associates.

Froy combines flavors & inspiration from the Far East & the West to create what we think is the best! Home to the original (recipe), we specialize in pizzas, as well as handmade appetizers, sandwiches, salads, and gluten friendly, vegetarian, & vegan selections. Feel free to indulge in a tiki drink or craft beer with our fantastic unique cuisine. Cheers!

```

<article id="cc-slider">
<input checked="checked" name="cc-slider" id="slide1" type="radio">
<input name="cc-slider" id="slide2" type="radio">
<input name="cc-slider" id="slide3" type="radio">
<input name="cc-slider" id="slide4" type="radio">
<input name="cc-slider" id="slide5" type="radio">
<div id="cc-slides">
<div id="overflow">
<div class="inner">
<article>

</article>
<article>
 </article>
<article>

</article>
<article>

</article>
<article>

</article>
</div>
<script>
w3.slideshow = function (sel, ms, func) {
var i, ss, x = w3.getElements(sel), l = x.length;
ss = {};
ss.current = 1;
ss.x = x;
ss.ondisplaychange = func;
if (!isNaN(ms) || ms == 0) {
ss.milliseconds = ms;
} else {
ss.milliseconds = 1000;
}
ss.start = function() {
ss.display(ss.current)
if (ss.ondisplaychange) {ss.ondisplaychange();}
if (ss.milliseconds > 0) {
window.clearTimeout(ss.timeout);
ss.timeout = window.setTimeout(ss.next, ss.milliseconds);
}
};
ss.next = function() {
ss.current += 1;
if (ss.current > ss.x.length) {ss.current = 1;}
ss.start();
};
ss.previous = function() {
ss.current -= 1;
if (ss.current < 1) {ss.current = ss.x.length;}
ss.start();
};
ss.display = function (n) {


```

```

w3.styleElements(ss.x, "display", "none");
w3.styleElement(ss.x[n - 1], "display", "block");
}
ss.start();
return ss;
};
</script>
</div>
</div>
<div id="controls">
<label for="slide1"></label>
<label for="slide2"></label>
<label for="slide3"></label>
<label for="slide4"></label>
<label for="slide5"></label>
</div>
</article>
</center>
</div>
</section>
<section id="third" class="contact">

<script src="https://kit.fontawesome.com/f5d7e640d9.js" crossorigin="anonymous"></script>
<div class="new">
<div class="content">
<h2> Contact Us </h2>
<p> Thank you for your interest in our restaurant.For further information please do contact us via email or phone .</p>
</div>
<div class="container">
<div class="contactinfo">
<div class="box1" >
<div class="icon"><i class="fa-solid fa-location-dot"></i></div>
<div class="text">
<h3>Address</h3>
<p>Jubilee Hills Road No 36,<br>Hyderabad,Telangana,<br>500033</p>
</div>
</div>
<div class="box2">
<div class="icon"><i class="fa-solid fa-phone"></i></div>
<div class="text">
<h3>Phone</h3>
<p> +91 6127970164 </p>
</div>
</div>
<div class="box3">
<div class="icon"><i class="fa-solid fa-envelope"></i></div>
<div class="text">
<h3>Email</h3>
<p>FroyContactUs@gmail.com</p>
</div>
</div>
<div id="place">
<iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3806.547558309475!2d78.40325131479695!3d17.43348738805104!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3bcb91463b7ebb4b%3A0x16a4ba4ed2262687!2sRd%20Number%2036%2C%20Jubilee%20Hills%2C%20Hyderabad%2C%20Telangana%20500033!5e0!3m2!1sen!2sin!4v1654000861349!5m2!1sen!2sin" width="400" height="300" style="border:0;" allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-downgrade"></iframe>
</div>
</div>
</div>
</section>
</body>
</html>

```



2. LOGIN PAGE:

```
<!DOCTYPE html>
<html>
<head>
<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&dis
isplay=swap" rel="stylesheet">
<style>
*{
padding: 0;
margin:0;
font-family: Tapestry;
}
body{
min-height: 100vh;
margin: 0px;
padding: 0px;
background-image: linear-gradient(rgba(0,0,0,0.95),rgba(0,0,0,0)),url("https://media.gettyimages.com/videos/tilt-down-blur-
restaurant-for-background-video-id1273433362?s=640x640");
background-size: cover;
background-repeat: no-repeat;
}
display-flex, .display-flex, .display-flex-center, .signup-content, .signin-content, .social-login, .socials {
display: flex;
display: -webkit-flex; }

/* @extend list-type-ulli; */
list-type-ulli, .socials {
list-style-type: none;
margin: 0;
```

```
padding: 0; }

img {
max-width: 100%;
height: auto; }

figure {
margin: 0; }

p {
margin-bottom: 0px;
font-size: 15px;
color: #777; }

h2 {
line-height: 1.66;
margin: 0;
padding: 0;
font-weight: bold;
color: #222;
font-family: Poppins;
font-size: 36px; }

.main {
background: #f8f8f8;
padding: 50px 0; }

.clear {
clear: both; }

.container {
width: 500px;
background: #fff;
margin: 0 auto;
box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-moz-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-webkit-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-o-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-ms-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
border-radius: 20px;
-moz-border-radius: 20px;
-webkit-border-radius: 20px;
-o-border-radius: 20px;
-ms-border-radius: 20px;
position: relative;
top: 140px;
height:}

.display-flex {
justify-content: space-between;
-moz-justify-content: space-between;
-webkit-justify-content: space-between;
-o-justify-content: space-between;
-ms-justify-content: space-between;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }

.display-flex-center {
justify-content: center;
-moz-justify-content: center;
-webkit-justify-content: center;
-o-justify-content: center;
```

```

-ms-justify-content: center;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }

.position-center {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
-moz-transform: translate(-50%, -50%);
-webkit-transform: translate(-50%, -50%);
-o-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%); }

.signup {
margin-bottom: 30px; }

.signup-content {
padding: 50px 0;
}

.signup-form, .signin-form {
width: 50%;
overflow: hidden; }

.form-title {
margin-bottom: 33px; }

.form-submit {
display: inline-block;
background: #6dabe4;
color: #fff;
border-bottom: none;
width: auto;
padding: 15px 39px;
border-radius: 5px;
-moz-border-radius: 5px;
-webkit-border-radius: 5px;
-o-border-radius: 5px;
-ms-border-radius: 5px;
margin-top: 25px;
cursor: pointer; }
.form-submit:hover {
background: #4292dc; }

#signin {
margin-top: 16px; }

.signup-image-link {
font-size: 14px;
color: #222;
display: block;
text-align: center;
position: relative;
right: 23px;
}

.term-service {
font-size: 13px;

```

```
color: #222; }
```

```
.signup-form , .signin-form {  
margin-left: 75px;  
margin-right: 75px;  
padding-left: 34px;  
position: relative;  
right: 50px;  
}
```

```
.register-form {  
width: 100%; }
```

```
.form-group {  
position: relative;  
margin-bottom: 25px;  
overflow: hidden; }  
.form-group:last-child {  
margin-bottom: 0px; }  
.navbar{  
width: auto;  
float: right;  
border: none;  
height: 70px;  
padding: 15px;  
}
```

```
.navbar ul li {  
width: 150px;  
float: left;  
margin: 25px auto;  
text-align: center;  
padding: 5px;  
position: relative;  
left: -67%;  
}
```

```
.navbar ul li a {  
text-decoration: none;  
color: white;  
font-size: 20px;  
padding: 2px;  
}
```

```
.navbar ul li a: hover {  
color: white;  
text-decoration: underline;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<section class="newsec">
```

```
<div class="newclass">
```

```
<nav class="navbar">
```

```
<ul type="none">
```

```
<li><a href="index.jsp">Home</a></li>
```

```
<li><a href="menu.jsp">Menu</a></li>
```

```
<li><a href="login.jsp">Login</a></li>
```

```
<li><a href="contact.jsp">Contact Us</a></li>
```

```
</ul>
```

```
</nav>
```

```
<div class="container">
```

```
<div class="signin-content">
```

```
<div class="signin-form">
```




```

<h2 class="form-title">Sign in</h2>
<form method="post" action="login" class="register-form"
id="login-form">
<div class="form-group">
<label for="email"><i>
class="zmdi zmdi-account material-icons-name"></i></label> <input
type="email" name="email" id="email"
placeholder="Your email" required="required" />
</div>
<div class="form-group">
<label for="password"><i>
class="zmdi zmdi-lock"></i></label> <input
type="password" name="password" id="password"
placeholder="Password" required="required"/>
</div>
<div class="form-group">
<input type="checkbox" name="remember-me" id="remember-me"
class="agree-term" /> <label for="remember-me"
class="label-agree-term"><span><span></span></span>Remember
me</label>
</div>
<div class="form-group form-button">
<input type="submit" name="signin" id="signin"
class="form-submit" value="Log in" />
</div>
<div class="reglink">
<a href="signin.jsp" class="signup-image-link">Create an
account</a>
</div>
</form>

</div>
</div>
</div>
</div>
</section>
</body>
</html>

```



3. SIGNUP PAGE:

<!DOCTYPE html>

<link

href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&display=swap" rel="stylesheet">

<html>

<head>

<style>

```
*{
padding: 0;
margin:0;
font-family: Tapestry;
}
body{
min-height: 100vh;
background-image: linear-gradient(rgba(0,0,0,0.95),rgba(0,0,0,0)),url("https://media.gettyimages.com/videos/tilt-down-blur-restaurant-for-background-video-id1273433362?s=640x640");
background-size: cover;
background-repeat: no-repeat;
}
```

```
img {
max-width: 100%;
height: auto; }
```

```
figure {
margin: 0; }
```

```
p {
margin-bottom: 0px;
font-size: 15px;
color: #777; }
```

```
h2 {
line-height: 1.66;
margin: 0;
padding: 0;
font-weight: bold;
color: #222;
font-family: Poppins;
font-size: 36px; }
```

```
.main {
background: #f8f8f8;
padding: 50px 0; }
```

```
.clear {
clear: both; }
```

```
.container {
width: 500px;
background: #fff;
margin: 0 auto;
box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-moz-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-webkit-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-o-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-ms-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
border-radius: 20px;
-moz-border-radius: 20px;
-webkit-border-radius: 20px; }
```

```
-o-border-radius: 20px;
-ms-border-radius: 20px;
position: relative;
top: 140px;
}
```

```
.display-flex {
justify-content: space-between;
-moz-justify-content: space-between;
-webkit-justify-content: space-between;
-o-justify-content: space-between;
-ms-justify-content: space-between;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }
```

```
.display-flex-center {
justify-content: center;
-moz-justify-content: center;
-webkit-justify-content: center;
-o-justify-content: center;
-ms-justify-content: center;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }
```

```
.position-center {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
-moz-transform: translate(-50%, -50%);
-webkit-transform: translate(-50%, -50%);
-o-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%); }
```

```
.signup {
margin-bottom: 30px; }
```

```
.signup-content {
padding: 50px 0; }
```

```
.signup-form, .signup-image, .signin-form, .signin-image {
width: 50%;
overflow: hidden; }
```

```
.signup-image {
margin: 0 55px; }
```

```
.form-title {
margin-bottom: 33px; }
```

```
.signup-image {
margin-top: 30px;
margin-right: 50px; }
```

```
figure {
margin-bottom: 50px;
text-align: center; }
```

```
.form-submit {
display: inline-block;
background: #6dabe4;
color: #fff;
border-bottom: none;
width: auto;
padding: 15px 39px;
border-radius: 5px;
-moz-border-radius: 5px;
-webkit-border-radius: 5px;
-o-border-radius: 5px;
-ms-border-radius: 5px;
margin-top: 25px;
cursor: pointer;
position: relative;
right: 25px;}
.form-submit:hover {
background: #4292dc;
}
```

```
#signin {
margin-top: 16px; }
```

```
.signup-image-link {
font-size: 14px;
color: #222;
display: block;
text-align: center;
position: relative;
right: 10px;}
```

```
.term-service {
font-size: 13px;
color: #222; }
```

```
.signup-form {
margin-left: 75px;
margin-right: 75px;
padding-left: 34px; }
```

```
.register-form {
width: 100%; }
```

```
.form-group {
position: relative;
margin-bottom: 25px;
overflow: hidden; }
.form-group:last-child {
margin-bottom: 0px; }
```

```
input {
width: 100%;
display: block;
border: none;
border-bottom: 1px solid #999;
padding: 6px 30px;
font-family: Poppins;
box-sizing: border-box; }
input::-webkit-input-placeholder {
color: #999; }
input::-moz-placeholder {
color: #999; }
input:-ms-input-placeholder {
color: #999; }
input:-moz-placeholder {
```

```
color: #999; }
input:focus {
border-bottom: 1px solid #222; }
input:focus::-webkit-input-placeholder {
color: #222; }
input:focus::-moz-placeholder {
color: #222; }
input:focus:-ms-input-placeholder {
color: #222; }
input:focus:-moz-placeholder {
color: #222; }
```

```
input[type=checkbox]:not(old) {
width: 2em;
margin: 0;
padding: 0;
font-size: 1em;
display: none; }
```

```
input[type=checkbox]:not(old) + label {
display: inline-block;
line-height: 1.5em;
margin-top: 6px; }
```

```
.navbar{
width: auto;
float: right;
border: none;
height: 70px;
padding: 15px;
}
```

```
.navbar ul li{
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
left:-67%;
}
```

```
.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}
```

```
.navbar ul li a:hover{
color: white;
text-decoration: underline;
}
```

```
#signup{
margin-left: 25px;
margin-right: 25px;
```

```
}
.logo{
position: relative;
bottom: 300px;
border-radius: 5px;
left: 250px;
```

```

background-color: black;
width:250px;
height:250px;
border-radius: 50%;
}
#image{
position: relative;
width:370px;
height:300px;
right: 73px;
bottom: 30px;
}

</style>
</head>
<body>
<section>
<div class="newsign">
<header>
<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="login.jsp">Login</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
</ul>
</nav>
</header>
<div class="logo">

</div>

<div class="container">
<div class="signup-content">
<div class="signup-form">
<h2 class="form-title">Sign up</h2>

<form method="post" action="signin" class="register-form"
id="register-form">

<div class="form-group">
<label for="email"><i class="zmdi zmdi-email"></i></label> <input
type="email" name="email" id="email" placeholder="Your Email" required="required"/>
</div>
<div class="form-group">
<label for="pass"><i class="zmdi zmdi-lock"></i></label> <input
type="password" name="password" id="pass" placeholder="Password" required="required"/>
</div>
<div class="form-group">
<label for="re-pass"><i class="zmdi zmdi-lock-outline"></i></label>
<input type="password" name="re_pass" id="re_pass"
placeholder="Repeat your password" required="required" />
</div>

<div class="form-group form-button">
<input type="submit" name="signup" id="signup"
class="form-submit" value="Register" />
</div>
</form>
</div>
<div class="signup-image">

<a href="login.jsp" class="signup-image-link">I am already


```

```

member</a>
</div>
</div>
</div>
</div>

</section>
</body>
</html>

```



4. MENU PAGE

```

<html>
<head>
<style>
* {
padding: 0px;
margin: 0px;
}

.hrcRestaurantMenu2Widget1323330 {
color: #000;
line-height: normal;
margin: 20px auto;
padding: 0 15px
}

.hrcRestaurantMenu2Widget1323330 sup {
left: .1em;
top: -.4em
}

.hrcRestaurantMenu2Widget1323330 li:before {
display: none
}

```

```

.hrcRestaurantMenu2Widget1323330 .menuLink {
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .menuLink a {
background-color: #c82540;
border: 1px solid #c82540;
-webkit-transition: all .5s ease;
transition: all .5s ease
}

.hrcRestaurantMenu2Widget1323330 .menuLink a:focus,
.hrcRestaurantMenu2Widget1323330 .menuLink a:hover {
background-color: #000;
border: 1px solid #000
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-xs {
margin: 20px auto
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-xs a {
display: block
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-xs a:not(:last-child) {
margin-bottom: 3px
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-sm {
margin: 10px auto 30px;
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .menuLink.hidden-xs.hidden-sm {
margin: 30px auto 0
}

.hrcRestaurantMenu2Widget1323330 .menuLink.hidden-xs.hidden-sm a {
margin-bottom: 5px
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu {
margin-bottom: 20px;
position: relative;
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu button {
background-color: #c82540;
border: none;
color: #fff;
padding: 10px;
text-align: center;
width: 100%
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .fas.fa-comments {
margin-right: 10px
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .fas.fa-caret-down {
margin-left: 10px
}

```



```

.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu {
background-color: #000;
border: none;
border-radius: 0;
margin-top: 0;
padding-left: 0 !important;
text-align: center;
top: 42px;
width: 100%
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu>li>a {
color: #fff;
padding: 10px;
text-transform: uppercase
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu>li>a:focus,
.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu>li>a:hover {
background-color: #000;
color: #9b200
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu {
width: 150px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill {
background-color: #fff;
border-radius: 0;
c82540 color: #000;
cursor: pointer;
padding: 10px 15px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill:focus,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill:hover {
background-color: #c82540;
border-color: #c82540;
color: #fff
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .fas {
margin-left: 10px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu {
background-color: #c82540;
border: none;
border-radius: 0;
box-shadow: none;
color: #fff;
margin-top: 0;
margin-left: -2px;
min-width: 0;
padding-left: 4px !important
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu li {
margin: 0;
width: 100%
}

```

```

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu>.active>a {
background-color: transparent;
color: #E6DBD9
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu a {
color: #fff;
padding: 10px 15px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu>.active>a:focus,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu>.active>a:hover {
color: #fff
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu a:focus,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu a:hover {
background-color: transparent;
color: #E6DBD9
}

.hrcRestaurantMenu2Widget1323330 .panel-group .panel+.panel {
margin-top: 0
}

.hrcRestaurantMenu2Widget1323330 .panel-heading {
background-color: #fff;
padding: 0
}

.hrcRestaurantMenu2Widget1323330 .panel-default {
border: 2px solid #000;
border-bottom: 1px;
border-radius: 0
}

.hrcRestaurantMenu2Widget1323330 .panel-default:last-child {
border-bottom: 2px solid #000
}

.hrcRestaurantMenu2Widget1323330 .panel-title {
font-weight: 800;
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .panel-title>a {
display: block;
padding: 10px 15px;
text-decoration: none
}

.hrcRestaurantMenu2Widget1323330 .panel-title>a:hover,
.hrcRestaurantMenu2Widget1323330 .panel-title>a.js-tabcollapse-panel-heading {
background-color: #c82540;
color: #fff
}

.hrcRestaurantMenu2Widget1323330 .panel-title>a.js-tabcollapse-panel-heading.collapsed {
background-color: #fff;
color: #000
}

.hrcRestaurantMenu2Widget1323330 .panel-default>.panel-heading+.panel-collapse>.panel-body {
border-top: 2px solid #000
}

```

```

.hrcRestaurantMenu2Widget1323330 .nav-pills {
margin: 30px auto 20px;
padding: 0 10px;
text-align: center;
position: relative;
top: -55px;
}

.hrcRestaurantMenu2Widget1323330 .nav-pills li {
display: inline-block;
float: none;
font-weight: 850;
margin: 0 5px 15px;
text-transform: uppercase
}

.hrcRestaurantMenu2Widget1323330 .nav-pills>li>a {
background-color: #fff;
border-radius: 0;
color: #000;
text-decoration: none;
-webkit-transition: all .5s ease;
transition: all .5s ease
}

.hrcRestaurantMenu2Widget1323330 .nav-pills>li>a:hover
{
background-color: grey;
border-color: black;
color: black;
-webkit-transition: all .5s ease;
transition: all .5s ease
}

.hrcRestaurantMenu2Widget1323330 h2 {
color: #c82540;
font-family: 'Oswald', sans-serif;
font-size: 2rem;
font-weight: 700;
letter-spacing: 2px;
margin-top: 0
}

.hrcRestaurantMenu2Widget1323330 .submenuGroup {
margin-top: 50px
}

.hrcRestaurantMenu2Widget1323330 .menuItemList {
list-style-type: none;
margin-top: 50px;
padding-left: 0 !important
}

.hrcRestaurantMenu2Widget1323330 .menuItemList li:not(:first-child) {
margin-top: 30px
}

.hrcRestaurantMenu2Widget1323330 .menuItemList li h4 {
font-size: 1.1rem;
font-weight: 800;
margin-bottom: 5px
}

```

```

.hrcRestaurantMenu2Widget1323330 .menuItemList li div {
font-weight: 400
}

.hrcRestaurantMenu2Widget1323330 .tabDisclaimer {
font-size: 0.85rem;
line-height: 1.8;
margin: 30px auto 0
}

.hrcRestaurantMenu2Widget1323330 li.newItemYes {
position: relative
}

.hrcRestaurantMenu2Widget1323330 li.newItemYes:before {
display: block;
content: url('https://www.hardrockcafe.com/files/5282/menuNew.png') !important;
position: absolute;
left: -22px;
top: -7px
}

.hrcRestaurantMenu2Widget1323330 .featuredItem {
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .featuredItem:not(.TabFeaturedItem1) {
margin-top: 30px
}

.hrcRestaurantMenu2Widget1323330 .featuredItemContent {
border: 4px solid #c82540;
font-weight: 400;
margin: 30px auto 0;
padding: 20px
}

.hrcRestaurantMenu2Widget1323330 .featuredItemContent h3 {
font-size: 1.5rem;
font-weight: 900;
margin: 0
}

.hrcRestaurantMenu2Widget1323330 .featuredItemContent>div {
margin-top: 10px
}

.hrcRestaurantMenu2Widget1323330 .addtlInfo {
border: 4px solid #c82540;
font-weight: 400;
margin: 30px auto 0;
padding: 20px
}

.hrcRestaurantMenu2Widget1323330 .addtlInfoHeading {
color: #c82540;
font-family: 'Nunito Sans', sans-serif;
font-style: italic;
font-weight: 700;
margin-top: 0;
text-transform: none
}

.hrcRestaurantMenu2Widget1323330 .addtlInfoContent {}

```

```

.hrcRestaurantMenu2Widget1323330 .panel-body {}

.hrcRestaurantMenu2Widget1323330 .panel-body a {
color: #c82540
}

.hrcRestaurantMenu2Widget1323330 .tab-content {
background-position: 50% 50%;
background-size: cover;
color: #000;
padding: 30px
}

.hrcRestaurantMenu2Widget1323330 .tab-pane {
background-color: #fff;
padding: 50px
}

.hrcRestaurantMenu2Widget1323330 .tab-pane a {
color: #c82540
}

@media (min-width:768px) {}

@media (min-width:992px) {
.hrcRestaurantMenu2Widget1323330 .nav-pills>li.active>a: hover {
background-color: #fff;
border-color: #000;
color: #000
}

.hrcRestaurantMenu2Widget1323330 h2 {
font-size: 3.5rem
}

.hrcRestaurantMenu2Widget1323330 .submenuGroup {
margin-top: 0
}

.hrcRestaurantMenu2Widget1323330 .submenuGroup:not(.TabMenuItem1) {
margin-top: 100px
}
}

@media (min-width:1200px) {
.hrcRestaurantMenu2Widget1323330 h2 {
font-size: 4rem
}
}

@media (min-width:1400px) {
.hrcRestaurantMenu2Widget1323330 h2 {
font-size: 5rem
}
}
</style>
</head>

<body>
<button onclick="topFunction()" id="myBtn" title="Go to top">Top</button>
<style>
#myBtn {
display: none;
position: fixed;

```

```

bottom: 20px;
right: 30px;
z-index: 99;
font-size: 18px;
border: none;
outline: none;
background-color: #a86868;
color: white;
cursor: pointer;
padding: 15px;
border-radius: 4px;
}

#myBtn:hover {
background-color: #555;
}
</style>
<script>
var mybutton = document.getElementById("myBtn");
window.onscroll = function() {scrollFunction()};
function scrollFunction() {
if (document.body.scrollTop > 20 || document.documentElement.scrollTop > 20) {
mybutton.style.display = "block";
} else {
mybutton.style.display = "none";
}
}
function topFunction() {
document.body.scrollTop = 0;
document.documentElement.scrollTop = 0;
}
</script>
<div id="hero" style="margin-top: 87px;">
<div id="headerImg">
<div id="vizHeroImage31Widget805803" class="customWidget vizHeroImage31Widget pageWidgetId805803">
<style>
.vizHeroImage31Widget805803 div.hero-image {
background-size: cover;
background-repeat: no-repeat;
height: 0px padding:0px;
position: relative;
top: -100px;
}

.vizHeroImage31Widget805803 .hero-image {
position: relative
}

.vizHeroImage31Widget805803 .hero-fade {
display: none
}
</style>
<div class="vizHeroImage31Widget805803 fullViewportHero">
<div class="hero-image" style="height: 600.5px;">
<div class="hero-fade"></div>
<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="logout">Logout</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
</ul>
</nav>
</style>

```

```

.navbar {
width: auto;
float: right;
border: none;
height: 70px;
padding: 15px;
position: relative;
top: 13px;
left: -60px;
}

.navbar ul li {
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
right: 350px;
}

.navbar ul li a {
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}

.navbar ul li a:hover {
color: white;
text-decoration: underline;
}
</style>
<style>
#vizHeroImage31Widget805803 div.hero-image {
background-image: linear-gradient(rgba(0, 0, 0, 0.65), rgba(0, 0, 0, 0)), url('https://hospitalitysnapshots.com/wp-content/uploads/sites/3/2019/05/lamico_5d8e9df29cf07.jpg');
background-position: 50% 70%
}

@media (min-width:768px) {
#vizHeroImage31Widget805803 div.hero-image {
background-image: linear-gradient(rgba(0, 0, 0, 0.65), rgba(0, 0, 0, 0)), url('https://hospitalitysnapshots.com/wp-content/uploads/sites/3/2019/05/lamico_5d8e9df29cf07.jpg');
background-position: 50% 70%
}
}

@media (min-width:992px) {
#vizHeroImage31Widget805803 div.hero-image {
background-image: linear-gradient(rgba(0, 0, 0, 0.65), rgba(0, 0, 0, 0)), url('https://hospitalitysnapshots.com/wp-content/uploads/sites/3/2019/05/lamico_5d8e9df29cf07.jpg');
background-position: 50% 70%
}
}

</style>
<div class="visible carousel-caption">
<h3><span class="bgOuter"><span class="bgInner"><span class="bgInner2">Menu</span></span></span></h3>
</div>
<style>
@media (min-width: 768px) {
#hero .slideCaption,
#hero .carousel-caption {

```

```

right: 5%;
left: 5%;
}
}

#hero .slideCaption,
#hero .carousel-caption {
right: 8%;
left: 8%;
}

#hero .slideCaption,
#hero .carousel-caption {
right: 8%;
left: 8%;
}

@media screen and (min-width: 768px) .carousel-caption {
right: 20%;
left: 20%;
padding-bottom: 30px;
}

.carousel-caption {
position: absolute;
right: 15%;
bottom: 20px;
left: 15%;
z-index: 10;
padding-top: 20px;
padding-bottom: 20px;
color: #fff;
text-align: center;
text-shadow: 0 1px 2px rgb(0 0 0 / 60%);
}

#hero .carousel-caption h3 {
font-size: 2.7rem;
margin: 0;
text-align: center;
text-transform: uppercase;
}

#hero .visible.carousel-caption .bgInner {
background: url(https://www.hardrockcafe.com/files/templates/1732/bannerBg.jpg) 50% 50% / cover;
display: inline-block;
}
</style>
</div>
</div>
<script>
function ApplyHeight() {
function heightCalc() {
$fullViewport = true;
$iHeight = $(window).height() - ($('#header').height() + ($(window).height() * .25));
}

function heightCalcFalse() {
$fullViewport = false;
$iWidth = $('body').width();
}
var $fullViewport;
var $iHeight;
var $iWidth;
heightCalc();

```



```

if ($fullViewport == true) {
$(".vizHeroImage31Widget805803 .hero-image").height($iHeight);
$(".vizHeroImage31Widget805803").addClass('fullViewportHero');
}
$(window).on('resize', function() {
if ($fullViewport == true) {
heightCalc();
$(".vizHeroImage31Widget805803 .hero-image").height($iHeight);
}
});
}
$(function() {
ApplyHeight();
});
</script>
</div>
</div>
</div>
<div class="hrcRestaurantMenu2Widget1323330">
<ul class="nav nav-pills nav-left hidden-xs" role="tablist" id="hrcRestaurantMenu2Widget1323330Nav">

<li class="enabledSection" role="presentation"><a href="#Tab1" aria-controls="home" role="tab" data-toggle="tab" aria-expanded="false">Burgers</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab2" aria-controls="home" role="tab" data-toggle="tab" aria-expanded="false"> Starters </a></li>
<li class="enabledSection" role="presentation"><a href="#Tab3" aria-controls="home" role="tab" data-toggle="tab" aria-expanded="false">Sandwiches</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab4" aria-controls="home" role="tab" data-toggle="tab">Salads
&amp; Bowls</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab6" aria-controls="home" role="tab" data-
toggle="tab">Desserts</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab8" aria-controls="home" role="tab" data-toggle="tab" aria-
expanded="true">Beverages</a></li>
</ul>
<div class="panel-group visible-xs" id="hrcRestaurantMenu2Widget1323330Nav-accordion"></div>
<div class="tab-content hidden-xs animated fadeIn" data-originalsrc="https://www.hardrockcafe.com/files/5282/menuBg02.jpg"
style="background-image: url(&quot;https://www.hardrockcafe.com/files/5282/menuBg02.jpg&quot;);">
<div role="tabpanel" class="tab-pane fade enabledSection Tab1" id="Tab1">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<center>
<h2 class="visible-sm"> Burgers</h2>
<p> Burgers are served with a fresh toasted brioche bun and seasoned fries.</p>
</center>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">
<div class="featuredItemContent"><h3>ORIGINAL LEGENDARY BURGER</h3><div><em>The burger that started it
all!</em><br> Fresh steak burger, with Applewood bacon, Tillamook cheddar cheese, crispy onion ring, leaf lettuce and vine-
ripened tomato, served with our signature steak sauce on the side.</div></div>
</script>

$(function() {
$('.hrcRestaurantMenu2Widget1323330 [href="#Tab1"]').on('show.bs.tab', function() {
$('.hrcRestaurantMenu2Widget1323330 .Tab1 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('.hrcRestaurantMenu2Widget1323330 .Tab1 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1">

```

```

<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>BBQ BACON CHEESEBURGER</h4>
<div>Fresh steak burger, seasoned and seared with a signature spice blend, topped with house-made barbecue sauce, crispy
shoestring onions, Tillamook cheddar cheese, Applewood bacon, leaf lettuce and vine-ripened tomato, served
with
our signature steak sauce on the side.</div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>THE BIG CHEESEBURGER</h4>
<div>Three slices of Tillamook cheddar cheese melted on our fresh steak burger with leaf lettuce, vine-ripened tomato and red
onion, served with our signature steak sauce on the side.</div>
</li>
<li class="TabMenuItemItem3 newItemNo">
<h4>DOUBLE-DECKER DOUBLE CHEESEBURGER</h4>
<div><em>A tribute to our 1971 â Down Home Double Burgerâ </em><br>Two stacked steak burgers with American
cheese, mayonnaise, leaf lettuce, vine-ripened tomato and red onion, served with our signature steak sauce on the side.*</div>
</li>
<li class="TabMenuItemItem4 newItemNo">
<h4>THE IMPOSSIBLE BURGER</h4>
<div>100% plant-based vegan patty, topped with Tillamook cheddar cheese and a crispy onion ring, served with leaf lettuce and
vine-ripened tomato.<br><small><em>Vegan/vegetarian burgers vary in locations around the
world.</em></small>
</div>
</li>
<li class="TabMenuItemItem5 newItemNo">
<h4>MOVING MOUNTAINS BURGER</h4>
<div>100% plant-based vegan patty, topped with cheddar cheese and a crispy onion ring, served with leaf lettuce and vine-
ripened tomato.</div>
</li>
<li class="TabMenuItemItem6 newItemNo">
<h4>SURF & TURF BURGER</h4>
<div>Our signature steak burger topped with Spicy Shrimp on a bed of spicy slaw, served with our signature steak sauce on the
side.</div>
</li>
</ul>
</div>
<div class="submenuGroup TabMenuItem2 TabMenuItemLast">
<h2><center>Smashed & Stacked</center></h2>
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>COUNTRY BURGER</h4>
<div>Two smashed & stacked burgers seasoned and seared medium-well, with American cheese, leaf lettuce, vine-ripened
tomato, red onion, pickles, house-made burger sauce and served with a side of sweet relish.</div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>SWISS MUSHROOM BURGER</h4>
<div>Two smashed & stacked burgers seasoned and seared medium-well, with Swiss cheese, sautÃ©ed mushrooms, leaf
lettuce, vine-ripened tomato, and Dijon mayonnaise.</div>
</li>
<li class="TabMenuItemItem3 TabMenuItemLast newItemNo">
<h4>SPICY DIABLO BURGER</h4>
<div>Two smashed & stacked burgers seasoned and seared medium-well, with Monterey Jack cheese, pickled jalapeÃ±os,
leaf lettuce, vine-ripened tomato, and spicy mayonnaise.</div>
</li>
</ul>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab2" id="Tab2">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">

```

```

<center>
<h2 class="visible-sm">Starters </h2>
<p>Flavor, spice and an extra helping of attitude. That's worth celebrating.</p>
</center>
<div>
<div class="featuredItem TabFeaturedItem1">
<div class="featuredItemContent">
<h3>Classic Nachos</h3>
<div>Crisp tortilla chips layered with ranch-style beans and a four-cheese sauce blend, topped with fresh pico de gallo, spicy
jalape±os, melted cheddar and Monterey Jack cheese, pickled red onions and scallions, served with sour
cream on
the side. <strong>Add Guacamole, Grilled Chicken, or Grilled Steak for an additional charge.</strong></div>
</div>
<script>
$(function() {
$('hrcRestaurantMenu2Widget1323330 [href="#Tab2"]').on('show.bs.tab', function() {
$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
<div class="featuredItem TabFeaturedItem2 TabFeaturedItemLast">
<div class="featuredItemContent">
<h3>Spicy Shrimp</h3>
<div>Crispy shrimp, tossed in a creamy, spicy sauce, topped with scallions, served on a bed of coleslaw.</div>
</div>
<script>
$(function() {
$('hrcRestaurantMenu2Widget1323330 [href="#Tab2"]').on('show.bs.tab', function() {
$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem2 .featuredItemImage').attr('src',
$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem2 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>THREE-CHEESE & ROMA TOMATO FLATBREAD</h4>
<div>A blend of Mozzarella, Parmesan and Romano cheeses, topped with Roma tomatoes and fresh basil, drizzled with cilantro
pesto. </div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>SOUTHWEST CHICKEN FLATBREAD</h4>
<div>Grilled fresh chicken, avocado, melted Italian cheeses, fresh pico de gallo, diced red peppers and scallions, finished with
guacamole ranch. </div>
</li>
<li class="TabMenuItemItem3 newItemNo">
<h4>PEPPERONI FLATBREAD</h4>
<div>Melted Mozzarella, Parmesan and Romano cheeses, layered with sliced pepperoni and traditional pizza sauce, topped with a
sprinkle of grated Romano cheese.
</div>
</li>
<li class="TabMenuItemItem4 newItemNo">
<h4>WINGS</h4>
<div>Our signature slow-roasted jumbo wings tossed with your choice of classic buffalo, sweet & spicy tangy, or house-
made barbecue sauce, served with celery and blue cheese dressing.</div>

```

```

</li>
<li class="TabMenuItemItem5 newItemNo">
<h4>BONELESS BODACIOUS WINGS</h4>
<div>Our crispy Tupelo Chicken Tenders tossed with your choice of classic buffalo, sweet & spicy tangy, or house-made
barbecue sauce, served with celery and blue cheese dressing.</div>
</li>
<li class="TabMenuItemItem6 newItemNo">
<h4>ALL-AMERICAN SLIDERS</h4>
<div>Three mini-burgers with melted American cheese, crispy onion ring and creamy coleslaw on a toasted brioche bun.</div>
</li>
<li class="TabMenuItemItem7 newItemNo">
<h4>CUBAN SLIDERS</h4>
<div>Three mini-burgers with melted Swiss cheese, Dijon mayonnaise, hand-pulled smoked pork and sliced pickle.</div>
</li>
<li class="TabMenuItemItem8 TabMenuItemItemLast newItemNo">
<h4>BRUSCHETTA</h4>
<div>Balsamic-marinated Roma tomatoes and fresh basil topped with Romano cheese. Served with toasted artisan bread drizzled
with basil oil and a side of shaved Parmesan cheese.</div>
</li>
</ul>
</div>
</div>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab3" id="Tab3">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<center>
<h2 class="visible-sm">Sandwiches</h2>
<p>Served with seasoned fries or upgrade to Cheese Fries with Applewood Bacon.</p>
</center>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">

<div class="featuredItemContent">
<h3>BBQ PULLED CHICKEN SANDIWCH</h3>
<div>Hand-pulled smoked pork with our house-made barbecue sauce, served on a toasted fresh brioche bun with coleslaw and
pickles.</div>
</div>
<script>
$(function() {
$('.hrcRestaurantMenu2Widget1323330 [href="#Tab3"]').on('show.bs.tab', function() {
$('.hrcRestaurantMenu2Widget1323330 .Tab3 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('.hrcRestaurantMenu2Widget1323330 .Tab3 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>GRILLED CHICKEN SANDWICH</h4>
<div>Grilled fresh chicken with melted Monterey Jack cheese, Applewood bacon, leaf lettuce and vine-ripened tomato, served on
a toasted fresh brioche bun with honey mustard sauce.</div>
</li>
<li class="TabMenuItemItem2 TabMenuItemItemLast newItemNo">
<h4>FRIED CHICKEN SANDWICH</h4>
<div>Crispy buttermilk-marinated chicken breast with leaf lettuce, vine-ripened tomato and ranch dressing, served on a toasted
fresh brioche bun. <br><em>Spice it up with our classic buffalo sauce upon request! </em></div>

```

```

</li>
</ul>
</div>
</div>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab4" id="Tab4">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<h2 class="visible-sm">Salads & Bowls</h2>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">
<div class="featuredItemContent">
<h3>STEAK SALAD</h3>
<div>8oz grilled steak on a bed of fresh mixed greens tossed in a blue cheese vinaigrette, with pickled red onions, red peppers and
Roma tomatoes, finished with crispy shoestring onions and blue cheese crumbles.</div>
</div>
<script>
$(function() {
$('hrcRestaurantMenu2Widget1323330 [href="#Tab4"]').on('show.bs.tab', function() {
$('hrcRestaurantMenu2Widget1323330 .Tab4 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('hrcRestaurantMenu2Widget1323330 .Tab4 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>GRILLED CHICKEN CAESAR SALAD</h4>
<div>Fresh chicken breast grilled and sliced, with fresh romaine tossed in a classic Caesar dressing, topped with Parmesan crisps,
croutons and shaved Parmesan cheese. <b>Substitute Grilled Salmon for an additional charge.</b></div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>GRILLED SALMON NOODLE BOWL</h4>
<div>Ramen noodles tossed in a sesame-soy dressing over a bed of mixed greens topped with edamame, julienned carrots, red
peppers, cabbage, and scallions, served with grilled Norwegian salmon.</div>
</li>
<li class="TabMenuItemItem3 TabMenuItemItemLast newItemNo">
<h4>SOUTHWESTERN CHICKEN BOWL</h4>
<div>Fajita-spiced chicken, quinoa corn salad, pico de gallo, seasoned black beans and red cabbage served on mixed greens
tossed in a guacamole ranch dressing.</div>
</li>
</ul>
</div>
</div>
</div>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab6" id="Tab6">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<h2 class="visible-sm">
<center>Desserts</center>
</h2>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">


```

```

<div class="featuredItemContent">
<h3>HOT FUDGE BROWNIE</h3>
<div>Warm chocolate brownie topped with vanilla bean ice cream, hot fudge, chocolate sprinkles, fresh whipped cream and a cherry.</div>
</div>
<script>
$(function() {
$('.hrcRestaurantMenu2Widget1323330 [href="#Tab6"]').on('show.bs.tab', function() {
$('.hrcRestaurantMenu2Widget1323330 .Tab6 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('.hrcRestaurantMenu2Widget1323330 .Tab6 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>NEW YORK CHEESECAKE</h4>
<div>Rich and creamy NY-style cheesecake served with a fresh strawberry sauce and fresh whipped cream.</div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>HOMEMADE APPLE COBBLER</h4>
<div>Old-fashioned apple cobbler with warm Granny Smith apples, baked until golden brown and topped with vanilla bean ice cream and caramel sauce.</div>
</li>
<li class="TabMenuItemItem3 newItemNo">
<h4>ICE CREAM</h4>
<div>Choose from Madagascar vanilla bean or rich chocolate.</div>
</li>
<li class="TabMenuItemItem4 TabMenuItemItemLast newItemNo">
<h4>DINER-STYLE MILKSHAKES</h4>
<div>Your choice of Madagascar vanilla bean or rich chocolate ice cream blended thick and finished with fresh whipped cream.</div>
</li>
</ul>
</div>
</div>
</div>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab8 TabLast active in" id="Tab8">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<h2 class="visible-sm"><span class="visible-sm">
<center>Beverages</center>
</span></h2>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">
<div class="featuredItemContent">
<h3>Hurricane</h3>
<div><em>Our signature cocktail and a 1940s New Orleans classic! </em><br>Bacardi Superior Rum, a blend of orange, mango, pineapple juice and grenadine, finished with a float of Bacardi Black Rum and Amaretto. Include your own collectible glass for an additional charge.</div>
</div>
<script>
$(function() {
$('.hrcRestaurantMenu2Widget1323330 [href="#Tab8"]').on('show.bs.tab', function() {
$('.hrcRestaurantMenu2Widget1323330 .Tab8 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('.hrcRestaurantMenu2Widget1323330 .Tab8 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});

```

```
});  
});  
</script>  
</div>  
</div>  
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">  
<div class="submenuGroup TabMenuItem1">  
<ul class="menuItemList">  
<li class="TabMenuItemItem1 newItemNo">  
<h4>Classic Caribbean Mojito</h4>  
<div><em>A treasured favorite with a little extra jazz!</em><br><b>Bacardi</b> Superior Rum, fresh mint, lime juice and sparkling  
soda, with a premium Bacardi AÃ±ejo Cuatro floater and a powdered sugar sprinkle.</div>  
</li>  
<li class="TabMenuItemItem2 newItemNo">  
<h4>Rockin' Fresh Rita</h4>  
<div>Milagro Silver Tequila, fresh lime juice and agave nectar, finished with our signature sweet and savory rim.  
<strong>Upgrade to PatrÃ³n Silver Tequila for an additional charge.</strong></div>  
</li>  
<li class="TabMenuItemItem3 newItemNo">  
<h4>Blackberry Sparkling Sangria</h4>  
<div>A signature blend of red wine, the fresh flavors of blackberries, cranberry juice and squeeze of orange, topped with bubbly  
Riondo Prosecco.</div>  
</li>  
<li class="TabMenuItemItem4 TabMenuItemLast newItemNo">  
<h4>Ultimate Long Island Iced Tea</h4>  
<div>Tito's Handmade Vodka, Bombay Sapphire Gin, Sailor Jerry Spiced Rum, Cointreau Orange Liqueur, house-made sour mix  
finished with a splash of Coca-Cola<sup>Â®</sup>. </div>  
</li>  
</ul>  
</div>  
</div>  
</div>  
</div>  
</div>  
</body>  
</html>
```



BURGERS STARTERS SANDWICHES SALADS & BOWLS DESSERTS BEVERAGES

5. RESERVE TABLE PAGE:

<!DOCTYPE html>

<link

href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&display=swap" rel="stylesheet">

<html>

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<title>Reservation Form</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet" href="main.css">

<link rel="stylesheet" href="fonts/material-icon/css/material-design-iconic-font.min.css">

<style>

@import url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap');

{

box-sizing: border-box;

padding: 0;

margin: 0;

}

body{

font-family: 'Poppins', sans-serif;

margin: 0px;

}

.banner{

min-height: 100vh;

background: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0, 0, 0.5)), url("https://media.gettyimages.com/videos/tilt-down-blur-restaurant-for-background-video-id1273433362?s=640x640") center/cover no-repeat;

display: flex;

flex-direction: column;

justify-content: center;

align-items: center;

color: #fff;

padding-bottom: 20px;

}

.card-container{

display: grid;

grid-template-columns: 420px 420px;

}

.card-img{

background: url("https://restaurantindia.s3.ap-south-1.amazonaws.com/s3fs-public/content9723.jpg") center/cover no-repeat;

}

.banner h2{

padding-bottom: 40px;

margin-bottom: 20px;

}

.card-content{

background: #fff;

height: 330px;

}

.card-content h3{

text-align: center;

color: #000;

padding: 25px 0 10px 0;

font-size: 26px;

font-weight: 500;

}

.form-row{

display: flex;

width: 90%;

margin: 0 auto;

}

form select, form input{


```

display: block;
width: 100%;
margin: 15px 12px;
padding: 5px;
font-size: 15px;
font-family: 'Poppins', sans-serif;
outline: none;
border: none;
border-bottom: 1px solid #eee;
font-weight: 300;
}
form input[type = text], form input[type = number], form input::placeholder, select{

}
form input[type = submit]{
color: #fff;
background: #f2745f;
padding: 12px 0;
border-radius: 4px;
cursor: pointer;
}
form input[type = submit]:hover{
opacity: 0.9;
}
@media(max-width: 992px){
.card-container{
grid-template-columns: 100%;
width: 100vw;
}
.card-img{
height: 330px;
}
}
.navbar{
width: auto;
float: right;
border: none;
height: 70px;
padding: 15px;
font-family: Tapestry;
}

.navbar ul li{
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
right: 20px;
top: -100px;
}

.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}

.navbar ul li a:hover{
color: white;
text-decoration: underline;
}

```

```

#start{
position:relative;
right:5px;}
</style>

</head>
<body>

<section class = "banner">
<header>
<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="logout">Logout</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
</ul>
</nav>
</header>
<h2>BOOK YOUR TABLE NOW</h2>
<div class = "card-container">
<div class = "card-img">
<!-- image here -->
</div>

<div class = "card-content">
<h3>Reservation</h3>
<form method="post" action="reserve">
<div class = "form-row">

<input type="date" id="start" name="date"
min="2000-01-01" max="2900-12-31" required="required">


<input type="time" id="appt" name="hours" required="required">

</div>

<div class = "form-row">
<input type = "text" name="cname" placeholder="Full Name" required="required">
<input type = "text" name="number" placeholder="Phone Number" required="required">
</div>

<div class = "form-row">
<input type = "number" name="guests" placeholder="How Many Persons?" min = "1" required="required">
<input type = "submit" name="submit" value = "BOOK TABLE" required="required">
</div>
</form>
</div>
</div>
</section>
</body>
</html>

```



6. CONTACT US PAGE :

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
*{
padding: 0px;
margin:0px;
}
.contact {
position: relative;
padding: 0px;
margin: 0px
align-items: center;
height: auto;
background-image: url('https://img.freepik.com/free-photo/abstract-dark-blue-grunge-texture-with-scratches-spots-old-cement-plaster-wall-background_150101-2005.jpg');
color: white;
background-size:cover;
}
```

```
.container {
width:auto;
padding: 20px 20px;
position: relative;
}
```

```
.container .contactInfo
{
width:50%;
display: flex;
flex-direction: row;
}
```

```
.container .contactInfo .box{
position: absolute;
display:flex;
}
```

```

.container .contactInfo .box1 .icon{
width: 50px;
height: 50px;
position: relative;
font-size: 26px;
top:80px;
}
.container .contactInfo .box1 .text{
text-align: left;
width: 150px;
position: relative;
left: 43px;
top: 25px;
}
.container .contactInfo .box2 .icon{
width: 50px;
height: 50px;
position: relative;
font-size: 26px;
top: 80px;
left:150px;
}
.container .contactInfo .box2 .text{
text-align: left;
width: 150px;
position: relative;
left: 200px;
top:25px;
}
.container .contactInfo .box3 .icon{
width: 50px;
height: 50px;
position: relative;
font-size: 26px;
top: 80px;
left:300px;
}
.container .contactInfo .box3 .text{
text-align: left;
width: 150px;
position: relative;
left: 352px;
top: 25px;}

#place{
position: relative;
left: 440px;
bottom: 10px;
}

.first{
background:linear-gradient(rgba(0,0,0,0.7), rgba(0,0,0,0.5)), url('https://cdn.cnn.com/cnnnext/dam/assets/200120161356-cnn-
worlds-best-new-restaurants---madera---simon-brown-photography-1-1-full-169.jpg');
background-image: cover;
height:710px;
color: white;
}

.inside-contact{
width:500px;
height: 80%;

```

```

position: relative;
top: 130px;
left: 800px;

}

}
.inside-contact h2 {
text-transform: uppercase;
text-align: center;
margin-top: 50px;
padding-top: 5px;
}
.inside-contact h3 {
text-align: center;
font-size: 16px;
color: #0085e2;
margin: 10px;
}
.inside-contact input, .inside-contact textarea {
width: 80%;
background-color: rgba(255,255,255,0.9);
border: 1px solid rgba(0,0,0,0.48);
padding: 5px 10px;
margin: 15px;

}
.inside-contact p {
padding-left: 15px;
}
.logo {
position: relative;
bottom: 300px;
border-radius: 5px;
left: 250px;
background-color: black;
width: 250px;
height: 250px;
border-radius: 50%;
}
#image {
position: relative;
width: 370px;
height: 300px;
right: 73px;
bottom: 30px;
}

.navbar {
width: auto;
float: right;
border: none;
height: 70px;
position: relative;
top: 15px;
}

.navbar ul li {
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
left: -67%;

```

```

}

.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}

.navbar ul li a:hover{
color: white;
text-decoration: underline;
}

.new{
padding-left:80px;
}

#cont{
position: relative;
left:140px;
}
#btn_send{
background: yellow;
}

</style>
</head>
<body>
<section class="first">
<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="logout">Logout</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
</ul>
</nav>
<div class="inside-contact">
<span id="cont">
<h2>Contact Us</h2></span>
<h3>
<span id="confirm">
</h3>
<form id="contact-form" method="post" action="contact">
<p>Name *</p>
<input id="txt_name" name="name" type="text" Required="required">
<p>Email *</p>
<input id="txt_email" name="email" type="email" Required="required">
<p>Phone *</p>
<input id="txt_phone" type="text" name="PhoneNumber" pattern="[7-9]{1}[0-9]{9}"
title="Phone number with 7-9 and remaining 9 digit with 0-9">
<p>Message *</p>
<textarea id="txt_message" name="textarea" rows="4" cols="20" Required="required"></textarea>
<input type="submit" class="contact-form" id="btn_send" value="SEND">
</form>
</div>
<div class="logo">


</div>
</section>
<section class="contact">
<script src="https://kit.fontawesome.com/f5d7e640d9.js" crossorigin="anonymous"></script>
<div class="new">

```

```

<div class="container">
<div class="contactinfo">
<div class="box1">
<div class="icon"><i class="fa-solid fa-location-dot"></i></div>
<div class="text">
<h3>Address</h3>
<p>Jubilee Hills Road No 36,<br>Hyderabad,Telangana,<br>500033</p>
</div>
</div>
<div class="box2">
<div class="icon"><i class="fa-solid fa-phone"></i></div>
<div class="text">
<h3>Phone</h3>
<p>+91 6127970164 </p>
</div>
</div>
<div class="box3">
<div class="icon"><i class="fa-solid fa-envelope"></i></div>
<div class="text">
<h3>Email</h3>
<p>FroyContactUs@gmail.com</p>
</div>
</div>
<div id="place">
<iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3806.547558309475!2d78.40325131479695!3d17.43348738805104!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3bcb91463b7ebb4b%3A0x16a4ba4ed2262687!2sRd%20Number%2036%2C%20Jubilee%20Hills%2C%20Hyderabad%2C%20Telangana%20500033!5e0!3m2!1sen!2sin!4v1654000861349!5m2!1sen!2sin" width="400" height="300" style="border:0;" allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-downgrade"></iframe>
</div>
</div>
</div>
</div>
</div>
</section>
</body>
</html>

```



DYNAMIC PAGES :

1. Index.jsp page

2. Login.jsp page
3. Signin.jsp page
4. Login.java page
5. SigninServlet.java page
6. Reserve.jsp
7. Reservetable.java
8. Menu.jsp
9. Contact.jsp
10. Contact.java
11. Details.jsp
12. Logout.java

1. index.jsp page

```
<%
if(session.getAttribute("name")==null){
response.sendRedirect("login.jsp");
}
%>
<!DOCTYPE html>
<html>
<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&display=swap" rel="stylesheet">
<link rel="stylesheet" type="text/css" href="style.css">

<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Froy.com</title>
</head>
<body>
<section class="first">
<div class="firstd">
<header class="head">

<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="#second">About Us</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
<li><a href="logout">Logout</a></li>
<li><a href="details2.jsp" style="font-size: 10px"><%= session.getAttribute("name") %></a></li>

</ul>
</nav>
</header>
<div class="res">
<button onclick="location.href='Reserve.jsp'" type="button"><b>Reserve a table</b>
</button>
</div>
<div class="welcome">
<h1>FROY</h1>
<p>
Delight in every bite
</p>

</div>
```



```

</div>
</section>

<section id="second" class="about">
<div class="second">
<center>


<p class="aboutp">Froy specializes in delicious food featuring fresh ingredients and masterful preparation by the Froy culinary
team. Whether you are ordering a multi-course meal or grabbing a drink and pizza at the bar, Froy's lively, casual yet upscale
atmosphere makes it perfect for dining with friends, family, clients and business associates.<br> <br>
Froy combines flavors & inspiration from the Far East & the West to create what we think is the best! Home to the original
(recipe), we specialize in pizzas, as well as handmade appetizers, sandwiches, salads, and gluten friendly, vegetarian, & vegan
selections. Feel free to indulge in a tiki drink or craft beer with our fantastic unique cuisine. Cheers!
</p>

<article id="cc-slider">
<input checked="checked" name="cc-slider" id="slide1" type="radio">
<input name="cc-slider" id="slide2" type="radio">
<input name="cc-slider" id="slide3" type="radio">
<input name="cc-slider" id="slide4" type="radio">
<input name="cc-slider" id="slide5" type="radio">
<div id="cc-slides">
<div id="overflow">
<div class="inner">
<article>

</article>
<article>
 </article>
<article>
 </article>
<article>
 </article>
<article>

</article>
</div>
<script>
w3.slideshow = function (sel, ms, func) {
var i, ss, x = w3.getElements(sel), l = x.length;
ss = {};
ss.current = 1;
ss.x = x;
ss.ondisplaychange = func;
if (!isNaN(ms) || ms == 0) {
ss.milliseconds = ms;
} else {
ss.milliseconds = 1000;
}
ss.start = function() {
ss.display(ss.current)
if (ss.ondisplaychange) {ss.ondisplaychange();}
if (ss.milliseconds > 0) {
window.clearTimeout(ss.timeout);
ss.timeout = window.setTimeout(ss.next, ss.milliseconds);
}
};
ss.next = function() {
ss.current += 1;

```

```

if (ss.current > ss.x.length) {ss.current = 1;}
ss.start();
};
ss.previous = function() {
ss.current -= 1;
if (ss.current < 1) {ss.current = ss.x.length;}
ss.start();
};
ss.display = function (n) {
w3.styleElements(ss.x, "display", "none");
w3.styleElement(ss.x[n - 1], "display", "block");
}
ss.start();
return ss;
};
</script>
<div>
<div>
<div id="controls">
<label for="slide1"></label>
<label for="slide2"></label>
<label for="slide3"></label>
<label for="slide4"></label>
<label for="slide5"></label>
</div>
</article>
</center>
</div>
</section>

```


```

<section id="third" class="contact">

<script src="https://kit.fontawesome.com/f5d7e640d9.js" crossorigin="anonymous"></script>
<div class="new">
<div class="content">
<h2> Contact Us </h2>
<p> Thank you for your interest in our restaurant.For further information please do contact us via email or phone .</p>
</div>
<div class="container">
<div class="contactinfo">
<div class="box1" >
<div class="icon"><i class="fa-solid fa-location-dot"></i></div>
<div class="text">
<h3>Address</h3>
<p>Jubilee Hills Road No 36,<br>Hyderabad,Telangana,<br>500033</p>
</div>
</div>
<div class="box2">
<div class="icon"><i class="fa-solid fa-phone"></i></div>
<div class="text">
<h3>Phone</h3>
<p> +91 6127970164 </p>
</div>
</div>
<div class="box3">
<div class="icon"><i class="fa-solid fa-envelope"></i></div>
<div class="text">
<h3>Email</h3>
<p>FroyContactUs@gmail.com</p>
</div>
</div>
</div>
<div id="place">

```

```
<iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3806.547558309475!2d78.40325131479695!3d17.43348738
805104!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3bcb91463b7ebb4b%3A0x16a4ba4ed2262687!2sRd%20Numb
er%2036%2C%20Jubilee%20Hills%2C%20Hyderabad%2C%20Telangana%20500033!5e0!3m2!1sen!2sin!4v1654000861349!5
m2!1sen!2sin" width="400" height="300" style="border:0;" allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-
downgrade"></iframe>
</div>
</div>
</div>
</section>
</body>
</html>
```



2. login.jsp page:

```
<!DOCTYPE html>
<html>
<head>
<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&d
isplay=swap" rel="stylesheet">
<link rel="stylesheet" href="fonts/material-icon/css/material-design-iconic-font.min.css">
<style>
*{
padding: 0;
margin:0;
font-family: Tapestry;
}
body{
min-height: 100vh;
margin: 0px;
padding: 0px;
background-image: linear-gradient(rgba(0,0,0,0.95),rgba(0,0,0,0)),url("https://media.gettyimages.com/videos/tilt-down-blur-
```

```

restaurant-for-background-video-id1273433362?s=640x640");
background-size: cover;
background-repeat: no-repeat;
}
display-flex, .display-flex, .display-flex-center, .signup-content, .signin-content, .social-login, .socials {
display: flex;
display: -webkit-flex; }

img {
max-width: 100%;
height: auto; }

figure {
margin: 0; }

p {
margin-bottom: 0px;
font-size: 15px;
color: #777; }

h2 {
line-height: 1.66;
margin: 0;
padding: 0;
font-weight: bold;
color: #222;
font-family: Poppins;
font-size: 36px; }

.main {
background: #f8f8f8;
padding: 50px 0; }

.clear {
clear: both; }

.container {
width: 500px;
background: #fff;
margin: 0 auto;
box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-moz-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-webkit-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-o-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-ms-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
border-radius: 20px;
-moz-border-radius: 20px;
-webkit-border-radius: 20px;
-o-border-radius: 20px;
-ms-border-radius: 20px;
position: relative;
top: 140px;
height: }

.display-flex {
justify-content: space-between;
-moz-justify-content: space-between;
-webkit-justify-content: space-between;
-o-justify-content: space-between;
-ms-justify-content: space-between;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }

```

```

.display-flex-center {
justify-content: center;
-moz-justify-content: center;
-webkit-justify-content: center;
-o-justify-content: center;
-ms-justify-content: center;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }

.position-center {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
-moz-transform: translate(-50%, -50%);
-webkit-transform: translate(-50%, -50%);
-o-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%); }

.signup {
margin-bottom: 30px; }

.signup-content {
padding: 50px 0;
}

.signup-form, .signin-form {
width: 50%;
overflow: hidden; }

.form-title {
margin-bottom: 33px; }

.form-submit {
display: inline-block;
background: #6dabe4;
color: #fff;
border-bottom: none;
width: auto;
padding: 15px 39px;
border-radius: 5px;
-moz-border-radius: 5px;
-webkit-border-radius: 5px;
-o-border-radius: 5px;
-ms-border-radius: 5px;
margin-top: 25px;
cursor: pointer; }
.form-submit:hover {
background: #4292dc; }

#signin {
margin-top: 16px; }

.signup-image-link {
font-size: 14px;
color: #222;
display: block;
text-align: center;

```

```

position : relative;
right: 23px;
}

.term-service {
font-size: 13px;
color: #222; }

.signup-form , .signin-form {
margin-left: 75px;
margin-right: 75px;
padding-left: 34px;
position: relative;
right: 50px;
}

.register-form {
width: 100%; }

.form-group {
position: relative;
margin-bottom: 25px;
overflow: hidden; }
.form-group:last-child {
margin-bottom: 0px; }

.signup-form {
margin-left: 0px;
margin-right: 0px;
padding-left: 0px;
/* box-sizing: border-box; */
padding: 0 30px;
}

.signup-form, .signin-form {
width: auto; }

.social-login {
justify-content: center;
-moz-justify-content: center;
-webkit-justify-content: center;
-o-justify-content: center;
-ms-justify-content: center; }

.form-button {
text-align: center; }

.signin-form {
order: 1;
-moz-order: 1;
-webkit-order: 1;
-o-order: 1;
-ms-order: 1;
margin-right: 0px;
margin-left: 0px;
padding: 0 30px; }

.form-title {
text-align: center; } }
@media screen and (max-width: 400px) {
.social-login {
flex-direction: column;

```

```
-moz-flex-direction: column;
-webkit-flex-direction: column;
-o-flex-direction: column;
-ms-flex-direction: column; }
```

```
.social-label {
margin-right: 0px;
margin-bottom: 10px; }
```

```
.navbar{
width: auto;
float: right;
border: none;
height: 70px;
padding: 15px;
}
```

```
.navbar ul li{
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
left:-67%;
```

```
}
```

```
.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}
```

```
.navbar ul li a:hover{
color: white;
text-decoration: underline;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<section class="newsec">
```

```
<input type="hidden" id="status" value="<%= request.getAttribute("status") %>">
```

```
<div class="newclass">
```

```
<nav class="navbar">
```

```
<ul type="none">
```

```
<li><a href="index.jsp">Home</a></li>
```

```
<li><a href="menu.jsp">Menu</a></li>
```

```
<li><a href="login.jsp">Login</a></li>
```

```
<li><a href="contact.jsp">Contact Us</a></li>
```

```
</ul>
```

```
</nav>
```

```
<div class="container">
```

```
<div class="signin-content">
```

```
<div class="signin-form">
```

```
<h2 class="form-title">Sign in</h2>
```


```
<form method="post" action="login" class="register-form"
```

```

id="login-form">
<div class="form-group">
<label for="email"><i
class="zmdi zmdi-account material-icons-name"></i></label> <input
type="email" name="email" id="email"
placeholder="Your email" required="required" />
</div>
<div class="form-group">
<label for="password"><i class="zmdi zmdi-lock"></i></label> <input
type="password" name="password" id="password"
placeholder="Password" required="required"/>
</div>
<div class="form-group">
<input type="checkbox" name="remember-me" id="remember-me"
class="agree-term" /> <label for="remember-me"
class="label-agree-term"><span><span></span></span></label>Remember
me</label>
</div>
<div class="form-group form-button">
<input type="submit" name="signin" id="signin"
class="form-submit" value="Log in" />
</div>
<div class="reglink">
<a href="signin.jsp" class="signup-image-link">Create an
account</a>
</div>
</form>

</div>
</div>
</div>
</div>
</section>
<script src="vendor/jquery/jquery.min.js"></script>
<script src="js/main.js"></script>
<script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
<link rel="stylesheet" href="alert/dist/sweetalert.css">
<script type="text/javascript">
var status = document.getElementById("status").value;
if(status == "failed"){
swal("Sorry", "Wrong email or password", "failed");
}
if(status == "invalidEmail"){
swal("Sorry", "please enter email", "failed");
}
if(status == "invalidPwd"){
swal("Sorry", "please enter password", "failed");
}
</script>
</body>
</html>

```

3. login.java page:

```
package com.uniquedeveloper.signup;
```

```
import java.io.*;
import jakarta.servlet.*;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.*;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
```

```
@WebServlet("/login")
public class login extends HttpServlet {
    private static final long serialVersionUID = 1L;
```

```
protected void doPost(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
    String uemail = request.getParameter("email");
    String upwd = request.getParameter("password");
    HttpSession session = request.getSession();
    RequestDispatcher dispatcher = null;
```

```
if(uemail == null || uemail.equals("")) {
    request.setAttribute("status","invalidEmail");
    dispatcher = request.getRequestDispatcher("login.jsp");
    dispatcher.forward(request, response);
}
if(upwd == null || upwd.equals("")) {
    request.setAttribute("status","invalidPwd");
    dispatcher = request.getRequestDispatcher("login.jsp");
    dispatcher.forward(request, response);
}
```

```
try {
```


```

Class.forName("com.mysql.jdbc.Driver");
Connection con = DriverManager.getConnection("jdbc:mysql://localhost:3306/signin","root","suchithra");
PreparedStatement pst = con.prepareStatement("select * from users where uemail = ? and upwd = ?");
pst.setString(1, uemail);
pst.setString(2, upwd);

ResultSet rs = pst.executeQuery();
if (rs.next()) {
session.setAttribute("name",rs.getString("uemail"));
dispatcher = request.getRequestDispatcher("index.jsp");
}else {
request.setAttribute("status","failed");
dispatcher = request.getRequestDispatcher("login.jsp");
}
dispatcher.forward(request, response);
} catch (Exception e)
{
e.printStackTrace();}}}

```

New user:



4. signin.jsp page:

```

<!DOCTYPE html>
<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&display=swap" rel="stylesheet">
<link rel="stylesheet" href="fonts/material-icon/css/material-design-iconic-font.min.css">
<html>
<head>
<style>
*{
padding: 0;
margin:0;
font-family: Tapestry;
}
body{
min-height: 100vh;
background-image: linear-gradient(rgba(0,0,0,0.95),rgba(0,0,0,0)),url("https://media.gettyimages.com/videos/tilt-down-blur-restaurant-for-background-video-id1273433362?s=640x640");
background-size: cover;

```

```

background-repeat: no-repeat;
}

.container {
width: 500px;
background: #fff;
margin: 0 auto;
box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-moz-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-webkit-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-o-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
-ms-box-shadow: 0px 15px 16.83px 0.17px rgba(0, 0, 0, 0.05);
border-radius: 20px;
-moz-border-radius: 20px;
-webkit-border-radius: 20px;
-o-border-radius: 20px;
-ms-border-radius: 20px;
position: relative;
top: 140px;
}

.display-flex {
justify-content: space-between;
-moz-justify-content: space-between;
-webkit-justify-content: space-between;
-o-justify-content: space-between;
-ms-justify-content: space-between;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }

.display-flex-center {
justify-content: center;
-moz-justify-content: center;
-webkit-justify-content: center;
-o-justify-content: center;
-ms-justify-content: center;
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center; }

.position-center {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
-moz-transform: translate(-50%, -50%);
-webkit-transform: translate(-50%, -50%);
-o-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%); }

.signup {
margin-bottom: 30px; }

.signup-content {
padding: 50px 0; }

.signup-form, .signup-image, .signin-form, .signin-image {
width: 50%;
overflow: hidden; }

```

```

.signup-image {
margin: 0 55px; }

.form-title {
margin-bottom: 33px; }

.signup-image {
margin-top: 30px;
margin-right: 50px; }

figure {
margin-bottom: 50px;
text-align: center; }

.form-submit {
display: inline-block;
background: #6dabe4;
color: #fff;
border-bottom: none;
width: auto;
padding: 15px 39px;
border-radius: 5px;
-moz-border-radius: 5px;
-webkit-border-radius: 5px;
-o-border-radius: 5px;
-ms-border-radius: 5px;
margin-top: 25px;
cursor: pointer;
position: relative;
right: 25px;}
.form-submit:hover {
background: #4292dc;
}

#signin {
margin-top: 16px; }

.signup-image-link {
font-size: 14px;
color: #222;
display: block;
text-align: center;
position: relative;
right: 10px;}

.term-service {
font-size: 13px;
color: #222; }

.signup-form {
margin-left: 75px;
margin-right: 75px;
padding-left: 34px; }

.register-form {
width: 100%; }

.form-group {
position: relative;
margin-bottom: 25px;
overflow: hidden; }
.form-group:last-child {
margin-bottom: 0px; }

```

```

input {
width: 100%;
display: block;
border: none;
border-bottom: 1px solid #999;
padding: 6px 30px;
font-family: Poppins;
box-sizing: border-box; }
input::-webkit-input-placeholder {
color: #999; }
input::-moz-placeholder {
color: #999; }
input:-ms-input-placeholder {
color: #999; }
input:-moz-placeholder {
color: #999; }
input:focus {
border-bottom: 1px solid #222; }
input:focus::-webkit-input-placeholder {
color: #222; }
input:focus::-moz-placeholder {
color: #222; }
input:focus:-ms-input-placeholder {
color: #222; }
input:focus:-moz-placeholder {
color: #222; }

input[type=checkbox]:not(old) {
width: 2em;
margin: 0;
padding: 0;
font-size: 1em;
display: none; }

input[type=checkbox]:not(old) + label {
display: inline-block;
line-height: 1.5em;
margin-top: 6px; }

input[type=checkbox]:not(old) + label > span {
display: inline-block;
width: 13px;
height: 13px;
margin-right: 15px;
margin-bottom: 3px;
border: 1px solid #999;
border-radius: 2px;
-moz-border-radius: 2px;
-webkit-border-radius: 2px;
-o-border-radius: 2px;
-ms-border-radius: 2px;
background: white;
background-image: -moz-linear-gradient(white, white);
background-image: -ms-linear-gradient(white, white);
background-image: -o-linear-gradient(white, white);
background-image: -webkit-linear-gradient(white, white);
background-image: linear-gradient(white, white);
vertical-align: bottom; }

input[type=checkbox]:not(old):checked + label > span {
background-image: -moz-linear-gradient(white, white);
background-image: -ms-linear-gradient(white, white);
background-image: -o-linear-gradient(white, white);
background-image: -webkit-linear-gradient(white, white);
background-image: linear-gradient(white, white); }

```

```
input[type=checkbox]:not(old):checked + label > span:before {
content: '\266b';
display: block;
color: #222;
font-size: 11px;
line-height: 1.2;
text-align: center;
font-family: 'Material-Design-Iconic-Font';
font-weight: bold; }
```

```
.agree-term {
display: inline-block;
width: auto; }
```

```
label {
position: absolute;
left: 0;
top: 50%;
transform: translateY(-50%);
-moz-transform: translateY(-50%);
-webkit-transform: translateY(-50%);
-o-transform: translateY(-50%);
-ms-transform: translateY(-50%);
color: #222; }
```

```
.label-has-error {
top: 22%; }
```

```
label.error {
position: relative;
background: url("../images/unchecked.gif") no-repeat;
background-position-y: 3px;
padding-left: 20px;
display: block;
margin-top: 20px; }
```

```
label.valid {
display: block;
position: absolute;
right: 0;
left: auto;
margin-top: -6px;
width: 20px;
height: 20px;
background: transparent; }
label.valid:after {
font-family: 'Material-Design-Iconic-Font';
content: '\2699';
width: 100%;
height: 100%;
position: absolute;
/* right: 0; */
font-size: 16px;
color: green; }
```

```
.label-agree-term {
position: relative;
top: 0%;
transform: translateY(0);
-moz-transform: translateY(0);
-webkit-transform: translateY(0);
-o-transform: translateY(0);
-ms-transform: translateY(0); }
```

```

.material-icons-name {
font-size: 18px; }

.signin-content {
padding-top: 67px;
padding-bottom: 87px; }

.social-login {
align-items: center;
-moz-align-items: center;
-webkit-align-items: center;
-o-align-items: center;
-ms-align-items: center;
margin-top: 80px; }

.social-label {
display: inline-block;
margin-right: 15px; }

.socials li {
padding: 5px; }
.socials li:last-child {
margin-right: 0px; }
.socials li a {
text-decoration: none; }
.socials li a i {
width: 30px;
height: 30px;
color: #fff;
font-size: 14px;
border-radius: 5px;
-moz-border-radius: 5px;
-webkit-border-radius: 5px;
-o-border-radius: 5px;
-ms-border-radius: 5px;
transform: translateZ(0);
-moz-transform: translateZ(0);
-webkit-transform: translateZ(0);
-o-transform: translateZ(0);
-ms-transform: translateZ(0);
-webkit-transition-duration: 0.3s;
transition-duration: 0.3s;
-webkit-transition-property: transform;
transition-property: transform;
-webkit-transition-timing-function: ease-out;
transition-timing-function: ease-out; }
.socials li:hover a i {
-webkit-transform: scale(1.3) translateZ(0);
transform: scale(1.3) translateZ(0); }

.zmdi-facebook {
background: #3b5998; }

.zmdi-twitter {
background: #1da0f2; }

.zmdi-google {
background: #e72734; }

.signin-form {
margin-right: 90px;
margin-left: 80px; }

.signin-image {
margin-left: 110px; }

```

```

margin-right: 0px;
margin-top: 10px; }

@media screen and (max-width: 1200px) {
.container {
width: calc( 100% - 30px);
max-width: 100%; } }
@media screen and (min-width: 1024px) {
.container {
max-width: 1200px; } }
@media screen and (max-width: 768px) {
.signup-content, .signin-content {
flex-direction: column;
-moz-flex-direction: column;
-webkit-flex-direction: column;
-o-flex-direction: column;
-ms-flex-direction: column;
justify-content: center;
-moz-justify-content: center;
-webkit-justify-content: center;
-o-justify-content: center;
-ms-justify-content: center; }

.signup-form {
margin-left: 0px;
margin-right: 0px;
padding-left: 0px;
/* box-sizing: border-box; */
padding: 0 30px; }

.signin-image {
margin-left: 0px;
margin-right: 0px;
margin-top: 50px;
order: 2;
-moz-order: 2;
-webkit-order: 2;
-o-order: 2;
-ms-order: 2;
position: relative;
right: 5px;}
.signup-form, .signup-image, .signin-form, .signin-image {
width: auto; }

.social-login {
justify-content: center;
-moz-justify-content: center;
-webkit-justify-content: center;
-o-justify-content: center;
-ms-justify-content: center; }

.form-button {
text-align: center; }

.signin-form {
order: 1;
-moz-order: 1;
-webkit-order: 1;
-o-order: 1;
-ms-order: 1;
margin-right: 0px;
margin-left: 0px;
padding: 0 30px; }

.form-title {

```



```

text-align: center; } }
@media screen and (max-width: 400px) {
.social-login {
flex-direction: column;
-moz-flex-direction: column;
-webkit-flex-direction: column;
-o-flex-direction: column;
-ms-flex-direction: column; }

.social-label {
margin-right: 0px;
margin-bottom: 10px; } }

/*# sourceMappingURL=style.css.map */

```

```

.navbar{
width: auto;
float: right;
border: none;
height: 70px;
padding: 15px;
}

```

```

.navbar ul li{
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
left:-67%;
}

```

```

.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}

```

```

.navbar ul li a:hover{
color: white;
text-decoration: underline;
}

```

```

#signup{
margin-left: 25px;
margin-right: 25px;
}

```

```

}
.logo{
position: relative;
bottom: 300px;
border-radius: 5px;
left: 250px;
background-color: black;
width:250px;
height:250px;
border-radius: 50%;
}

```

```

#image{
position: relative;
width:370px;
height:300px;
}

```

```

right: 73px;
bottom: 30px;
}

</style>
</head>
<body>
<section>
<input type="hidden" id="status" value="<%= request.getAttribute("status") %>">
<div class="newsign">
<header>
<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="login.jsp">Login</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
</ul>
</nav>
</header>
<div class="logo">

</div>

<div class="container">
<div class="signup-content">
<div class="signup-form">
<h2 class="form-title">Sign up</h2>

<form method="post" action="signin" class="register-form"
id="register-form">

<div class="form-group">
<label for="email"><i class="zmdi zmdi-email"></i></label> <input
type="email" name="email" id="email" placeholder="Your Email" required="required"/>
</div>
<div class="form-group">
<label for="pass"><i class="zmdi zmdi-lock"></i></label> <input
type="password" name="password" id="pass" placeholder="Password" required="required"/>
</div>
<div class="form-group">
<label for="re-pass"><i class="zmdi zmdi-lock-outline"></i></label>
<input type="password" name="re_pass" id="re_pass"
placeholder="Repeat your password" required="required" />
</div>

<div class="form-group form-button">
<input type="submit" name="signup" id="signup"
class="form-submit" value="Register" />
</div>
</form>
</div>
<div class="signup-image">


<a href="login.jsp" class="signup-image-link">I am already
member</a>
</div>
</div>
</div>
</div>
</section>
<script src="vendor/jquery/jquery.min.js"></script>



```

```

<script src="js/main1.js"></script>
<script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
<link rel="stylesheet" href="alert/dist/sweetalert.css">
<script type="text/javascript">
var status = document.getElementById("status").value;
if(status == "success"){
swal("Congrats", "Account Created Successfully","success");
}
if(status == "invalidEmail"){
swal("sorry", "Please enter email","error");
}
if(status == "invalidPwd"){
swal("sorry", "Please enter password","error");
}
if(status == "invalidConfirmPwd"){
swal("sorry", "Password do not match","error");
}
</script>
</body>
</html>

```





5. SigninServlet.java page:

```
package com.uniquedeveloper.signup;
```

```
import java.io.*;
```

```
import jakarta.servlet.*;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.*;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
```

```

import java.sql.SQLException;

@WebServlet("/signin")
public class SigninServlet extends HttpServlet {
    private static final long serialVersionUID = 1L;

    protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {

        String uemail = request.getParameter("email");
        String upwd = request.getParameter("password");
        String Reupwd = request.getParameter("re_pass");
        RequestDispatcher dispatcher = null;
        Connection con = null;

        if(uemail == null || uemail.equals("")) {
            request.setAttribute("status", "invalidEmail");
            dispatcher = request.getRequestDispatcher("signin.jsp");
            dispatcher.forward(request, response);
        }
        if(upwd == null || upwd.equals("")) {
            request.setAttribute("status", "invalidPwd");
            dispatcher = request.getRequestDispatcher("signin.jsp");
            dispatcher.forward(request, response);
        }
        if(Reupwd == null || !upwd.equals(Reupwd)) {
            request.setAttribute("status", "invalidConfirmPwd");
            dispatcher = request.getRequestDispatcher("signin.jsp");
            dispatcher.forward(request, response);
        }


        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            con = DriverManager.getConnection("jdbc:mysql://localhost:3306/signin","root","suchithra");
            PreparedStatement pst = con.prepareStatement("insert into users(uemail,upwd) values(?,?)");
            pst.setString(1,uemail);
            pst.setString(2, upwd);

            int rowCount = pst.executeUpdate();
            dispatcher = request.getRequestDispatcher("signin.jsp");
            if (rowCount > 0) {
                request.setAttribute("status", "success");

            } else {
                request.setAttribute("status", "failed");
            }
            dispatcher.forward(request, response);
        } catch (Exception e) {
            e.printStackTrace();
        } finally {
            try {
                con.close();
            } catch (SQLException e) {
                e.printStackTrace();
            }
        }
    }
}

```

After signup:



6. reserve.jsp page:

<link rel="stylesheet" href="fonts/material-icon/css/material-design-iconic-font.min.css">

<!DOCTYPE html>

<link

href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300&family=Pacifico&family=Titillium+Web:wght@200&display=swap" rel="stylesheet" >

<html>

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<title>Reservation Form</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet" href="main.css">

<link rel="stylesheet" href="fonts/material-icon/css/material-design-iconic-font.min.css">

<style>

@import url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap');

```
*{
box-sizing: border-box;
padding: 0;
margin: 0;
}
```

```
body{
font-family: 'Poppins', sans-serif;
margin: 0px;
}
.banner{
min-height: 100vh;
background: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0, 0, 0.5)), url("https://media.gettyimages.com/videos/tilt-down-blur-restaurant-for-background-video-id1273433362?s=640x640") center/cover no-repeat;
display: flex;
flex-direction: column;
justify-content: center;
align-items: center;
color: #fff;
padding-bottom: 20px;
}
```

```

.card-container{
display: grid;
grid-template-columns: 420px 420px;
}
.card-img{
background: url("https://restaurantindia.s3.ap-south-1.amazonaws.com/s3fs-public/content9723.jpg") center/cover no-repeat;
}
.banner h2{
padding-bottom: 40px;
margin-bottom: 20px;
}
.card-content{
background: #fff;
height: 330px;
}
.card-content h3{
text-align: center;
color: #000;
padding: 25px 0 10px 0;
font-size: 26px;
font-weight: 500;
}
.form-row{
display: flex;
width: 90%;
margin: 0 auto;
}
form select, form input{
display: block;
width: 100%;
margin: 15px 12px;
padding: 5px;
font-size: 15px;
font-family: 'Poppins', sans-serif;
outline: none;
border: none;
border-bottom: 1px solid #eee;
font-weight: 300;
}
form input[type = text], form input[type = number], form input::placeholder, select{
}
form input[type = submit]{
color: #fff;
background: #2745f;
padding: 12px 0;
border-radius: 4px;
cursor: pointer;
}
form input[type = submit]:hover{
opacity: 0.9;
}
@media(max-width: 992px){
.card-container{
grid-template-columns: 100%;
width: 100vw;
}
.card-img{
height: 330px;
}
}
.navbar{
width: auto;
float: right;
border: none;
}

```

```
height: 70px;
padding: 15px;
font-family: Tapestry;
}
```

```
.navbar ul li{
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
right: 20px;
top:-100px;
}
```

```
.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}
```

```
.navbar ul li a:hover{
color: white;
text-decoration: underline;
}
#start{
position:relative;
right:5px;}
</style>
```

```
</head>
```

```
<body>
```

```
<section class = "banner">
```

```
<input type="hidden" id="status" value="<%= request.getAttribute("status") %>">
```

```
<header>
```

```
<nav class="navbar">
```

```
<ul type="none">
```

```
<li><a href="index.jsp">Home</a></li>
```

```
<li><a href="menu.jsp">Menu</a></li>
```

```
<li><a href="logout">Logout</a></li>
```

```
<li><a href="contact.jsp">Contact Us</a></li>
```

```
</ul>
```

```
</nav>
```

```
</header>
```

```
<h2>BOOK YOUR TABLE NOW</h2>
```

```
<div class = "card-container">
```

```
<div class = "card-img">
```

```
<!-- image here -->
```

```
</div>
```

```
<div class = "card-content">
```

```
<h3>Reservation</h3>
```

```
<form method="post" action="reserve">
```

```
<div class = "form-row">
```

```
<input type="date" id="start" name="date"
```

```
min="2000-01-01" max="2900-12-31" required="required">
```

```
<input type="time" id="appt" name="hours" required="required">
```





```


</div>

<div class = "form-row">
<input type = "text" name="cname" placeholder="Full Name" required="required">
<input type = "text" name="number" placeholder="Phone Number" required="required">
</div>

<div class = "form-row">
<input type = "number" name="guests" placeholder="How Many Persons?" min = "1" required="required">
<input type = "submit" name="submit" value = "BOOK TABLE" required="required">
</div>
</form>
</div>
</div>
</section>
<script src="vendor/jquery/jquery.min.js"></script>
<script src="js/main1.js"></script>
<script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
<link rel="stylesheet" href="alert/dist/sweetalert.css">
<script type="text/javascript">
var status = document.getElementById("status").value;
if(status == "success"){
swal("Congrats", "Table reserved successfully","success");
}
if(status == "Givedate"){
swal("sorry", "Please enter date","error");
}
if(status == "Givehour"){
swal("sorry", "Please enter hour","error");
}
if(status == "invalidname"){
swal("sorry", "Please enter name","error");
}
if(status == "invalidnum"){
swal("sorry", "Please enter number","error");
}
if(status == "Givepersons"){
swal("sorry", "Please enter no of persons","error");
}
</script>
</body>
</html>

```





7. reservetable.java page:

```
package com.uniquedeveloper.signup;
```

```
import jakarta.servlet.RequestDispatcher;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.io.IOException;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.SQLException;
```

```
@WebServlet("/reserve")
public class reservetable extends HttpServlet {
    private static final long serialVersionUID = 1L;
```

```
protected void doPost(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
```

```
String udate = request.getParameter("date");
String uhour = request.getParameter("hours");
String uname = request.getParameter("cname");
```

```

String uphonenum = request.getParameter("number");
String upersons = request.getParameter("guests");
RequestDispatcher dispatcher = null;
Connection con = null;



if(udate == null || udate.equals("")) {
request.setAttribute("status","Givedate");
dispatcher = request.getRequestDispatcher("Reserve.jsp");
dispatcher.forward(request, response);
}
if(uhour == null || uhour.equals("")) {
request.setAttribute("status","Givehour");
dispatcher = request.getRequestDispatcher("Reserve.jsp");
dispatcher.forward(request, response);
}
if(uname == null || uname.equals("")) {
request.setAttribute("status","invalidname");
dispatcher = request.getRequestDispatcher("Reserve.jsp");
dispatcher.forward(request, response);
}
if(uponenum == null || uponenum.equals("")) {
request.setAttribute("status","invalidnum");
dispatcher = request.getRequestDispatcher("Reserve.jsp");
dispatcher.forward(request, response);
}
if(upersons == null || upersons.equals("")) {
request.setAttribute("status","Givepersons");
dispatcher = request.getRequestDispatcher("Reserve.jsp");
dispatcher.forward(request, response);
}

try {
Class.forName("com.mysql.cj.jdbc.Driver");
con = DriverManager.getConnection("jdbc:mysql://localhost:3306/signin","root","suchithra");
PreparedStatement pst = con.prepareStatement("insert into reservetable(udate,uhour,uname,uponenum,upersons)
values(?,?,?,?,?)");
pst.setString(1,udate);
pst.setString(2, uhour);
pst.setString(3, uname);
pst.setString(4, uponenum);
pst.setString(5, upersons);
int rowCount = pst.executeUpdate();
dispatcher = request.getRequestDispatcher("Reserve.jsp");
if (rowCount >0) {
request.setAttribute("status", "success");

} else {
request.setAttribute("status", "failed");
}
dispatcher.forward(request, response);
} catch (Exception e) {
e.printStackTrace();
} finally {
try {
con.close();
} catch (SQLException e) {
e.printStackTrace();
}
}

}}

```



8. menu.jsp page:

```
<%
if(session.getAttribute("name")==null){
response.sendRedirect("login.jsp");
}
}%>
<html>

<head>
```

```

<style>
* {
padding: 0px;
margin: 0px;
}

.hrcRestaurantMenu2Widget1323330 {
color: #000;
line-height: normal;
margin: 20px auto;
padding: 0 15px
}

.hrcRestaurantMenu2Widget1323330 sup {
left: .1em;
top: -.4em
}

.hrcRestaurantMenu2Widget1323330 li:before {
display: none
}

.hrcRestaurantMenu2Widget1323330 .menuLink {
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .menuLink a {
background-color: #c82540;
border: 1px solid #c82540;
-webkit-transition: all .5s ease;
transition: all .5s ease
}

.hrcRestaurantMenu2Widget1323330 .menuLink a:focus,
.hrcRestaurantMenu2Widget1323330 .menuLink a:hover {
background-color: #000;
border: 1px solid #000
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-xs {
margin: 20px auto
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-xs a {
display: block
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-xs a:not(:last-child) {
margin-bottom: 3px
}

.hrcRestaurantMenu2Widget1323330 .menuLink.visible-sm {
margin: 10px auto 30px;
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .menuLink.hidden-xs.hidden-sm {
margin: 30px auto 0
}

.hrcRestaurantMenu2Widget1323330 .menuLink.hidden-xs.hidden-sm a {
margin-bottom: 5px
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu {

```

```

margin-bottom: 20px;
position: relative;
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu button {
background-color: #c82540;
border: none;
color: #fff;
padding: 10px;
text-align: center;
width: 100%
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .fas.fa-comments {
margin-right: 10px
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .fas.fa-caret-down {
margin-left: 10px
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu {
background-color: #000;
border: none;
border-radius: 0;
margin-top: 0;
padding-left: 0 !important;
text-align: center;
top: 42px;
width: 100%
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu>li>a {
color: #fff;
padding: 10px;
text-transform: uppercase
}

.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu>li>a:focus,
.hrcRestaurantMenu2Widget1323330 .languagesMenu .dropdown-menu>li>a:hover {
background-color: #000;
color: #f9b200
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu {
width: 150px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill {
background-color: #fff;
border-radius: 0;
c82540 color: #000;
cursor: pointer;
padding: 10px 15px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill:focus,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill:hover {
background-color: #c82540;
border-color: #c82540;
color: #fff
}

```

```

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .fas {
margin-left: 10px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu {
background-color: #c82540;
border: none;
border-radius: 0;
box-shadow: none;
color: #fff;
margin-top: 0;
margin-left: -2px;
min-width: 0;
padding-left: 4px !important
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu li {
margin: 0;
width: 100%
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu>.active>a {
background-color: transparent;
color: #E6DBD9
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu a {
color: #fff;
padding: 10px 15px
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu>.active>a:focus,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu>.active>a:hover {
color: #fff
}

.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu a:focus,
.hrcRestaurantMenu2Widget1323330 .languagesNavPill .dropdown-menu a:hover {
background-color: transparent;
color: #E6DBD9
}

.hrcRestaurantMenu2Widget1323330 .panel-group .panel+.panel {
margin-top: 0
}

.hrcRestaurantMenu2Widget1323330 .panel-heading {
background-color: #fff;
padding: 0
}

.hrcRestaurantMenu2Widget1323330 .panel-default {
border: 2px solid #000;
border-bottom: 1px;
border-radius: 0
}

.hrcRestaurantMenu2Widget1323330 .panel-default:last-child {
border-bottom: 2px solid #000
}

.hrcRestaurantMenu2Widget1323330 .panel-title {
font-weight: 800;
text-align: center
}

```



```

.hrcRestaurantMenu2Widget1323330 .panel-title>a {
display: block;
padding: 10px 15px;
text-decoration: none
}

.hrcRestaurantMenu2Widget1323330 .panel-title>a:hover,
.hrcRestaurantMenu2Widget1323330 .panel-title>a.js-tabcollapse-panel-heading {
background-color: #c82540;
color: #fff
}

.hrcRestaurantMenu2Widget1323330 .panel-title>a.js-tabcollapse-panel-heading.collapsed {
background-color: #fff;
color: #000
}

.hrcRestaurantMenu2Widget1323330 .panel-default>.panel-heading+.panel-collapse>.panel-body {
border-top: 2px solid #000
}

.hrcRestaurantMenu2Widget1323330 .nav-pills {
margin: 30px auto 20px;
padding: 0 10px;
text-align: center;
position: relative;
top: -55px;
}

.hrcRestaurantMenu2Widget1323330 .nav-pills li {
display: inline-block;
float: none;
font-weight: 850;
margin: 0 5px 15px;
text-transform: uppercase
}

.hrcRestaurantMenu2Widget1323330 .nav-pills>li>a {
background-color: #fff;
border-radius: 0;
color: #000;
text-decoration: none;
-webkit-transition: all .5s ease;
transition: all .5s ease
}

.hrcRestaurantMenu2Widget1323330 .nav-pills>li>a:hover
{
background-color: grey;
border-color: black;
color: black;
-webkit-transition: all .5s ease;
transition: all .5s ease
}

.hrcRestaurantMenu2Widget1323330 h2 {
color: #c82540;
font-family: 'Oswald', sans-serif;
font-size: 2rem;
font-weight: 700;
letter-spacing: 2px;
margin-top: 0
}

```

```

}

.hrcRestaurantMenu2Widget1323330 .submenuGroup {
margin-top: 50px
}

.hrcRestaurantMenu2Widget1323330 .menuItemList {
list-style-type: none;
margin-top: 50px;
padding-left: 0 !important
}

.hrcRestaurantMenu2Widget1323330 .menuItemList li:not(:first-child) {
margin-top: 30px
}

.hrcRestaurantMenu2Widget1323330 .menuItemList li h4 {
font-size: 1.1rem;
font-weight: 800;
margin-bottom: 5px
}

.hrcRestaurantMenu2Widget1323330 .menuItemList li div {
font-weight: 400
}

.hrcRestaurantMenu2Widget1323330 .tabDisclaimer {
font-size: 0.85rem;
line-height: 1.8;
margin: 30px auto 0
}

.hrcRestaurantMenu2Widget1323330 li.newItemYes {
position: relative
}

.hrcRestaurantMenu2Widget1323330 li.newItemYes:before {
display: block;
content: url('https://www.hardrockcafe.com/files/5282/menuNew.png') !important;
position: absolute;
left: -22px;
top: -7px
}

.hrcRestaurantMenu2Widget1323330 .featuredItem {
text-align: center
}

.hrcRestaurantMenu2Widget1323330 .featuredItem:not(.TabFeaturedItem1) {
margin-top: 30px
}

.hrcRestaurantMenu2Widget1323330 .featuredItemContent {
border: 4px solid #c82540;
font-weight: 400;
margin: 30px auto 0;
padding: 20px
}

.hrcRestaurantMenu2Widget1323330 .featuredItemContent h3 {
font-size: 1.5rem;
font-weight: 900;
margin: 0
}

```

```

.hrcRestaurantMenu2Widget1323330 .featuredItemContent>div {
margin-top: 10px
}

.hrcRestaurantMenu2Widget1323330 .addtlInfo {
border: 4px solid #c82540;
font-weight: 400;
margin: 30px auto 0;
padding: 20px
}

.hrcRestaurantMenu2Widget1323330 .addtlInfoHeading {
color: #c82540;
font-family: 'Nunito Sans', sans-serif;
font-style: italic;
font-weight: 700;
margin-top: 0;
text-transform: none
}

.hrcRestaurantMenu2Widget1323330 .addtlInfoContent {}

.hrcRestaurantMenu2Widget1323330 .panel-body {}

.hrcRestaurantMenu2Widget1323330 .panel-body a {
color: #c82540
}

.hrcRestaurantMenu2Widget1323330 .tab-content {
background-position: 50% 50%;
background-size: cover;
color: #000;
padding: 30px
}

.hrcRestaurantMenu2Widget1323330 .tab-pane {
background-color: #fff;
padding: 50px
}

.hrcRestaurantMenu2Widget1323330 .tab-pane a {
color: #c82540
}

@media (min-width:768px) {}

@media (min-width:992px) {
.hrcRestaurantMenu2Widget1323330 .nav-pills>li.active>a:hover {
background-color: #fff;
border-color: #000;
color: #000
}

.hrcRestaurantMenu2Widget1323330 h2 {
font-size: 3.5rem
}

.hrcRestaurantMenu2Widget1323330 .submenuGroup {
margin-top: 0
}

.hrcRestaurantMenu2Widget1323330 .submenuGroup:not(.TabMenuItem1) {
margin-top: 100px
}
}

```

```

@media (min-width:1200px) {
.hrcRestaurantMenu2Widget1323330 h2 {
font-size: 4rem
}
}

@media (min-width:1400px) {
.hrcRestaurantMenu2Widget1323330 h2 {
font-size: 5rem
}
}
</style>
</head>

<body>
<button onclick="topFunction()" id="myBtn" title="Go to top">Top</button>
<style>
#myBtn {
display: none;
position: fixed;
bottom: 20px;
right: 30px;
z-index: 99;
font-size: 18px;
border: none;
outline: none;
background-color: #a86868;
color: white;
cursor: pointer;
padding: 15px;
border-radius: 4px;
}

#myBtn:hover {
background-color: #555;
}
</style>
<script>
var mybutton = document.getElementById("myBtn");
window.onscroll = function() {scrollFunction()};
function scrollFunction() {
if (document.body.scrollTop > 20 || document.documentElement.scrollTop > 20) {
mybutton.style.display = "block";
} else {
mybutton.style.display = "none";
}
}
function topFunction() {
document.body.scrollTop = 0;
document.documentElement.scrollTop = 0;
}
</script>
<div id="hero" style="margin-top: 87px;">
<div id="headerImg">
<div id="vizHeroImage31Widget805803" class="customWidget vizHeroImage31Widget pageWidgetId805803">
<style>
.vizHeroImage31Widget805803 div.hero-image {
background-size: cover;
background-repeat: no-repeat;
height: 0px padding:0px;
position: relative;
top: -100px;
}

```

```

.vizHeroImage31Widget805803 .hero-image {
position: relative
}

.vizHeroImage31Widget805803 .hero-fade {
display: none
}
</style>
<div class="vizHeroImage31Widget805803 fullViewportHero">
<div class="hero-image" style="height: 600.5px;">
<div class="hero-fade"></div>
<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="logout">Logout</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
</ul>
</nav>
<style>
.navbar {
width: auto;
float: right;
border: none;
height: 70px;
padding: 15px;
position: relative;
top: 13px;
left: -60px;
}

.navbar ul li {
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
right: 350px;
}

.navbar ul li a {
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}

.navbar ul li a:hover {
color: white;
text-decoration: underline;
}
</style>
<style>
#vizHeroImage31Widget805803 div.hero-image {
background-image: linear-gradient(rgba(0, 0, 0, 0.65), rgba(0, 0, 0, 0)), url('https://hospitalitysnapshots.com/wp-content/uploads/sites/3/2019/05/lamico_5d8e9df29cf07.jpg');
background-position: 50% 70%
}

@media (min-width:768px) {
#vizHeroImage31Widget805803 div.hero-image {
background-image: linear-gradient(rgba(0, 0, 0, 0.65), rgba(0, 0, 0, 0)), url('https://hospitalitysnapshots.com/wp-

```

```

content/uploads/sites/3/2019/05/lamico_5d8e9df29cf07.jpg');
background-position: 50% 70%
}
}

@media (min-width:992px) {
#vizHeroImage31Widget805803 div.hero-image {
background-image: linear-gradient(rgba(0, 0, 0, 0.65), rgba(0, 0, 0, 0)), url('https://hospitalitysnapshots.com/wp-
content/uploads/sites/3/2019/05/lamico_5d8e9df29cf07.jpg');
background-position: 50% 70%
}

</style>
<div class="visible carousel-caption">
<h3><span class="bgOuter"><span class="bgInner"><span class="bgInner2">Menu</span></span></span></h3>
</div>
<style>
@media (min-width: 768px) {

#hero .slideCaption,
#hero .carousel-caption {
right: 5%;
left: 5%;
}
}

#hero .slideCaption,
#hero .carousel-caption {
right: 8%;
left: 8%;
}

#hero .slideCaption,
#hero .carousel-caption {
right: 8%;
left: 8%;
}

@media screen and (min-width: 768px) .carousel-caption {
right: 20%;
left: 20%;
padding-bottom: 30px;
}

.carousel-caption {
position: absolute;
right: 15%;
bottom: 20px;
left: 15%;
z-index: 10;
padding-top: 20px;
padding-bottom: 20px;
color: #fff;
text-align: center;
text-shadow: 0 1px 2px rgb(0 0 0 / 60%);
}

#hero .carousel-caption h3 {
font-size: 2.7rem;
margin: 0;
text-align: center;
text-transform: uppercase;
}

#hero .visible.carousel-caption .bgInner {

```

```

background: url(https://www.hardrockcafe.com/files/templates/1732/bannerBg.jpg) 50% 50% / cover;
display: inline-block;
}
</style>
</div>
</div>
<script>
function ApplyHeight() {
function heightCalc() {
$fullViewport = true;
$iHeight = $(window).height() - ($('#header').height() + ($(window).height() * .25));
}

function heightCalcFalse() {
$fullViewport = false;
$iWidth = $('body').width();
}
var $fullViewport;
var $iHeight;
var $iWidth;
heightCalc();
if ($fullViewport == true) {
$(".vizHeroImage31Widget805803 .hero-image").height($iHeight);
$(".vizHeroImage31Widget805803").addClass('fullViewportHero');
}
$(window).on('resize', function() {
if ($fullViewport == true) {
heightCalc();
$(".vizHeroImage31Widget805803 .hero-image").height($iHeight);
}
});
}
$(function() {
ApplyHeight();
});
</script>
</div>
</div>
</div>
<div class="hrcRestaurantMenu2Widget1323330">
<ul class="nav nav-pills nav-left hidden-xs" role="tablist" id="hrcRestaurantMenu2Widget1323330Nav">

<li class="enabledSection" role="presentation"><a href="#Tab1" aria-controls="home" role="tab" data-toggle="tab" aria-expanded="false">Burgers</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab2" aria-controls="home" role="tab" data-toggle="tab" aria-expanded="false"> Starters </a></li>
<li class="enabledSection" role="presentation"><a href="#Tab3" aria-controls="home" role="tab" data-toggle="tab" aria-expanded="false">Sandwiches</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab4" aria-controls="home" role="tab" data-toggle="tab">Salads
&amp; Bowls</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab6" aria-controls="home" role="tab" data-
toggle="tab">Desserts</a></li>
<li class="enabledSection" role="presentation"><a href="#Tab8" aria-controls="home" role="tab" data-toggle="tab" aria-
expanded="true">Beverages</a></li>
</ul>
<div class="panel-group visible-xs" id="hrcRestaurantMenu2Widget1323330Nav-accordion"></div>
<div class="tab-content hidden-xs animated fadeIn" data-originalsrc="https://www.hardrockcafe.com/files/5282/menuBg02.jpg"
style="background-image: url(&quot;https://www.hardrockcafe.com/files/5282/menuBg02.jpg&quot;);">
<div role="tabpanel" class="tab-pane fade enabledSection Tab1" id="Tab1">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<center>
<h2 class="visible-sm"> Burgers</h2>
<p> Burgers are served with a fresh toasted brioche bun and seasoned fries.</p>

```

```

</center>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">
<div class="featuredItemContent"><h3>ORIGINAL LEGENDARY BURGER</h3><div><em>The burger that started it
all!</em><br> Fresh steak burger, with Applewood bacon, Tillamook cheddar cheese, crispy onion ring, leaf lettuce and vine-
ripened tomato, served with our signature steak sauce on the side.</div></div>
<script>

$(function() {
$('hrcRestaurantMenu2Widget1323330 [href="#Tab1"]').on('show.bs.tab', function() {
$('hrcRestaurantMenu2Widget1323330 .Tab1 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('hrcRestaurantMenu2Widget1323330 .Tab1 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>BBQ BACON CHEESEBURGER</h4>
<div>Fresh steak burger, seasoned and seared with a signature spice blend, topped with house-made barbecue sauce, crispy
shoestring onions, Tillamook cheddar cheese, Applewood bacon, leaf lettuce and vine-ripened tomato, served
with
our signature steak sauce on the side.</div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>THE BIG CHEESEBURGER</h4>
<div>Three slices of Tillamook cheddar cheese melted on our fresh steak burger with leaf lettuce, vine-ripened tomato and red
onion, served with our signature steak sauce on the side.</div>
</li>
<li class="TabMenuItemItem3 newItemNo">
<h4>DOUBLE-DECKER DOUBLE CHEESEBURGER</h4>
<div><em>A tribute to our 1971 â Down Home Double Burgerâ </em><br> Two stacked steak burgers with American
cheese, mayonnaise, leaf lettuce, vine-ripened tomato and red onion, served with our signature steak sauce on the side.*</div>
</li>
<li class="TabMenuItemItem4 newItemNo">
<h4>THE IMPOSSIBLE BURGER</h4>
<div>100% plant-based vegan patty, topped with Tillamook cheddar cheese and a crispy onion ring, served with leaf lettuce and
vine-ripened tomato.<br><small><em>Vegan/vegetarian burgers vary in locations around the
world.</em></small>
</div>
</li>
<li class="TabMenuItemItem5 newItemNo">
<h4>MOVING MOUNTAINS BURGER</h4>
<div>100% plant-based vegan patty, topped with cheddar cheese and a crispy onion ring, served with leaf lettuce and vine-
ripened tomato.</div>
</li>
<li class="TabMenuItemItem6 newItemNo">
<h4>SURF & TURF BURGER</h4>
<div>Our signature steak burger topped with Spicy Shrimp on a bed of spicy slaw, served with our signature steak sauce on the
side.</div>
</li>
</ul>
</div>
<div class="submenuGroup TabMenuItem2 TabMenuItemLast">
<h2><center>Smashed & Stacked</center></h2>
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>COUNTRY BURGER</h4>
<div>Two smashed & stacked burgers seasoned and seared medium-well, with American cheese, leaf lettuce, vine-ripened

```


tomato, red onion, pickles, house-made burger sauce and served with a side of sweet relish.</div>

<li class="TabMenuItemItem2 newItemNo">
<h4>SWISS MUSHROOM BURGER</h4>
<div>Two smashed & stacked burgers seasoned and seared medium-well, with Swiss cheese, sautÃ©ed mushrooms, leaf lettuce, vine-ripened tomato, and Dijon mayonnaise.</div>

<li class="TabMenuItemItem3 TabMenuItemItemLast newItemNo">
<h4>SPICY DIABLO BURGER</h4>
<div>Two smashed & stacked burgers seasoned and seared medium-well, with Monterey Jack cheese, pickled jalapeÃ±os, leaf lettuce, vine-ripened tomato, and spicy mayonnaise.</div>

</div>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab2" id="Tab2">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<center>
<h2 class="visible-sm">Starters </h2>
<p>Flavor, spice and an extra helping of attitude. That's worth celebrating.</p>
</center>
</div>
<div class="featuredItem TabFeaturedItem1">
<div class="featuredItemContent">
<h3>Classic Nachos</h3>
<div>Crisp tortilla chips layered with ranch-style beans and a four-cheese sauce blend, topped with fresh pico de gallo, spicy jalapeÃ±os, melted cheddar and Monterey Jack cheese, pickled red onions and scallions, served with sour cream on the side. Add Guacamole, Grilled Chicken, or Grilled Steak for an additional charge.</div>
</div>
<script>
\$(function() {
\$('hrcRestaurantMenu2Widget1323330 [href="#Tab2"]').on('show.bs.tab', function() {
\$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem1 .featuredItemImage').attr('src',
\$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
<div class="featuredItem TabFeaturedItem2 TabFeaturedItemLast">
<div class="featuredItemContent">
<h3>Spicy Shrimp</h3>
<div>Crispy shrimp, tossed in a creamy, spicy sauce, topped with scallions, served on a bed of coleslaw.</div>
</div>
<script>
\$(function() {
\$('hrcRestaurantMenu2Widget1323330 [href="#Tab2"]').on('show.bs.tab', function() {
\$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem2 .featuredItemImage').attr('src',
\$('hrcRestaurantMenu2Widget1323330 .Tab2 .TabFeaturedItem2 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">

```

<li class="TabMenuItemItem1 newItemNo">
<h4>THREE-CHEESE & ROMA TOMATO FLATBREAD</h4>
<div>A blend of Mozzarella, Parmesan and Romano cheeses, topped with Roma tomatoes and fresh basil, drizzled with cilantro pesto. </div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>SOUTHWEST CHICKEN FLATBREAD</h4>
<div>Grilled fresh chicken, avocado, melted Italian cheeses, fresh pico de gallo, diced red peppers and scallions, finished with guacamole ranch. </div>
</li>
<li class="TabMenuItemItem3 newItemNo">
<h4>PEPPERONI FLATBREAD</h4>
<div>Melted Mozzarella, Parmesan and Romano cheeses, layered with sliced pepperoni and traditional pizza sauce, topped with a sprinkle of grated Romano cheese.
</div>
</li>
<li class="TabMenuItemItem4 newItemNo">
<h4>WINGS</h4>
<div>Our signature slow-roasted jumbo wings tossed with your choice of classic buffalo, sweet & spicy tangy, or house-made barbecue sauce, served with celery and blue cheese dressing.</div>
</li>
<li class="TabMenuItemItem5 newItemNo">
<h4>BONELESS BODACIOUS WINGS</h4>
<div>Our crispy Tupelo Chicken Tenders tossed with your choice of classic buffalo, sweet & spicy tangy, or house-made barbecue sauce, served with celery and blue cheese dressing.</div>
</li>
<li class="TabMenuItemItem6 newItemNo">
<h4>ALL-AMERICAN SLIDERS</h4>
<div>Three mini-burgers with melted American cheese, crispy onion ring and creamy coleslaw on a toasted brioche bun.</div>
</li>
<li class="TabMenuItemItem7 newItemNo">
<h4>CUBAN SLIDERS</h4>
<div>Three mini-burgers with melted Swiss cheese, Dijon mayonnaise, hand-pulled smoked pork and sliced pickle.</div>
</li>
<li class="TabMenuItemItem8 TabMenuItemItemLast newItemNo">
<h4>BRUSCHETTA</h4>
<div>Balsamic-marinated Roma tomatoes and fresh basil topped with Romano cheese. Served with toasted artisan bread drizzled with basil oil and a side of shaved Parmesan cheese.</div>
</li>
</ul>
</div>
</div>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab3" id="Tab3">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<center>
<h2 class="visible-sm">Sandwiches</h2>
<p>Served with seasoned fries or upgrade to Cheese Fries with Applewood Bacon.</p>
</center>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">

<div class="featuredItemContent">
<h3>BBQ PULLED CHICKEN SANDIWHCH</h3>
<div>Hand-pulled smoked pork with our house-made barbecue sauce, served on a toasted fresh brioche bun with coleslaw and pickles.</div>
</div>
<script>

```

```

$(function() {
$('hrcRestaurantMenu2Widget1323330 [href="#Tab3"]').on('show.bs.tab', function() {
$('hrcRestaurantMenu2Widget1323330 .Tab3 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('hrcRestaurantMenu2Widget1323330 .Tab3 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>GRILLED CHICKEN SANDWICH</h4>
<div>Grilled fresh chicken with melted Monterey Jack cheese, Applewood bacon, leaf lettuce and vine-ripened tomato, served on a toasted fresh brioche bun with honey mustard sauce.</div>
</li>
<li class="TabMenuItemItem2 TabMenuItemItemLast newItemNo">
<h4>FRIED CHICKEN SANDWICH</h4>
<div>Crispy buttermilk-marinated chicken breast with leaf lettuce, vine-ripened tomato and ranch dressing, served on a toasted fresh brioche bun. <br><em>Spice it up with our classic buffalo sauce upon request! </em></div>
</li>
</ul>
</div>
</div>
</div>
</div>
<div role="tabpanel" class="tab-pane fade enabledSection Tab4" id="Tab4">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<h2 class="visible-sm">Salads & Bowls</h2>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">
<div class="featuredItemContent">
<h3>STEAK SALAD</h3>
<div>8oz grilled steak on a bed of fresh mixed greens tossed in a blue cheese vinaigrette, with pickled red onions, red peppers and Roma tomatoes, finished with crispy shoestring onions and blue cheese crumbles.</div>
</div>
</div>
</div>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>GRILLED CHICKEN CAESAR SALAD</h4>
<div>Fresh chicken breast grilled and sliced, with fresh romaine tossed in a classic Caesar dressing, topped with Parmesan crisps, croutons and shaved Parmesan cheese. <b>Substitute Grilled Salmon for an additional charge.</b></div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>GRILLED SALMON NOODLE BOWL</h4>
<div>Ramen noodles tossed in a sesame-soy dressing over a bed of mixed greens topped with edamame, julienned carrots, red peppers, cabbage, and scallions, served with grilled Norwegian salmon.</div>
</li>
<li class="TabMenuItemItem3 TabMenuItemItemLast newItemNo">

```

```


<h4>SOUTHWESTERN CHICKEN BOWL</h4>
<div>Fajita-spiced chicken, quinoa corn salad, pico de gallo, seasoned black beans and red cabbage served on mixed greens
tossed in a guacamole ranch dressing.</div>
</li>
</ul>
</div>
</div>
</div>
</div>

<div role="tabpanel" class="tab-pane fade enabledSection Tab6" id="Tab6">
<div class="row">
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<h2 class="visible-sm">
<center>Desserts</center>
</h2>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">
<div class="featuredItemContent">
<h3>HOT FUDGE BROWNIE</h3>
<div>Warm chocolate brownie topped with vanilla bean ice cream, hot fudge, chocolate sprinkles, fresh whipped cream and a
cherry.</div>
</div>
<script>
$(function() {
$('hrcRestaurantMenu2Widget1323330 [href="#Tab6"]').on('show.bs.tab', function() {
$('hrcRestaurantMenu2Widget1323330 .Tab6 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('hrcRestaurantMenu2Widget1323330 .Tab6 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1 TabMenuItemLast">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>NEW YORK CHEESECAKE</h4>
<div>Rich and creamy NY-style cheesecake served with a fresh strawberry sauce and fresh whipped cream.</div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>HOMEMADE APPLE COBBLER</h4>
<div>Old-fashioned apple cobbler with warm Granny Smith apples, baked until golden brown and topped with vanilla bean ice
cream and caramel sauce.</div>
</li>
<li class="TabMenuItemItem3 newItemNo">
<h4>ICE CREAM</h4>
<div>Choose from Madagascar vanilla bean or rich chocolate.</div>
</li>
<li class="TabMenuItemItem4 TabMenuItemItemLast newItemNo">
<h4>DINER-STYLE MILKSHAKES</h4>
<div>Your choice of Madagascar vanilla bean or rich chocolate ice cream blended thick and finished with fresh whipped
cream.</div>
</li>
</ul>
</div>
</div>
</div>
</div>
</div>

<div role="tabpanel" class="tab-pane fade enabledSection Tab8 TabLast active in" id="Tab8">
<div class="row">

```

```
<div class="col-xs-12 col-md-5 featuredItems">
<div class="visible-xs visible-sm">
<h2 class="visible-sm"><span class="visible-sm">
<center>Beverages</center>
</span></h2>
</div>
<div class="featuredItem TabFeaturedItem1 TabFeaturedItemLast">
<div class="featuredItemContent">
<h3>Hurricane</h3>
<div><em>Our signature cocktail and a 1940s New Orleans classic! </em><br>Bacardi Superior Rum, a blend of orange, mango,
pineapple juice and grenadine, finished with a float of Bacardi Black Rum and Amaretto. Include your own
collectible
glass for an additional charge.</div>
</div>
<script>
$(function() {
$('.hrcRestaurantMenu2Widget1323330 [href="#Tab8"]').on('show.bs.tab', function() {
$('.hrcRestaurantMenu2Widget1323330 .Tab8 .TabFeaturedItem1 .featuredItemImage').attr('src',
$('.hrcRestaurantMenu2Widget1323330 .Tab8 .TabFeaturedItem1 .featuredItemImage').attr('data-originalsrc'));
});
});
</script>
</div>
<div class="col-xs-10 col-xs-push-1 col-md-6 col-md-push-1 menuItems">
<div class="submenuGroup TabMenuItem1">
<ul class="menuItemList">
<li class="TabMenuItemItem1 newItemNo">
<h4>Classic Caribbean Mojito</h4>
<div><em>A treasured favorite with a little extra jazz!</em><br>Bacardi Superior Rum, fresh mint, lime juice and sparkling
soda, with a premium Bacardi A  ejo Cuatro floater and a powdered sugar sprinkle.</div>
</li>
<li class="TabMenuItemItem2 newItemNo">
<h4>Rockin' Fresh Rita</h4>
<div>Milagro Silver Tequila, fresh lime juice and agave nectar, finished with our signature sweet and savory rim.
<strong>Upgrade to Patr  n Silver Tequila for an additional charge.</strong></div>
</li>
<li class="TabMenuItemItem3 newItemNo">
<h4>Blackberry Sparkling Sangria</h4>
<div>A signature blend of red wine, the fresh flavors of blackberries, cranberry juice and squeeze of orange, topped with bubbly
Riondo Prosecco.</div>
</li>
<li class="TabMenuItemItem4 TabMenuItemItemLast newItemNo">
<h4>Ultimate Long Island Iced Tea</h4>
<div>Tito's Handmade Vodka, Bombay Sapphire Gin, Sailor Jerry Spiced Rum, Cointreau Orange Liqueur, house-made sour mix
finished with a splash of Coca-Cola<sup>  </sup>. </div>
</li>
</ul>
</div>
</div>
</div>
</div>
</div>
</body>
</html>
```



9. contact.jsp page:

```
<%
if(session.getAttribute("name")==null){
response.sendRedirect("login.jsp");
}
%>
<link rel="stylesheet" href="fonts/material-icon/css/material-design-iconic-font.min.css">
<!DOCTYPE html>
<html>
<head>

<style>
*{
padding: 0px;
margin:0px;
}
.contact {
position: relative;
padding: 0px;
margin: 0px
align-items: center;
height: auto;
background-image: url('https://img.freepik.com/free-photo/abstract-dark-blue-grunge-texture-with-scratches-spots-old-cement-plaster-wall-background_150101-2005.jpg');
color: white;
background-size:cover;
}

.container {
width:auto;
padding: 20px 20px;
position: relative;
}
.container .contactInfo
{
width:50%;
display: flex;
flex-direction: row;
```

```

}

.container .contactInfo .box{
position: absolute;
display:flex;
}
.container .contactInfo .box1 .icon{
width: 50px;
height: 50px;
position: relative;
font-size: 26px;
top:80px;
}
.container .contactInfo .box1 .text{
text-align: left;
width: 150px;
position: relative;
left: 43px;
top: 25px;
}
.container .contactInfo .box2 .icon{
width: 50px;
height: 50px;
position: relative;
font-size: 26px;
top: 80px;
left:150px;
}
}
.container .contactInfo .box2 .text{
text-align: left;
width: 150px;
position: relative;
left: 200px;
top:25px;
}
}
.container .contactInfo .box3 .icon{
width: 50px;
height: 50px;
position: relative;
font-size: 26px;
top: 80px;
left:300px;
}
.container .contactInfo .box3 .text{
text-align: left;
width: 150px;
position: relative;
left: 352px;
top: 25px;}

#place{
position: relative;
left: 440px;
bottom: 10px;
}

}

.first{
background:linear-gradient(rgba(0,0,0,0.7), rgba(0,0,0,0.5)), url('https://cdn.cnn.com/cnnnext/dam/assets/200120161356-cnn-
worlds-best-new-restaurants---madera---simon-brown-photography-1-1-full-169.jpg');
background-image: cover;
height:710px;
color: white;

```

```

}

.inside-contact{

width:500px;
height: 80%;
position: relative;
top: 130px;
left:800px;

}

}

.inside-contact h2{
text-transform:uppercase;
text-align:center;
margin-top:50px;
padding-top: 5px;
}
.inside-contact h3{
text-align:center;
font-size:16px;
color:#0085e2;
margin: 10px;
}
.inside-contact input, .inside-contact textarea{
width:80%;
background-color:rgba(255,255,255,0.9);
border:1px solid rgba(0,0,0,0.48);
padding:5px 10px;
margin: 15px;

}

.inside-contact p{
padding-left:15px;
}
}

.logo{
position: relative;
bottom: 300px;
border-radius: 5px;
left: 250px;
background-color: black;
width:250px;
height:250px;
border-radius: 50%;
}
#image{
position: relative;
width:370px;
height:300px;
right: 73px;
bottom: 30px;
}

}

.navbar{
width: auto;
float: right;
border: none;
height: 70px;
position: relative;
top:15px;
}

}

.navbar ul li{
width: 150px;

```



```

float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
left: -67%;
}

.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}

.navbar ul li a:hover{
color: white;
text-decoration: underline;
}

.new{
padding-left: 80px;
}
#cont{
position: relative;
left: 140px;
}
#btn_send{
background: yellow;
}

</style>
</head>
<body>
<section class="first">
<input type="hidden" id="status" value="<%= request.getAttribute("status") %>">
<nav class="navbar">
<ul type="none">
<li><a href="index.jsp">Home</a></li>
<li><a href="menu.jsp">Menu</a></li>
<li><a href="logout">Logout</a></li>
<li><a href="contact.jsp">Contact Us</a></li>
</ul>
</nav>
<div class="inside-contact">
<span id="cont">
<h2>Contact Us</h2></span>
<h3>
<span id="confirm">
</h3>
<form id="contact-form" method="post" action="contact">
<p>Name *</p>
<input id="txt_name" name="name" type="text" Required="required">
<p>Email *</p>
<input id="txt_email" name="email" type="email" Required="required">
<p>Phone *</p>
<input id="txt_phone" type="text" name="PhoneNumber" pattern="[7-9]{1}[0-9]{9}"
title="Phone number with 7-9 and remaining 9 digit with 0-9">

<p>Message *</p>
<textarea id="txt_message" name="textarea" rows="4" cols="20" Required="required"></textarea>
<input type="submit" class="contact-form" id="btn_send" value="SEND">
</form>

```

```

</div>
<div class="logo">



</div>


</section>
<section class="contact">

<script src="https://kit.fontawesome.com/f5d7e640d9.js" crossorigin="anonymous"></script>
<div class="new">
<div class="container">
<div class="contactinfo">
<div class="box1" >
<div class="icon"><i class="fa-solid fa-location-dot"></i></div>
<div class="text">
<h3>Address</h3>
<p>Jubilee Hills Road No 36,<br>Hyderabad,Telangana,<br>500033</p>
</div>
</div>
<div class="box2">
<div class="icon"><i class="fa-solid fa-phone"></i></div>
<div class="text">
<h3>Phone</h3>
<p> +91 6127970164 </p>
</div>
</div>
<div class="box3">
<div class="icon"><i class="fa-solid fa-envelope"></i></div>
<div class="text">
<h3>Email</h3>
<p>FroyContactUs@gmail.com</p>
</div>
</div>
<div id="place">
<iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3806.547558309475!2d78.40325131479695!3d17.43348738
805104!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3bcb91463b7ebb4b%3A0x16a4ba4ed2262687!2sRd%20Numb
er%2036%2C%20Jubilee%20Hills%2C%20Hyderabad%2C%20Telangana%20500033!5e0!3m2!1sen!2sin!4v1654000861349!5
m2!1sen!2sin" width="400" height="300" style="border:0;" allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-
downgrade"></iframe>
</div>
</div>
</div>
</div>
</section>
<script src="vendor/jquery/jquery.min.js"></script>
<script src="js/main1.js"></script>
<script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
<link rel="stylesheet" href="alert/dist/sweetalert.css">
<script type="text/javascript">
var status = document.getElementById("status").value;
if(status == "success"){
swal( "Response submitted","success");
}
if(status == "invalidName"){
swal("sorry", "Please enter name","error");
}
if(status == "invalidEmail"){
swal("sorry", "Please enter email","error");
}
if(status == "invalidText"){
swal("sorry", "Please enter the message","error");
}
</script>
</body>

```

</html>





10. contact.java

```
package com.uniquedeveloper.signup;
```

```
import jakarta.servlet.RequestDispatcher;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.io.IOException;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.SQLException;
```

```
@WebServlet("/contact")
public class contact extends HttpServlet {
    private static final long serialVersionUID = 1L;
```

```
protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
    String uname = request.getParameter("name");
    String uemail = request.getParameter("email");
    String uphonenummer = request.getParameter("PhoneNumber");
    String utext = request.getParameter("textarea");
```

```
RequestDispatcher dispatcher = null;
Connection con = null;
```

```
if(uname == null || uname.equals("")) {
    request.setAttribute("status","invalidName");
    dispatcher = request.getRequestDispatcher("contact.jsp");
    dispatcher.forward(request, response);
}
```


```
if(uemail == null || uemail.equals("")) {
    request.setAttribute("status","invalidEmail");
```


```
dispatcher = request.getRequestDispatcher("contact.jsp");
dispatcher.forward(request, response);
}

if(utext == null || utext.equals("")) {
request.setAttribute("status","invalidText");
dispatcher = request.getRequestDispatcher("contact.jsp");
dispatcher.forward(request, response);
}

try {
Class.forName("com.mysql.cj.jdbc.Driver");
con = DriverManager.getConnection("jdbc:mysql://localhost:3306/signin","root","suchithra");
PreparedStatement pst = con.prepareStatement("insert into contactform(uname,uemail,uphonenum,utext) values(?,?,?,?)");
pst.setString(1,uname);
pst.setString(2, uemail);
pst.setString(3, uphonenum);
pst.setString(4, utext);
int rowCount = pst.executeUpdate();
dispatcher = request.getRequestDispatcher("contact.jsp");
if (rowCount >0) {
request.setAttribute("status", "success");

} else {
request.setAttribute("status", "failed");
}
dispatcher.forward(request, response);
} catch (Exception e) {
e.printStackTrace();
} finally {
try {
con.close();
} catch (SQLException e) {
e.printStackTrace();
}
}
}
```





11. details.jsp

```
<%@page import="java.sql.Connection"%>
<%@page import="java.sql.ResultSet"%>
<%@page import="java.sql.Statement"%>
<%@page import="java.io.*"%>
<%@page import="jakarta.servlet.*"%>
<%@page import="jakarta.servlet.annotation.WebServlet"%>
<%@page import="jakarta.servlet.http.*"%>
<%@page import="java.sql.Connection"%>
<%@page import="java.sql.DriverManager"%>
<%@page import="java.sql.PreparedStatement"%>
<%@page import="java.sql.ResultSet"%>

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="fonts/material-icon/css/material-design-iconic-font.min.css">
</head>
<style>
@import url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap');

* {
box-sizing: border-box;
padding: 0;
margin: 0;
}

body {
font-family: 'Poppins', sans-serif;
margin: 0px;
}

.cell-1 {
border-collapse: separate;
border-spacing: 0 4em;
background: #fff;
```

```

border-bottom: 5px solid transparent;
/*background-color: gold;*/
background-clip: padding-box;

}

thead {
background: #dddcdc;
color: black;
font-size: 18px;
}
th{
font-size: 18px;}

tbody{
color:black;
}
.btn {
border: 2px solid black;
background-color: white;
color: black;
padding: 8px 16px;
font-size: 15px;
cursor: pointer;
transition: 0.25s;
border-radius: 20px;
outline: none;
}
.edit_btn{
background-color: gray;
color: white;
padding: 8px 16px;
font-size: 10px;
cursor: pointer;
transition: 0.25s;
outline: none;
border:none;
margin-left: 20px;
border-radius: 20px;
}
.success {
border-color: #4CAF50;
color: green;
}
.success:hover {
background-color: #4CAF50;
color: white;
}
.danger {
border-color: #f44336;
color: red;
}
.danger:hover {
background: #f44336;
color: white;
}
.ConfirmedLbl{
background-color: MediumSeaGreen;
color: white;
padding: 8px 16px;
font-size: 15px;
text-align: center;
}
.notfound{
top: 50%;

```

```

left: 50%;
position: absolute;
transform: translate(-50%, -50%);
box-sizing: border-box;
padding: 70px 30px;
}
.Alink{
text-decoration: none;
border: none;
outline: none;
height: 40px;
background: DodgerBlue;
color: #fff;
font-size: 18px;
border-radius: 20px;
transition: 0.25s;
padding: 8px 16px;
}
.Alink:hover{
cursor: pointer;
background: #ffc107;
color: #000;
}
input{
border: none;
border-bottom: 1px solid darkgray;
background: transparent;
outline: none;
height: 40px;
color: darkgray;
font-size: 16px;
transition: 0.25s;
margin-left: 20px;
}

.dbanner{
min-height: 100vh;
background: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0, 0, 0.5)), url("https://media.gettyimages.com/videos/tilt-down-blur-restaurant-for-background-video-id1273433362?s=640x640") center/cover no-repeat;
display: flex;
flex-direction: column;
justify-content: center;
align-items: center;
color: #fff;
padding-bottom: 20px;
}
.navbar{
width: auto;
float: right;
border: none;
height: 70px;
padding: 15px;
font-family: Tapestry;
}

.navbar ul li{
width: 150px;
float: left;
margin: 25px auto;
text-align: center;
padding: 5px;
position: relative;
right: 20px;
top: -284px;
}

```



```
.navbar ul li a{
text-decoration: none;
color: white;
font-size: 20px;
padding: 2px;
}
```

```
.navbar ul li a:hover{
color: white;
text-decoration: underline;
}
```

```
.dpage{
position : relative;
top: -40px;
font-size: 20px;
```

```
}
```

```
</style>
```

```
<body>
```

```
<section class="dbanner">
```

```
<header>
```

```
<nav class="navbar">
```

```
<ul type="none">
```

```
<li><a href="index.jsp">Home</a></li>
```

```
<li><a href="menu.jsp">Menu</a></li>
```

```
<li><a href="logout">Logout</a></li>
```

```
<li><a href="contact.jsp">Contact Us</a></li>
```

```
</ul>
```

```
</nav>
```

```
</header>
```

```
<div class="dpage">
```

```
<h3>RESERVATION DETAILS</h3>
```

```
</div>
```

```
<div style="width: 100%; min-height: 750px;">
```

```
<div class="w3-container w3-margin-top" id="rooms">
```

```
<div class="w3-row-padding w3-padding-16">
```

```
<%
```

```
try {
```

```
Statement statement = null;
```

```
ResultSet resultSet = null;
```

```
String Countrow="";
```

```
String CurrentUser = session.getAttribute("uname").toString();
```

```
Class.forName("com.mysql.jdbc.Driver");
```

```
Connection con = DriverManager.getConnection("jdbc:mysql://localhost:3306/signin","root","suchithra");
```

```
statement = con.createStatement();
```

```
String sql = "SELECT COUNT(id) FROM reservatable Where RequestMadeBy = '" + CurrentUser + "'";
```

```
resultSet = statement.executeQuery(sql);
```

```
while (resultSet.next()) {
```

```
Countrow = resultSet.getString(1);
```

```
if(Countrow.equals("0")){
```

```
%>
```

```
<div class="notfound">
```

```
<center>
```

```
<h4>No reservations found</h4>
```

```
</div>
```

```
<%
```

```
}
```

```

}
} catch (Exception e) {
e.printStackTrace();
}
}%>

<%
try {
Class.forName("com.mysql.jdbc.Driver");
Connection con = DriverManager.getConnection("jdbc:mysql://localhost:3306/signin","root","suchithra");
String CurrentUser = session.getAttribute("uname").toString();
Statement statement = null;
ResultSet resultSet = null;
String sql = "SELECT * FROM rooms Where RequestMadeBy = '" + CurrentUser + "' ORDER BY dateNtime ASC";

resultSet = statement.executeQuery(sql);
while (resultSet.next()) {
}%>

<div class="w3-third w3-margin-bottom">
<div class="w3-container w3-white">
<table>
<tr>
<td><h3>Reserve Id</h3></td>
<td><label
style="font-family: monospace; color: gray; border: 2px solid gray; padding: 8px;">
<%=resultSet.getString("id")%></label><td>
<td><button class="edit_btn" onclick="hide_show_inputs(<%=resultSet.getString("id")%>)"
id="hide_show_inputs_btn_<%=resultSet.getString("id")%>">Edit</button></td>
</tr>
</table>

<form action="../UpdateMyRequest" method="post">
<ul>
<li>Date
<b id="CheckIn_display_val_<%=resultSet.getString("id")%>"><%=resultSet.getString("udate")%></b>
<input type="number" name="Adults_update_input" id="Adults_update_input_<%=resultSet.getString("id")%>"
required="required" value='<%=resultSet.getString("udate")%>' style="display: none;">
</li>
<li>Hour :
<b id="CheckIn_display_val_<%=resultSet.getString("id")%>"><%=resultSet.getString("uhour")%></b>
<input type="number" name="Kids_update_input" id="Kids_update_input_<%=resultSet.getString("id")%>"
required="required" value='<%=resultSet.getString("uhour")%>' style="display: none;">
</li>
<li>Name:
<b id="CheckIn_display_val_<%=resultSet.getString("id")%>"><%=resultSet.getString("uname")%></b>
<input type="date" name="CheckIn_update_input" id="CheckIn_update_input_<%=resultSet.getString("id")%>"
required="required" value='<%=resultSet.getString("uname")%>' style="display: none;">
</li>
<li>Phone Number :
<b id="CheckOut_display_val_<%=resultSet.getString("id")%>"><%=resultSet.getString("uphonenum")%></b>
<input type="date" name="CheckOut_update_input" id="CheckOut_update_input_<%=resultSet.getString("id")%>"
required="required" value='<%=resultSet.getString("uphonenum")%>' style="display: none;">
</li>
<li>No Of Guests :
<b id="CheckOut_display_val_<%=resultSet.getString("id")%>"><%=resultSet.getString("upersons")%></b>
<input type="date" name="CheckOut_update_input" id="CheckOut_update_input_<%=resultSet.getString("id")%>"
required="required" value='<%=resultSet.getString("upersons")%>' style="display: none;">
</li>
<%
if (resultSet.getString("Status").equals("1")) {
}%>
</ul>
</form>

```

```

<script type="text/javascript">
document.getElementById("hide_show_inputs_btn_<%=resultSet.getString("id")%>").style.display ="none";
</script>

<p class="ConfirmedLbl">Confirmed</p>
<%
} else {
%>
<
<input style="display: none;" type="text" name="req_id"
value='<%=resultSet.getString("id")%>'>
<button type="submit" class="btn success" id="save_btn_<%=resultSet.getString("id")%>"
style="margin-left: 20px; margin-bottom: 20px; display: none;">Save</button>
</form>
<form action=" ../DeletRequestByUser" method="post">
<input style="display: none;" type="text" name="req_id"
value='<%=resultSet.getString("id")%>'>
<button type="submit" class="btn danger" id="delete_btn_<%=resultSet.getString("id")%>"
style="margin-left: 20px; margin-bottom: 20px;">Delete</button>
</form>
<%
}
%>

</div>
</div>
<%
} catch (Exception e) {
e.printStackTrace();
}
%>


</div>

</div>
</div>


</section>
</body>
</html>

```

User with no reservation :



User with reservations:



12. logout.java

```
package com.uniquedeveloper.signup;
```

```
import java.io.*;
import jakarta.servlet.*;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.*;
```

```
@WebServlet("/logout")
public class logout extends HttpServlet {
    private static final long serialVersionUID = 1L;
```

```
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
```

```
        HttpSession session = request.getSession();
        session.invalidate();
        response.sendRedirect("login.jsp");
    }
}
```

PHP Programs

1. Write a PHP script to print prime numbers between 1-50.

```
<?php
for($i=2;$i<50;$i++)
{
    $f = 0;
    for($j=2;$j<$i;$j++)
    {
        if($i%$j==0)
        {
            $f++;
        }
    }
    if($f==0)
    {
        echo "$i ";
    }
}
?>
```

Output :

2 3 5 7 11 13 17 19 23 29 31 37 41 43 47

2. PHP script to

a. Find the length of a string

```
<?php
$str = "Musica project";
$len = 0;
$s = str_split($str);
while($s[$len])
{
    $len++;
}
```

```
}
echo "The string has $len characters";
?>
```

Output :

The string has 14 characters

b. Count no of words in a string.

```
<?php
$str = "Musica project";
$len = 0;
$word = 1;
$s = str_split($str);
foreach($s as $i)
{
    if ($i == ' ')
    {
        $word++; } }
echo "The string has $word words";
?>
```

Output :

The string has 2 words

c. Reverse a string.

```
<?php
$str = "Musica";
$word = " ";
for($i=strlen($str)-1;$i>=0;$i--)
{
    $word[strlen($str)-1-$i] = $str[$i];
}
echo "Reverse of $str is $word";
?>
```

Output:

Reverse of Musica is acisuM

d. Search for a specific string

```
<?php
$str = "Musica project";
$find = "project";
for($i=0;$i<strlen($str)-strlen($find)+1;$i++)
{
    $count = 0;
    for($j=0;$j<strlen($find);$j++)
    {
        if($str[$i+$j] == $find[$j])
            $count++;
        else
            break;
    }
    if($count == strlen($find))
    {
        echo "Word found in position $i";
        break;
    }
}
?>
```

Output:

Word found in position 7

3. Write a PHP script to merge two arrays and sort them as numbers, in descending order

```
<?php
$arr1 = [3, 1, 7];
$arr2 = [2, 5, 0, 11];
$len1 = count($arr1);
$len2 = count($arr2);
$len = $len1 + $len2;
for($i= $len1;$i<$len;$i++)
{
    $arr1[$i] = $arr2[$i - $len1];
}
for($i=0;$i<$len;$i++)
{
    for($j=0;$j<$len-$i-1;$j++)
    {
        if($arr1[$j] > $arr1[$j+1])
        {
            $t = $arr1[$j];
            $arr1[$j] = $arr1[$j+1];
            $arr1[$j+1] = $t;
        }
    }
}
echo "Sorted array is ";
for($i=0;$i<$len;$i++)
echo "$arr1[$i] ";
?>
```

Output :

Sorted array is 0 1 2 3 5 7 11

4. Write a PHP script that reads data from one file and write into another file.

```
<?php
$myfile = fopen("file1.txt","r");
$write = fopen("file2.txt","a");
while(!feof($myfile))
fwrite($write, fgets($myfile));
echo "Contents of file 1 copied into file 2"
?>
```

Output:

Contents of file 1 copied into file 2

XML Program

Create and save an XML document on the server, which contains 10 users information.

Write a program, which takes User Id as an input and returns the user details by taking the user information from the XML document.

```
import javax.xml.parsers.*;
import org.w3c.dom.*;
import java.io.*;
import javax.servlet.http.*;
import javax.servlet.*;
import java.sql.*;

public class DOMDemo extends HttpServlet{
    public void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException{
        String id = request.getParameter("UID");
        PrintWriter out = response.getWriter();
        response.setContentType("text/html");
    }
}
```

```

DocumentBuilderFactory factory = DocumentBuilderFactory.newInstance();
DocumentBuilder builder = factory.newDocumentBuilder();
Document document = builder.parse(new File("C:\\Users\\bharg\\Desktop\\zoro\\web technologies\\XMLDOMP\\WEB-INF\\employees.xml"));
out.println(document);
document.getDocumentElement().normalize();
out.println(document);
NodeList nList = document.getElementsByTagName("employee");
for(int i = 0;i<nList.getLength();i++){
Node node = nList.item(i);
if(node.getNodeType() == Node.ELEMENT_NODE){
Element eElement = (Element)node;
if(id.equals(eElement.getAttribute("id"))){
out.println("<h1>Emp Name:"+eElement.getElementsByTagName("name").item(0).getTextContent()+"</h1>");
out.println("<h1>Emp Last Name:"+eElement.getElementsByTagName("lastName").item(0).getTextContent()+"</h1>");
}}}}

```

XML file :

```

<employees>
<employee id="111">
<firstName>Lokesh</firstName>
<lastName>Gupta</lastName>
<location>India</location>
</employee>
<employee id="222">
<firstName>Alex</firstName>
<lastName>Gussin</lastName>
<location>Russia</location>
</employee>
<employee id="333">
<firstName>David</firstName>
<lastName>Feezor</lastName>
<location>USA</location>
</employee>
</employees>

```