

Activity:

P.Sahith Sai

Reg.No:192425029

Roll.No:31

Activity:

Truncate A table in Procedure

```
mysql> create database College;
Query OK, 1 row affected (0.07 sec)

mysql> use college;
Database changed
mysql> CREATE TABLE Student (RegNo INT , Name VARCHAR(100),CID INT);
Query OK, 0 rows affected (0.03 sec)

mysql> CREATE TABLE Courses (CID INT , CName VARCHAR(100),INSName VARCHAR(100));
Query OK, 0 rows affected (0.10 sec)

mysql> Desc Student;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| RegNo | int           | YES  |     | NULL    |       |
| Name  | varchar(100)  | YES  |     | NULL    |       |
| CID   | int           | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql>
mysql> Desc Courses;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CID   | int           | YES  |     | NULL    |       |
| CName | varchar(100)  | YES  |     | NULL    |       |
| INSName | varchar(100) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> INSERT INTO Student VALUES(1,'A',101),(2,'B',102),(3,'C',103),(4,'C',104);
Query OK, 4 rows affected (0.06 sec)
Records: 4  Duplicates: 0  Warnings: 0

mysql> INSERT INTO Courses VALUES(101,'CNS','Ravi'),(102,'DBMS','Raju'),(103,'DS','Raja'),(104,'OS','Rani');
Query OK, 4 rows affected (0.06 sec)
Records: 4  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT Student.RegNo,Student.Name,Courses.CName,Courses.INSName from Student INNER JOIN Courses ON Student.CID=Courses.CID;
```

RegNo	Name	CName	INSName
1	A	CNS	Ravi
2	B	DBMS	Raju
3	C	DS	Raja
4	C	OS	Rani

4 rows in set (0.00 sec)

```
mysql> DELIMITER //
mysql> Create procedure ex()
-> BEGIN
-> Select * from Student;
-> Select * from Courses;
-> END //
```

Query OK, 0 rows affected (0.01 sec)

```
mysql> DELIMITER ;
mysql> CALL ex();
```

RegNo	Name	CID
1	A	101
2	B	102
3	C	103
4	C	104

4 rows in set (0.06 sec)

CID	CName	INSName
101	CNS	Ravi
102	DBMS	Raju
103	DS	Raja
104	OS	Rani

4 rows in set (0.07 sec)

Query OK, 0 rows affected (0.08 sec)

```
mysql> DELIMITER //
mysql> Create procedure ex2()
-> BEGIN
-> Truncate table Student;
-> END //
```

Query OK, 0 rows affected (0.07 sec)

```
mysql> DELIMITER ;
mysql> CALL ex2();
```

Query OK, 0 rows affected (0.10 sec)