

Eshopbox Sales Assist App — Complete Project Summary

Use this file at the start of every new Claude chat instead of uploading all 5 conversation files.

1. WHAT THIS APP IS

Eshopbox Sales Assist is an internal tool for the Eshopbox sales team (~35 reps) to:

- Log demo details after a sales call
- Auto-grade deals (A-D) using a 22-point scoring algorithm
- Generate AI email drafts (Day 1, Day 3, Day 4) via Claude API
- Track deals from Zoho CRM with "Needs attention" flags
- Send emails directly via Zoho CRM API

The app is **live and in active use**.

2. TECH STACK

Layer	Technology
Backend	Cloudflare Workers (Hono framework)
Database	Cloudflare D1 (SQLite)
KV Store	Cloudflare KV (token cache)
Frontend	React (Vite)
Hosting	Cloudflare Pages
CRM	Zoho CRM
AI	Anthropic Claude API (claude-sonnet-4-20250514)

3. LIVE URLS

Resource	URL
Backend Worker	https://eshopbox-sales-assist-backend.satyanarayan-sahoo.workers.dev

Resource	URL
Frontend App	<code>https://eshopbox-sales-assist.pages.dev</code>
Cloudflare Account	<code>Satyanarayan.sahoo@eshopbox.com's Account (ID: e092a59bfb57a3a9bd5b86f8f1e94430)</code>

4. LOCAL PROJECT PATHS

Project	Path
Backend	<code>C:\Users\Admin\eshopbox-sales-assist-backend</code>
Frontend	<code>C:\Users\Admin\eshopbox-sales-assist-frontend</code>

5. CLOUDFLARE RESOURCE IDs

toml

```

# wrangler.toml (current)
name = "eshopbox-sales-assist-backend"
main = "src/index.js"
compatibility_date = "2025-01-01"
account_id = "e092a59bfb57a3a9bd5b86f8f1e94430"

[
vars
]
ZOHO_API_BASE = "https://www.zohoapis.com/crm/v2"
ZOHO_ACCOUNTS_URL = "https://accounts.zoho.com"
FRONTEND_URL = "https://eshopbox-sales-assist.pages.dev"

[[
kv_namespaces
]]
binding = "TOKEN_CACHE"
id = "0d637537ce58405394d96926e2895a42"

[[
d1_databases
]]
binding = "DB"
database_name = "eshopbox-sales-assist"
database_id = "a093fe4e-f9cc-4130-8bd9-d2067ba9a242"

[
triggers
]
crons = ["0 4 * * *"]

```

6. SECRETS STORED IN CLOUDFLARE

All secrets are uploaded to the Worker via `wrangler secret put`. Do NOT put these in code:

- `JWT_SECRET` — long hex string for signing JWTs
- `ZOHO_CLIENT_ID` — `1000.TMXCDYXUR4FZP8TP3L91XQHXL0FXCS`
- `ZOHO_CLIENT_SECRET` — `f41f604c6a0c23b91e1eeccb91fe52cfa39f104809`
- `ZOHO_REFRESH_TOKEN` — `1000.804d8321c54b5512cb1e44f5e51a4db3.b5e330d164338ce0ecf308e1acaf8b5b`
- `ANTHROPIC_API_KEY` — starts with `sk-ant-api03-...`
- `ZOHO_SMTP_USER` / `ZOHO_SMTP_PASSWORD` — **PENDING** (not yet added)

7. BACKEND FILE STRUCTURE

```
eshopbox-sales-assist-backend/
├─ wrangler.toml
├─ package.json          (type: "module")
├─ src/
│   ├─ index.js          ← ALL routes are here (flat structure, no sub-
│   │                    routers)
│   ├─ middleware/
│   │   ├─ auth.js       ← requireAuth middleware
│   │   └─ jwt.js        ← Web Crypto JWT sign/verify
│   ├─ db/
│   │   ├─ schema.sql    ← users, invites, deal_emails, deal_form_data tables
│   │   └─ users.js      ← D1 query helpers
│   ├─ services/
│   │   ├─ zoho.js        ← Zoho API calls + token refresh
│   │   ├─ claude.js      ← Email generation via Anthropic API
│   │   ├─ grading.js     ← 22-point scoring algorithm
│   │   └─ attentionRules.js ← 11 attention flag rules
│   └─ cron/
│       ├─ dailyDigest.js ← placeholder (cron at 0 4 * * * = 9:30am IST)
│       └─ weeklyDigest.js ← placeholder
```

8. FRONTEND FILE STRUCTURE

```
eshopbox-sales-assist-frontend/
├─ index.html
├─ package.json
├─ vite.config.js
├─ src/
│   ├─ App.jsx           ← Auth state, routing, deal fetching
│   ├─ api.js            ← apiFetch helper, auth helpers
│   ├─ main.jsx
│   ├─ components/
│   │   └─ ui.jsx        ← C (colors), GradeBadge, StagePill, etc.
│   ├─ pages/
│   │   ├─ Login.jsx
│   │   ├─ Overview.jsx
│   │   ├─ DealsList.jsx
│   │   └─ DealDetail.jsx ← EmailDraftCard, RichTextEditor,
│   │                    ReEngagementGenerator
│   └─ DemoForm.jsx
```

```
|   |— FormResult.jsx
|   |— Settings.jsx
|—  |— utils/
|   |— attentionRules.js ← FRONTEND copy (for Overview calculations)
```

9.D1 DATABASE SCHEMA

sql

```
-- Users and auth
CREATE TABLE users (
  id TEXT PRIMARY KEY,
  email TEXT UNIQUE NOT NULL,
  name TEXT NOT NULL,
  role TEXT NOT NULL DEFAULT 'Sales rep',
  password_hash TEXT,          -- PBKDF2 with SHA-256
  invited_by TEXT,
  created_at TEXT DEFAULT (datetime('now')),
  is_active INTEGER DEFAULT 1
);

CREATE TABLE invites (
  id TEXT PRIMARY KEY,
  email TEXT UNIQUE NOT NULL,
  role TEXT NOT NULL,
  invited_by TEXT NOT NULL,
  token TEXT UNIQUE NOT NULL,
  expires_at TEXT NOT NULL,
  accepted INTEGER DEFAULT 0
);

-- Email tracking (created at form submission)
CREATE TABLE deal_emails (
  id TEXT PRIMARY KEY,
  deal_id TEXT NOT NULL,
  email_type TEXT NOT NULL,  -- 'day1', 'day3', 'day4'
  subject TEXT,
  body TEXT,
  status TEXT DEFAULT 'draft',  -- 'draft', 'scheduled', 'sent', 'failed', 'skipped'
  scheduled_for TEXT,          -- YYYY-MM-DD
  sent_at TEXT,
  zoho_message_id TEXT,
  rep_email TEXT,
  created_at TEXT DEFAULT (datetime('now')),
  updated_at TEXT DEFAULT (datetime('now'))
);

-- Form data storage
CREATE TABLE deal_form_data (
  id TEXT PRIMARY KEY,
  deal_id TEXT NOT NULL UNIQUE,
  form_data TEXT NOT NULL,    -- JSON blob of all form fields
  created_at TEXT DEFAULT (datetime('now'))
);
```

Current data: 10 deal_emails rows, 2 deal_form_data rows (as of last check).

10. API ENDPOINTS

Auth (public)

Method	Path	Description
POST	/auth/login	Email + password → JWT
POST	/auth/invite	Admin creates invite link
POST	/auth/accept-invite	New user sets password
GET	/auth/team	List all users + pending invites
PUT	/auth/team/:id/role	Change user role
DELETE	/auth/team/:id	Deactivate user

Deals (protected — requires Authorization: Bearer <JWT>)

Method	Path	Description
GET	/api/deals	All deals from Zoho (paginated, from 2026-01-01) with attention flags
GET	/api/deals/:id	Single deal with tasks, activities, emails, flags
POST	/api/deals/sync	Submit demo form → create Zoho deal + tasks + save emails to D1 + generate Claude drafts
GET	/api/deals/:id/emails	Get all email drafts for a deal
PUT	/api/deals/:id/emails/:type	Update email subject/body
POST	/api/deals/:id/emails/:type/send	Send email via Zoho CRM API (or schedule for auto-emails)
PUT	/api/deals/:id/f2f	Log F2F meeting → boost score
POST	/api/reengage	Generate re-engagement email via Claude
POST	/api/deals/:id/send-email	Direct send for re-engagement emails

Cron

- Runs at `0 4 * * *` UTC (= 9:30am IST) daily
 - Fetches deal_emails with `status = 'scheduled'` and `scheduled_for <= today`
 - Checks deal stage (skips Won/Lost)
 - Sends via `sendDealEmail` → Zoho CRM API
 - Updates status to 'sent' or 'failed'
-

11. ZOHO CRM INTEGRATION

Data center: `.com` (global) — NOT `.in` (India)

- All API calls go to `https://www.zohoapis.com/crm/v2`
- OAuth tokens refresh via `https://accounts.zoho.com`

Custom fields created in Zoho Deals module (in "Sales Assist" section):

Field Label	API Name	Type
Deal Grade	Deal_Grade	Single Line
SA Forecast Probability	SA_Forecast_Probability	Percentage
SA Segment	SA_Segment	Picklist (Enterprise, SMB, Warm champion)
SA Solution Interest	SA_Solution_Interest	Picklist (shipping, warehousing, both)
SA Brand Type	SA_Brand_Type	Picklist (small, scaling, enterprise)
SA Pain Points	SA_Pain_Points	Multi-line
SA OMS	SA_OMS	Single Line
SA Shopping Cart	SA_Shopping_Cart	Single Line
SA Current Shipping	SA_Current_Shipping	Single Line
SA Current Warehousing	SA_Current_Warehousing	Single Line
SA Followup Meeting Date	SA_Followup_Meeting_Date	Date
SA Pricing Raised	SA_Pricing_Raised	Checkbox
SA Demo Format	SA_Demo_Format	Picklist (virtual, inperson, hybrid)
SA F2F Count	SA_F2F_Count	Number
SA Logged	SA_Logged	Checkbox
Demo Date	Demo_Date	Date

Zoho Stage Names (exact strings from your CRM):

Qualified To Buy → Demo Call Scheduled → Demo Done → Proposal Sent →
 Follow up Meeting Done → Deal Approved → Won/Payment Received
 Lost/Dropped, On Hold

Email sending: `POST /Deals/{id}/actions/send_mail` — sends from deal owner's email automatically (no per-user auth needed since Zoho uses the deal owner's connected mailbox).

Deals fetched: Only from 2026-01-01 onwards, paginated (up to 15 pages = 3000 deals max).

12. GRADING ALGORITHM (22-point system)

```
js

Pain clarity:      Clear=3, Vague=1, None=0
DM present:       Yes=3, Champion=1, Unknown=0
Budget signal:    Confirmed=2, Implied=1, None=0
Purchase timeline: This month=3, Quarter=2, 6 months=1, Unknown=0
Engagement level: High=2, Medium=1, Low=0
Champion strength: No procurement=2, Strong=1
Next step:        Booked=2, Vague=1, None=0
In-person meeting: +2 (warehouse visit = +3)

Grades:
A = 16+ pts  → 55-70% probability
B = 11-15    → 30-50%
C = 6-10     → 10-25%
D = 0-5      → <10%
```

13. EMAIL SEQUENCE (current state)

After form submission, 3 emails are saved to D1 as drafts + 1 Zoho task is created:

Email	Label	When	Type	Who Sends
day1	Personalised recap	Demo +1 day	Rep sends	Manual via app
day2	Pricing proposal	Demo +2 days	Rep sends	Zoho task reminder only
day3	ROI value email	Demo +3 days	Rep sends	Manual via app
day4	Objection handling	Demo +4 days	Rep sends	Manual via app

Removed: mtg3 and mtg7 (discussed but open point for senior — when to trigger based on follow-up meeting stage)

Email threading: Day 3 and Day 4 subjects start with Re: [Day 1 subject] for inbox threading.

Email format: Claude generates HTML with proper bullet points and section breaks.

14. ATTENTION RULES

Rules fire on deals to generate "Needs attention" flags. All flags now show as one level (no

medium/info separation — any flag = "Needs attention").

Rule	Title	Condition
1	Recap email not sent	SA logged after Apr 15, day1 email exists as draft, demo was 1+ days ago
2	Pricing proposal not sent	Day 2 Zoho task open, demo 3+ days ago, stage = "Demo Done"
3	ROI email not sent	day3 email not sent, 2+ days past scheduled date, SA logged after Apr 15
4	No follow-up meeting booked	Deal open, demo 2+ days ago, no followupMeetingDate
5	Follow-up meeting passed	Meeting date passed, stage still "Proposal Sent"
6	Stuck in stage	Open deal, SA logged, no stage change in 7+ days (stage-specific messages)
7	Follow-up meeting done — deal going quiet	Stage = "Follow up Meeting Done", SA logged, no activity 5-900 days
8	Grade D — consider closing	Grade D, open, SA logged, no activity 5-900 days
10	No in-person meeting yet	Grade A, open, SA logged, demo 5+ days ago, f2fCount = 0
11	Lost deal — no reason logged	Stage = "Lost/Dropped", no loss reason

Open points (pending senior discussion):

- Rule 9 (dead — no Meeting+7 tasks created anymore) — should be deleted
- Rule 6 — should it gate on saLogged?
- Rule 4 — should it gate on saLogged?
- Rule 10 — fix to use `f2fCount > 0` instead of empty `f2fMeetings` array

15. USER ROLES & AUTH

- **No Google SSO** — email + password only
- Only `@eshopbox.com` emails allowed
- Password hashing: PBKDF2 with SHA-256, 100,000 iterations
- JWT expiry: 7 days
- Roles: `Admin`, `Manager`, `Sales rep`
- Sales reps only see their own deals

- Admin/Manager can see all deals and filter by rep

Admin user created in D1:

```
id: admin-001
email: ankush@eshopbox.com
name: Ankush Sharma
role: Admin
password: Admin@123
```

16. FRONTEND COMPONENTS

DealsList page

- 5 clickable summary cards: All deals, Needs attention, Demo logged, On track, Deal won
- "On track" excludes Won/Payment Received deals
- Filters: by rep, stage, grade, order volume, date range (preset + custom calendar)
- Date format: `DD-MM-YY` with Today/Yesterday labels
- Rep filter shows only reps with active deals (dynamic from Zoho)

DealDetail page

- Left column: Deal info, form data, attention flags, grade
- Right column: Sequence checklist, Email drafts (Day 1, Day 3, Day 4), Re-engagement
- `RichTextEditor` component: contentEditable div with bold/italic/underline/lists toolbar
- `EmailDraftCard` component: CC field, subject, rich text body, Copy/Edit/Save/Send buttons
- `ReEngagementGenerator`: angle picker (Value/Check-in/Urgency/Break-up), Generate, CC, rich text, Send

Email sending flow

1. Rep reviews draft in EmailDraftCard
 2. Clicks "Send →"
 3. Warning modal confirms
 4. `POST /api/deals/:id/emails/:type/send` called
 5. Backend calls Zoho `send_mail` API → sends from deal owner's email
-

17. DEPLOY COMMANDS

```
bash
```

```
# Backend
cd C:\Users\Admin\eshopbox-sales-assist-backend
wrangler deploy

# Frontend
cd C:\Users\Admin\eshopbox-sales-assist-frontend
npm run build
wrangler pages deploy dist --project-name eshopbox-sales-assist

# D1 schema push
wrangler d1 execute eshopbox-sales-assist --remote --file=src/db/schema.sql

# D1 direct query
wrangler d1 execute eshopbox-sales-assist --remote --command="SELECT * FROM users;"
```

18. PENDING ITEMS (as of last session)

● Ready to code

1. **Demo Analysis page** — separate view from Deal Detail showing all form data + grade breakdown + AI recommendations (Claude-generated, on-demand). Accessible via "View demo analysis →" button on Deal Detail.
2. **URL routing** — each deal gets `/deals/:id`, filters encoded as URL params (`?filter=attention`) so links are shareable. Use react-router-dom or hash-based routing.

● Minor fixes ready to code

- `ZOHO_SMTP_USER` + `ZOHO_SMTP_PASSWORD` secrets — waiting for team to provide
- Re-engagement email "send via Zoho" route — already coded but needs to use the same `sendDealEmail` function properly
- Regenerate email button for existing D1 drafts (for old demos before formatting fix)

📋 Open points — discuss with senior before coding

- Rules 6/9/10 cleanup (Rule 9 should be deleted, Rule 6 + 10 need gates)
- Rule 4 — should it gate on `saLogged`?
- Sequence checklist for later-stage deals (Option C: stage-based for pre-Apr 15, D1-based for post-Apr 15)
- Demo date field — currently uses form submission date, should capture actual demo date
- Mtg+3 and Mtg+7 — when/how to trigger based on follow-up meeting stage vs date

📄 Phase 3 — Complex, not started

- Email threading via Zoho thread ID (currently using Re: subject prefix workaround)
 - File attachments in email editor (Zoho Files API upload → attach to email)
 - Pipeline filter — Zoho returns empty `(Pipeline)` field, need to filter to SME 2.0 / Enterprise 2.0 only
 - Custom domain for backend Worker (`(api-salesassist.eshopbox.com)`)
 - Move Anthropic API key to Eshopbox org account
-

19. IMPORTANT NOTES / GOTCHAS

1. **Zoho is on `(.com)` not `(.in)`** — all URLs use `(zohoapis.com)` and `(accounts.zoho.com)`
 2. **CORS fix** — `(app.use('*', cors({ origin: '*' })))` — not using dynamic `FRONTEND_URL` origin due to a POST request blocking bug with the old approach
 3. **No `(compatibility_flags)` in `wrangler.toml`** — removing it fixed the ES module build error
 4. **Email storage cutoff = April 15, 2026** — Rules 1 and 3 only check D1 email status for deals logged after this date
 5. **`(stageChangedOn)` = Zoho `(Modified_Time)`** — NOT actual stage change date. Rule 6 fires when anything on the deal was last modified 7+ days ago, not necessarily the stage
 6. **`(f2fMeetings)` array is always empty** in `mapZohoDeal` — use `(f2fCount)` (from `(SA_F2F_Count)`) to check in-person meetings
 7. **Deploy order matters** — always deploy backend before frontend when both change
 8. **Windows terminal** — use Command Prompt (CMD) not PowerShell for wrangler commands
 9. **Zoho task creation** — only 1 task created per demo (Day 2 pricing proposal reminder). The 7-task system was simplified.
 10. **Email formatting** — Claude generates emails with `(•)` bullets and blank lines between sections. Old emails in D1 are plain text; new demos get formatted HTML.
-

20. ZOH OAUTH APP DETAILS

```
App Name: Eshopbox Sales Assist
Client ID: 1000.TMXCDYXUR4FZP8TP3L91XQHXL0FXCS
Redirect URI: https://eshopbox-sales-assist-backend.rishabh-singh.workers.dev/auth/zoho/callback
(Note: Old URL from initial setup – doesn't matter, refresh token is what we use)

Scopes authorized:
ZohoCRM.modules.deals.ALL
```

```
ZohoCRM.modules.contacts.READ  
ZohoCRM.modules.activities.ALL  
ZohoCRM.settings.fields.READ
```

21. HOW TO START A NEW CHAT

Paste this at the start:

"I'm continuing development of the Eshopbox Sales Assist app. I've uploaded a summary file with the full project context. The app is a Cloudflare Workers backend + React frontend that integrates with Zoho CRM and Claude API. The live backend is at `eshopbox-sales-assist-backend.satyanarayan-sahoo.workers.dev` and frontend at `eshopbox-sales-assist.pages.dev`. Please read the summary and then help me with: [your task]"