

Language Translation Tool

Source Code Reference (HTML, CSS, JavaScript)

| 1. index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Language Translation Tool</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

  <div class="container">
    <h2>Translation Tool</h2>

    <div class="wrapper">
      <!-- Source Section -->
      <div class="text-input">
        <textarea class="from-text" spellcheck="false" placeholder="Enter text to
translate..."></textarea>
      </div>

      <!-- Target Section -->
      <div class="text-input">
        <textarea class="to-text" spellcheck="false" readonly
placeholder="Translation will appear here..."></textarea>
      </div>
    </div>

    <div class="controls">
      <div class="row from">
        <select></select>
      </div>

      <div class="exchange">
        <button id="swap-btn" title="Swap Languages">↔</button>
      </div>

      <div class="row to">
        <select></select>
      </div>
      <div class="icons">
        <button id="copy-btn" title="Copy Translated Text">📋 Copy</button>
        <button id="speech-btn" title="Listen to Translation">🗣️ Speak</button>
      </div>
    </div>
  </div>
</body>
</html>
```

```

        </div>
    </div>
</div>

    <button id="translate-btn">Translate Text</button>
</div>

    <script src="script.js"></script>
</body>
</html>

```

| 2. style.css

```

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

body {
  display: flex;
  align-items: center;
  justify-content: center;
  min-height: 100vh;
  background: #f0f2f5;
}

.container {
  max-width: 800px;
  width: 100%;
  background: #fff;
  border-radius: 10px;
  padding: 30px;
  box-shadow: 0 5px 15px rgba(0,0,0,0.1);
}

h2 {
  text-align: center;
  margin-bottom: 20px;
  color: #333;
}

.wrapper {
  display: flex;
  gap: 20px;
}

```

```
.text-input {
  width: 100%;
}

textarea {
  width: 100%;
  height: 200px;
  padding: 15px;
  border-radius: 8px;
  border: 1px solid #ccc;
  resize: none;
  font-size: 16px;
}

textarea:focus {
  outline: none;
  border-color: #007bff;
}

.controls {
  display: flex;
  align-items: center;
  justify-content: space-between;
  margin-top: 20px;
}

.row select {
  width: 150px;
  padding: 8px;
  border-radius: 5px;
  border: 1px solid #ccc;
  font-size: 14px;
}

.exchange button {
  background: none;
  border: none;
  font-size: 24px;
  cursor: pointer;
  color: #007bff;
}

.icons {
  display: flex;
  gap: 10px;
  margin-top: 10px;
}

.icons button {
  padding: 5px 10px;
```

```

border: none;
border-radius: 5px;
background: #e9ecef;
cursor: pointer;
font-size: 14px;
}

.icons button:hover {
  background: #dee2e6;
}

#translate-btn {
  width: 100%;
  padding: 15px;
  margin-top: 25px;
  background: #007bff;
  color: #fff;
  border: none;
  border-radius: 8px;
  font-size: 18px;
  cursor: pointer;
  transition: 0.3s;
}

#translate-btn:hover {
  background: #0056b3;
}

```

| 3. script.js

```

// DOM Elements
const fromText = document.querySelector(".from-text");
const toText = document.querySelector(".to-text");
const selects = document.querySelectorAll("select");
const exchangeIcon = document.getElementById("swap-btn");
const translateBtn = document.getElementById("translate-btn");
const copyBtn = document.getElementById("copy-btn");
const speechBtn = document.getElementById("speech-btn");

// A sample of languages. You can expand this list.
const countries = {
  "en-GB": "English",
  "es-ES": "Spanish",
  "fr-FR": "French",
  "de-DE": "German",
  "it-IT": "Italian",
  "hi-IN": "Hindi",
  "zh-CN": "Chinese",
}

```

```

    "ja-JP": "Japanese"
  };

  // Populate dropdowns
  selects.forEach((tag, id) => {
    for (let country_code in countries) {
      // Default to English -> Spanish
      let selected = id == 0 ? (country_code == "en-GB" ? "selected" : "") :
(country_code == "es-ES" ? "selected" : "");
      let option = `

```

```

    })
    .catch(error => {
        console.error("Error during translation:", error);
        toText.value = "An error occurred while translating.";
    });
});

// Optional Feature: Copy to Clipboard
copyBtn.addEventListener("click", () => {
    if(toText.value) {
        navigator.clipboard.writeText(toText.value)
            .then(() => alert("Copied to clipboard!"))
            .catch(err => console.error("Failed to copy!", err));
    }
});

// Optional Feature: Text-to-Speech
speechBtn.addEventListener("click", () => {
    if(toText.value) {
        let utterance = new SpeechSynthesisUtterance(toText.value);
        utterance.lang = selects[1].value; // Set accent to the target language
        speechSynthesis.speak(utterance);
    }
});

```