

Summary of the Invention

The present invention relates to a deterministic audio-visual computation system for transforming temporal wave-based input into structured, spatially organized visual environments. The system provides a method for analyzing audio or other time-varying signals and mapping their intrinsic properties—such as amplitude, frequency distribution, phase relationships, and temporal dynamics—into persistent, multi-dimensional spatial representations.

Unlike conventional audio visualizers, which typically rely on transient, frame-based visual effects or stochastic particle behaviors, the disclosed system operates deterministically. Given identical input data and configuration parameters, the system consistently produces the same spatial output. This determinism enables repeatable, identity-preserving visual structures that function not merely as effects, but as interpretable computational artifacts derived from the source signal.

In one embodiment, an incoming audio signal is processed through one or more analytical stages, including frequency band decomposition, envelope detection, transient identification, and temporal smoothing. The extracted features are then encoded into a spatial data model comprising nodes, fields, or point sets positioned within a virtual coordinate space. Spatial attributes—including position, density, geometry, motion vectors, and color—are computed as deterministic functions of the analyzed signal data and may persist across time rather than resetting per frame.

The system further supports hierarchical and multi-scale representations, wherein micro-level structures (such as individual nodes or neural elements) may be aggregated into macro-level formations (such as clusters, networks, or galaxy-like spatial fields). These representations allow both localized and global interpretations of the same underlying signal, enabling recursive or fractal-like visual mappings that preserve the internal relationships of the source data.

Temporal continuity is a core aspect of the invention. Rather than treating time as a sequence of discrete visualization frames, the system incorporates temporal state directly into the spatial model, allowing changes in the input signal to deform, modulate, or evolve existing structures without destroying their identity. This approach enables visual environments that behave as living systems, responding fluidly to ongoing input while retaining structural coherence.

Although audio signals are described herein as a primary input modality, the system is not limited to sound. Any temporal wave-based or sequential data—including but not limited to sensor streams, financial data, biometric signals, network traffic, or simulated waveforms—may serve as input, either independently or in combination. The system is therefore multi-modal by design and extensible to future applications involving non-auditory data sources.

The invention may be implemented in software, hardware, or hybrid environments, including real-time interactive systems, offline rendering pipelines, web-based platforms, immersive or

spatial computing environments, and distributed computational architectures. Various parameters may be exposed to users or systems to control sensitivity, scale, dimensionality, or stylistic interpretation without altering the deterministic nature of the underlying computation.

By providing a deterministic, spatially persistent method for interpreting temporal wave input, the disclosed system establishes a new computational framework for audio-visual translation, data embodiment, and immersive signal interpretation across artistic, analytical, and interactive domains.

Abstract

A deterministic audio-visual computation system for transforming temporal wave-based input into persistent, spatially organized visual representations is disclosed. The system analyzes time-varying signals to extract features including amplitude, frequency distribution, temporal envelopes, and transient behavior, and deterministically maps those features to structured spatial elements within a multi-dimensional coordinate space. Unlike conventional visualization techniques that rely on transient or stochastic effects, the disclosed system produces repeatable, identity-preserving spatial configurations that evolve coherently over time. The system supports hierarchical and multi-scale representations, enabling both micro-level and macro-level interpretations of the same input data. While certain embodiments in the current iteration are described with respect to audio signals, the system is broadly applicable to any form of temporal or wave-based data. The invention may be implemented across real-time, offline, interactive, and immersive computing environments.

Technical Field

The present invention relates to computational signal interpretation and visualization, and more specifically to deterministic systems for converting temporal wave-based input into spatially persistent, multi-dimensional visual representations.

The invention resides at the intersection of digital signal processing, computer graphics, interactive systems, and spatial computing. It is applicable to a wide range of technical domains, including generative systems, immersive media, real-time rendering, human-computer interaction, and multi-modal data interpretation. Although certain embodiments of the invention, at the current iteration, are described in the context of audio-driven systems, the disclosed techniques are not limited to sound and may be applied to other temporal or wave-based data sources, including sensor data, biometric signals, financial data, network activity, simulated waveforms, and computational processes. The system may be implemented in software, hardware, or hybrid computational environments.

Background of the Invention

Traditional systems for visualizing temporal or wave-based data typically rely on transient, non-deterministic, or purely decorative representations. Common approaches include oscilloscopes, spectrum analyzers, waveform displays, particle systems, and reactive visual effects that respond moment-to-moment to input signals. While such systems may provide immediate feedback or aesthetic appeal, they generally lack persistence, structural continuity, and identity across time. As a result, repeated inputs do not yield consistent spatial representations, limiting their usefulness for comparative analysis, memory, authorship, or long-term interpretation.

In many existing visualization systems, visual elements are generated procedurally or stochastically at runtime, often without a stable relationship between specific features of the input signal and corresponding spatial structures. This can lead to representations that are visually expressive but semantically ambiguous, difficult to reproduce, and unsuitable for applications requiring determinism, repeatability, or traceability. Additionally, conventional systems frequently treat different frequency bands or signal features in isolation, without a coherent spatial framework that integrates multiple layers of information into a unified structure.

As computational media and interactive environments have evolved, there has been an increasing demand for systems that can translate temporal data into spatial forms that are both expressive and structurally meaningful. Emerging applications in immersive environments, generative systems, and multi-modal interfaces require visual representations that preserve identity over time, support hierarchical interpretation, and remain consistent across different playback contexts or computational sessions.

Accordingly, there exists a need for a deterministic computation system capable of transforming temporal wave-based input into persistent, structured spatial representations that maintain continuity, identity, and interpretability across time and context. Such a system would enable deeper interaction with temporal data, facilitate comparative and longitudinal analysis, and support novel forms of expression and interaction beyond the limitations of conventional reactive visualization techniques.

Detailed Description of the Invention

System Overview

In one embodiment, the disclosed system comprises a deterministic computation framework configured to receive temporal wave-based input data, analyze said data across one or more domains, and generate a corresponding spatially structured visual or multi-sensory output.

The system operates such that identical input signals, when processed under the same configuration parameters, yield identical spatial outputs. This determinism enables reproducibility, identity preservation, and consistent spatial interpretation of temporal data across executions.

While audio waveforms represent one exemplary input modality at the present iteration, the system is not limited thereto and may be applied to any temporal or signal-based input, including but not limited to electromagnetic signals, sensor data streams, financial time series, biological signals, or computational data outputs.

Input Acquisition and Preprocessing

The system receives temporal input data through one or more input interfaces. In an example embodiment, the input comprises an audio waveform sampled at a fixed rate and converted into a digital representation.

The input data may be segmented, buffered, or otherwise prepared for analysis. Preprocessing may include normalization, windowing, or domain-specific conditioning to ensure consistent downstream computation.

Feature Extraction and Deterministic Mapping

Following preprocessing, the system analyzes the temporal input to extract one or more features representative of signal characteristics. Such features may include amplitude, frequency distribution, phase variation, temporal density, or derived statistical properties.

Extracted features are mapped deterministically to spatial parameters through a defined computational process. Said mapping may utilize seeded functions, fixed transformation rules, or hash-based identifiers derived from the input data itself.

This mapping process ensures that the spatial configuration generated by the system is uniquely and consistently associated with the originating input signal.

Spatial Structure Generation

Using the deterministically mapped parameters, the system generates a spatial structure composed of discrete elements arranged within a multi-dimensional coordinate space.

In one embodiment, the spatial structure may resemble a network, field, or volumetric formation, wherein individual elements correspond to features or segments of the original temporal input. Spatial attributes may include position, orientation, scale, color, motion, or relational connectivity.

The spatial structure may evolve over time in response to ongoing input analysis while maintaining deterministic identity with respect to the underlying signal.

Output Rendering and Interaction

The generated spatial structure is rendered through one or more output modalities, including visual display, immersive environments, or other sensory representations.

The system may support user interaction, allowing navigation, inspection, or manipulation of the spatial structure without altering its deterministic relationship to the input data.

Extensibility and Alternative Embodiments

The described system architecture is modular and extensible. Alternative embodiments may substitute or augment individual components, including input modalities, feature extraction techniques, spatial mapping strategies, or rendering mechanisms.

The invention is not limited to a particular programming language, hardware platform, or rendering framework and may be implemented across a variety of computational environments.

Deterministic Identity Preservation

A key aspect of the invention is the preservation of deterministic identity between temporal input and spatial output. This property enables consistent reproduction, comparison, verification, and analysis of spatial interpretations derived from temporal data.

Such deterministic behavior distinguishes the system from purely stochastic or generative visualization techniques and enables applications requiring repeatability, auditability, or symbolic consistency.

Detailed Description of the System

Overview

The present invention relates to a deterministic audio-visual computation system for multi-modal spatial interpretation of temporal wave input, herein referred to as the Virtual Experiential Interactive Landscape (VEIL).

The system translates time-based waveform data into structured, navigable visual environments that evolve deterministically in response to the input signal. While the current implementation operates primarily on audio waveforms, the system is designed to accept any temporal wave input, including but not limited to sound, motion data, biosignals, environmental sensors, or synthesized data streams.

The VEIL system generates a spatial representation that preserves mathematical relationships inherent in the source waveform while augmenting them into higher-dimensional visual constructs.

Input Signal Decomposition

As illustrated in FIG. 1 (Interactive Visual Waveform), an incoming temporal waveform is decomposed into multiple frequency bands or analytical components. In one embodiment, these components include:

- Low-frequency components (e.g., bass)
- Mid-frequency components
- High-frequency components (e.g., treble)

Each component is analyzed over time for attributes such as amplitude, energy, frequency density, phase behavior, and temporal change. These attributes are not merely visualized as traditional waveforms but are instead used as drivers for spatial and behavioral parameters within a three-dimensional environment.

Spatial Mapping and Visual Translation

As shown conceptually in FIG. 2 (Spatial Augmented Representation), the system maps extracted waveform features into a three-dimensional coordinate space. In one embodiment:

- Frequency bands are assigned to spatial zones (e.g., vertical strata, radial distance, depth layers)
- Amplitude influences scale, brightness, density, or deformation
- Temporal progression influences motion, evolution, and transformation of visual elements

This mapping produces a living spatial construct rather than a static visualization, allowing the user to perceive waveform behavior as an explorable environment.

Deterministic Visual DNA

A key aspect of the invention is its deterministic computation model. As illustrated in FIG. 3 (Translation of Mathematical Information), the system computes a deterministic signature (or “visual DNA”) from the input signal.

This signature ensures that:

- Identical input signals produce identical spatial environments
- Variations in the signal result in proportional, interpretable changes
- Visual outputs are reproducible, shareable, and transferable across systems

This deterministic mapping enables applications such as comparative analysis, persistent virtual worlds, archival visualization, and identity-linked environments.

Multi-Modal Environmental Generation

As illustrated in FIG. 4 (Virtual Experiential Landscape), the system extends beyond abstract visualization into environmental synthesis.

In various embodiments, waveform-derived parameters may control:

- Geometry generation (nodes, fields, meshes, or landscapes)
- Color, emissive intensity, and lighting behavior

- Motion vectors, turbulence, or particle dynamics
- Environmental effects such as rain, fog, pulses, or structural deformation

For example, low-frequency energy may generate foundational terrain or mass structures, mid-frequency content may define architectural or connective forms, and high-frequency activity may drive fine-detail motion or particle effects.

Interactivity and User Perspective

The system supports user interaction within the generated environment. A user may:

- Navigate spatially through the visualized data
- Interact with visual elements to reveal underlying waveform attributes
- Observe the system evolve in real time or in response to stored data

The user's perspective itself may influence the system, enabling feedback loops between observer, signal, and environment.

Extensibility and Future Applications

Although the present embodiment focuses on audio-derived input, the system is expressly designed to operate on any temporal or wave-based data source. Potential applications include but are not limited to:

- Virtual and augmented reality environments
- Data sonification and visualization
- Wellness, meditation, and neurofeedback systems
- Scientific and educational tools
- Interactive entertainment and generative art
- Blockchain-linked or identity-bound environments

The system's architecture allows for future expansion into additional dimensions, modalities, and computational layers without departing from the core invention.

THE VEIL – Neural Galaxy Scaffold

Author: Cassidy Howell

System: VEIL (Virtual Experiential Interactive Landscape)

Module: NeuralGalaxy

Status: Canonical Scaffold (Locked)

Abstract

The VEIL Neural Galaxy is a deterministic, audio-reactive generative system that translates neural data and sound into a stable galactic structure. Its core innovation lies in orthogonal system design, ensuring identity is preserved while allowing expressive motion and light.

Orthogonality Principle

Each system layer operates independently: structure defines form, geometry defines mass, motion defines life, and light defines perception. No layer overwrites another.

Structural DNA

Galaxy structure is derived from neural map data or audio-derived proxies. All randomness is deterministic, seeded by a song hash, guaranteeing reproducibility.

Spiral Arm Authority

Spiral arms are angular constructs, owned by mid-frequency data and optimized for top-down readability.

Bell Geometry

Vertical thickness follows a radial bell curve, producing a mid-out sculptural mass with tapering inner and outer regions.

Motion & Audio Reactivity

Motion is bounded and oscillatory. Audio influences light, shimmer, and internal drift but never alters structural identity. Infinite Rotation A constant global rotation anchors the galaxy in time, providing cinematic continuity independent of audio.

Authorship & Novelty

The VEIL Neural Galaxy represents a novel synthesis of deterministic generative art, neural data mapping, and orthogonal system design. This document serves as proof of conception and authorship.