

# My\_\_first\_\_Rmarkdown

*Samuel Terkper Ahuno*

*11/14/2019*

## R Markdown

### This is the beginning of the end

### But actually we left the middle out

Probably we can call this the end; header with 3 harshes to see how it differs from the rest of the headrs above

This is an R Markdown document created by Samuel Ahuno to test R markdown utility. I'm not sure I've effectively used this before, but I guess the journey of a 1000 miles begins with a step so I am open to the possibilities that comes with it. To learn more about this check out the official R markdown website. to learn more about my project; check out my github page; wishing you the very best; Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```


```
head(cars$speed)
```


```
## [1]  4  4  7  7  8  9
```

Hummm? should there be space between harsh key and the beginning of the header; seem like it doesn't work everywhere.

## Including Plots

You can also embed plots, for example:





Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot. Do you think it is good time to *sign off*? Yes! **Sir!**

[click here to find a good bye message](#)