







- a) Apply quick table calculations (running total, percent of total)
- b) Create moving averages and cumulative metrics
- c) Perform year-over-year growth analysis
- d) Use ranking functions (Top N, Bottom N)
- e) Implement window functions (WINDOW_SUM, WINDOW_AVG)
- f) Customize addressing and partitioning
- g) Create dynamic titles and labels using table calculations




The screenshot shows the Tableau Desktop interface. On the left, the 'Connections' pane shows 'zomato' selected. Below it, the 'Files' pane shows 'zomato.csv' selected. The main view displays a table with 17 fields and 1717 rows. The table has columns for Name, Description, and Fields. The 'Fields' column lists various attributes like URL, Address, Name, Online Order, and Book Table.




Name	Description	Fields																
zomato.csv	No description available.	<table border="1"> <thead> <tr> <th>Type</th> <th>Field Name</th> <th>Physical Table</th> <th>Remote Field N...</th> </tr> </thead> <tbody> <tr> <td>Alt</td> <td>Url</td> <td>zomato.csv</td> <td>url</td> </tr> <tr> <td>Alt</td> <td>Address</td> <td>zomato.csv</td> <td>address</td> </tr> <tr> <td>Alt</td> <td>Name</td> <td>zomato.csv</td> <td>name</td> </tr> </tbody> </table>	Type	Field Name	Physical Table	Remote Field N...	Alt	Url	zomato.csv	url	Alt	Address	zomato.csv	address	Alt	Name	zomato.csv	name
Type	Field Name	Physical Table	Remote Field N...															
Alt	Url	zomato.csv	url															
Alt	Address	zomato.csv	address															
Alt	Name	zomato.csv	name															








TYCS T110 SANJANA SAHU














TYCS T110 SANJANA SAHU



B) Create moving averages and cumulative metrics


















D: Use ranking functions (Top N, Bottom N)










TYCS T110 SANJANA SAHU









The screenshot shows the Tableau Desktop interface. The main view is a bar chart titled "Top & Bottom Restaurants" showing the average cost for two people at various restaurants. The Y-axis is labeled "City Window Avg Cost" and the X-axis is labeled "Restaurants". The bars are blue. A calculated field dialog box is open, showing the formula: `WINDOW_AVG(AVG([Approx Cost(For Two People)]))`. The dialog box has a "Default Table Calculation" button and "Apply" and "OK" buttons. The background shows a list of restaurants and their approximate costs for two people.




Restaurant	Approx Cost(For Two People)
Barbeque Nation	200K
Byg Brewski Brewing	220K
Empire Restaurant	240K
Gilly's Restobar	260K
Hammer	280K
Meghana Food	200K
Onest	220K
Smally's Resto Caf	240K
The Black Pea	260K
Truffle	280K














TYCS T110 SANJANA SAHU



TYCS T110 SANJANA SAHU

G: Create dynamic titles and labels using table calculations

