String Methods 1 What will cor

1.	wnat	will console.log("Hello World".replace("World", "Universe")); output				
	a)	"Hello World"				
	b)	"Hello Universe"				
	c)	"Hello"				
	d) ANS	"World Universe"				
2.	What	<pre>will console.log("foo bar baz".replaceAll("bar", "baz")); output?</pre>				
	a)	"foo bar baz"				
	b)	"foo baz baz"				
	c)	"foo bar bar"				
	d) ANS	"baz bar baz" :B				
3.		will console.log("Hello".charAt(4)); return?				
	a)	"н"				
	b)	"o"				
	c)	"e"				
	d) ANS	"1" :B				
4.	What will console.log("Hello World".charAt(-1)); return?					
	a)	"d"				
	b)	пп				
	c)	"o"				
	d) ANS	"H" :B				

5.	What will console.log("Hello".at(-1)); return?
	a) "H"
	b) "o"
	c) "e"
	d) "1" ANS:B
6.	What will console.log("Hello World".length); return?
	a) 11
	b) 10
	c) 12
	d) 9 ANS:A
7.	What will console.log("JavaScript".slice(4, 10)); output?
	a)
	a) "Java"
	b) "Script"
	c) "Scrip"
	d) "Javas" ANS:B
8.	What will console.log("JavaScript".slice(-6)); output?
	a) "Script"
	b) "Java"
	c) "avaSc"
	d) "Sc"
	ANS:A
9.	What will console.log("JavaScript".substring(4, 10)); output?

	a)	"Java	п
	b)	"Scri	pt"
	c)	"Scri	p"
10.	ANS	:B	Script" nsole.log("Hello".substring(-2)); output? "Hello"
		b)	пп
		c)	"He"
		d) ANS	"o" :A
11	What	will co	nsole.log("Hello".charCodeAt(1)); output?
	********	a)	72
		aj	72
		b)	101
		c)	111
		d)	108
		ANS	
12	What		
14.	wnat	a)	nsole.log("Hello".toUpperCase()); output? "HELLO"
		b)	"hello"
		c)	"Hello"
		d) ANS	"H E L L O" : A
13.	What	will co	nsole.log("Hello World".split(" ")); output?
			["Hello World"]
		b)	["Hello", "World"]
		c)	["H", "e", "l", "l", "o"]

		d) ANS :	"Hello World" :B
14.	What wi	ll co	nsole.log("a,b,c".split(",")); output?
			["a b c"]
		b)	["a", "b", "c"]
		c)	["a,b,c"]
		d) ANS	["abc"] :B
15.	What wi	II co	nsole.log("abcabcabc".split("a", 2)); output?
10.			["a", "bc"]
		b)	["", "bc"]
		c)	["", "bc", "bc"]
		d) ANS	["bc", "bc"] :B
16.	What wi	ll co	<pre>nsole.log("JavaScript is fun".indexOf("is")); return?</pre>
-0.		a)	10
		b)	11
		c)	9
		d)	12
		ANS	
17.	What wi	ll co	nsole.log("JavaScript".slice(-4, -1)); output?
		a)	"rpt"
		b)	"rip"
		c)	"rpt"
		d) ANS	"pt" :B
18.	What wi	ll co	nsole.log("123456789".substr(3, 4)); output?
		a)	"4567"

		b)	"3456"
		c)	"5678"
		d) ANS	"34567" :A
19.	What wi		<pre>nsole.log("JavaScript".startsWith("Java")); return?</pre>
		a)	true
		b)	false
		c)	"Java"
		d) ANS	Undefined •A
20	Whatwi		<pre>.A nsole.log("JavaScript".endsWith("Script")); return?</pre>
20.	Wilat Wi		
		a)	true
		b)	false
		c)	"Script"
		d) ANS	Undefined :A
21	What wi		nsole.log(" Hello ".trim()); output?
<i>-</i> 1.	Wildt Wi	a)	"Hello"
		aj	Hello
		b)	" Hello "
		c)	11 11
		d)	н н
		ANS	: Δ
22	What wi		nsole.log("abcDEF".toLowerCase());
<i></i>	What w	a)	"abcdef"
		b)	"ABCDEF"
		c)	"Abcdef"
		d) ANS	"abc DEF"
		~13	+n

23.	What will	<pre>console.log("Hello".concat(" ", "World")); output?</pre>
	a) "Hello World"
	b) "Hello"
	c) "World Hello"
) " HelloWorld " NS:A
24.	What will	<pre>console.log("Hello"[0]); output?</pre>
	a	
	b) "e"
	c) ""
	d) "o"
		NS:A
25.	What will	<pre>console.log("Hello".charAt(10)); return?</pre>
	a	
	b	
	c) "н"
	d A) Undefined NS:A
26		<pre>console.log("Hello World".includes("World")); return?</pre>
20.	a	
	b) false
	c) undefined
	d A) null NS:A
27.	What will	<pre>console.log("Hello".repeat(3)); output?</pre>
	a	- · · · · · · · · · · · · · · · · · · ·
	b) "HelloHelloHello"

	c)	"Hello"
	AN	"Hello3" US:B
28.		console.log("abc123".search(/[0-9]/)); return?
	aj	0
	b)	3
	c)	6
	•	-1 IS:B
29.	What will o	console.log(" ".trim().length); output?
	a)	3
	b)	0
	c)	undefined
	d)	1
		S:B
30.		<pre>console.log("JavaScript".replace("Script", "Fun")); output?</pre>
	a)	"JavaScript"
	b)	"JavaFun"
	c)	"Fun"
	-	"Java"
24		NS:B
31.	a)	console.log("Hello".padStart(10, "*")); output? "****Hello"
	b)	"Hello****"
	c)	"Hello"
	d)	"****" IS:A
32.		console.log("Hello".padEnd(10, "!")); output?

	a)	"Hello!!!!!"
	b)	"!!!!!Hello"
	c)	"Hello"
	d) ANS	"Hello!!"
22		
JJ.	a)	<pre>nsole.log("JavaScript is cool".lastIndexOf("is")); return? 10</pre>
	b)	11
	c)	9
	d) ANS	
2.4		
34.		nsole.log("Test123".startsWith("T", 1)); return?
	a)	true
	b)	false
	c)	"Test"
	d) ANS	Undefined:B
35		onsole.log("Test123".endsWith("3", 6)); return?
55.		true
	b)	false
	c)	"3"
	d) ANS	"Test12"
26		
JU.		onsole.log("JavaScript".slice(4, -2)); output?
	a)	"Script"
	b)	"Javascr"
	c)	"JavaScri"

```
d) "Jav"
           ANS:Scri
37. What will console.log("abcdef".split("", 3)); output?
           a) ["a", "b", "c"]
           b) ["abc"]
           c) ["a", "b", "c", "d"]
           d) ["a"]
           ANS:A
38. What will console.log(" spaced out ".trimStart()); output?
           a) "spaced out "
           b) " spaced out "
           c) " spaced out "
           d) "spaced out"
           ANS:A
39. What will console.log("repeat".repeat(0)); output?
           a)
           b) "repeat"
           c) "repeatrepeat"
           d) Undefined
           ANS:A
40. What will console.log("12345".indexOf("6")); return?
           a) -1
           b) 0
           c) 6
           d) 5
           ANS:A
```