

LAB ASSIGNMENT: 4.3

NAME: T.SAI VARUN

ROLL NO: 2403A510C0

BATCH:05

BRANCH :CSE

SCHOOL OF COMPUTER SCIENCE AND ARTIFICIAL INTELLIGENCE		DEPARTMENT OF COMPUTER SCIENCE ENGINEERING																		
ProgramName:B. Tech		Assignment Type: Lab	AcademicYear:2025-2026																	
CourseCoordinatorName		Venkataramana Veeramsetty																		
Instructor(s)Name		<table><tr><td>Dr. V. Venkataramana (Co-ordinator)</td></tr><tr><td>Dr. T. Sampath Kumar</td></tr><tr><td>Dr. Pramoda Patro</td></tr><tr><td>Dr. Brij Kishor Tiwari</td></tr><tr><td>Dr.J.Ravichander</td></tr><tr><td>Dr. Mohammand Ali Shaik</td></tr><tr><td>Dr. Anirodh Kumar</td></tr><tr><td>Mr. S.Naresh Kumar</td></tr><tr><td>Dr. RAJESH VELPULA</td></tr><tr><td>Mr. Kundhan Kumar</td></tr><tr><td>Ms. Ch.Rajitha</td></tr><tr><td>Mr. M Prakash</td></tr><tr><td>Mr. B.Raju</td></tr><tr><td>Intern 1 (Dharma teja)</td></tr><tr><td>Intern 2 (Sai Prasad)</td></tr><tr><td>Intern 3 (Sowmya)</td></tr><tr><td>NS_2 (Mounika)</td></tr></table>		Dr. V. Venkataramana (Co-ordinator)	Dr. T. Sampath Kumar	Dr. Pramoda Patro	Dr. Brij Kishor Tiwari	Dr.J.Ravichander	Dr. Mohammand Ali Shaik	Dr. Anirodh Kumar	Mr. S.Naresh Kumar	Dr. RAJESH VELPULA	Mr. Kundhan Kumar	Ms. Ch.Rajitha	Mr. M Prakash	Mr. B.Raju	Intern 1 (Dharma teja)	Intern 2 (Sai Prasad)	Intern 3 (Sowmya)	NS_2 (Mounika)
Dr. V. Venkataramana (Co-ordinator)																				
Dr. T. Sampath Kumar																				
Dr. Pramoda Patro																				
Dr. Brij Kishor Tiwari																				
Dr.J.Ravichander																				
Dr. Mohammand Ali Shaik																				
Dr. Anirodh Kumar																				
Mr. S.Naresh Kumar																				
Dr. RAJESH VELPULA																				
Mr. Kundhan Kumar																				
Ms. Ch.Rajitha																				
Mr. M Prakash																				
Mr. B.Raju																				
Intern 1 (Dharma teja)																				
Intern 2 (Sai Prasad)																				
Intern 3 (Sowmya)																				
NS_2 (Mounika)																				
CourseCode	24CS002PC215	CourseTitle	AI Assisted Coding																	
Year/Sem	II/I	Regulation	R24																	
Date and Day of Assignment	Week2 - Wednesday	Time(s)																		
Duration	2 Hours	Applicableto Batches																		
AssignmentNumber:4.3(Present assignment number)/24(Total number of assignments)																				

Q.No.	Question	<i>Expected Time to complete</i>
1	Lab 4: Advanced Prompt Engineering – Zero-shot, One-shot, and Few-shot Techniques Lab Objectives: • To explore and apply different levels of prompt examples in AI-assisted code generation. • To understand how zero-shot, one-shot, and few-shot prompting affect AI output quality. • To evaluate the impact of context richness and example quantity on AI performance. • To build awareness of prompt strategy effectiveness for different problem types. Lab Outcomes (LOs): After completing this lab, students will be able to: • Use zero-shot prompting to instruct AI with minimal context. • Use one-shot prompting with a single example to guide AI code generation. • Apply few-shot prompting using multiple examples to improve AI responses. • Compare AI outputs across the three prompting strategies. Task Description#1 • Zero-shot: Prompt AI to write a function that checks whether a given year is a leap year. Expected Output#1 • AI-generated function with no examples provided Task Description#2 • One-shot: Give one input-output example to guide AI in writing a function that converts centimeters to inches. Expected Output#2 • Function with correct conversion logic Task Description#3 • Few-shot: Provide 2–3 examples to generate a function that formats full names as “Last, First”. Expected Output#3 • Well-structured function respecting the examples Task Description#4 • Compare zero-shot and few-shot prompts for writing a function that counts the number of vowels in a string. Expected Output#4 • Functional output and comparative reflection	Week2 - Wednesday

	Task Description#5 ● Use few-shot prompting to generate a function that reads a .txt file and returns the number of lines. Expected Output#5 ● Working file-processing function with AI-guided logic Note: Report should be submitted a word document for all tasks in a single document with prompts, comments & code explanation, and output and if required, screenshots Evaluation Criteria: <table><tr><th>Criteria</th><th>Max Marks</th></tr><tr><td>Zero Shot (Task #1)</td><td>0.5</td></tr><tr><td>One Shot (Task#2)</td><td>0.5</td></tr><tr><td>Few Shot (Task#3 & Task #5)</td><td>1.0</td></tr><tr><td>Comparison (Task#4)</td><td>0.5</td></tr><tr><td>Total</td><td>2.5 Marks</td></tr></table>	Criteria	Max Marks	Zero Shot (Task #1)	0.5	One Shot (Task#2)	0.5	Few Shot (Task#3 & Task #5)	1.0	Comparison (Task#4)	0.5	Total	2.5 Marks	
Criteria	Max Marks													
Zero Shot (Task #1)	0.5													
One Shot (Task#2)	0.5													
Few Shot (Task#3 & Task #5)	1.0													
Comparison (Task#4)	0.5													
Total	2.5 Marks													

VS code with github copilot

Task Description#1

- Zero-shot: Prompt AI to write a function that checks whether a given year is a leap year.

Expected Output#1

- AI-generated function with no examples provided

Prompt:

write code to check whether given year is leap or not.

```
task1copilot.py > ...
1  # Function to check if a given year is a leap year
2  def is_leap_year(year):
3      """Return True if the given year is a leap year, else False."""
4      if (year % 4 == 0 and year % 100 != 0) or (year % 400 == 0):
5          return True
6      else:
7          return False
8
9  if __name__ == "__main__":
10     try:
11         year = int(input("Enter a year: "))
12         if is_leap_year(year):
13             print(f"{year} is a leap year.")
14         else:
15             print(f"{year} is not a leap year.")
16     except ValueError:
17         print("Invalid input. Please enter a valid year.")
18
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\thoop\lab4> & 'c:\Users\thoop\AppData\Local\Programs\Python\Python313\python.exe' 'c:\Users\thoop\.vscode\extensions\ms-python.debugpy-2025.10.0-win32-x64\bundle\libs\debugpy\launcher' '62745' '--' 'c:\Users\thoop\lab4\task1copilot.py'

Enter a year: 2024
2024 is a leap year.
PS C:\Users\thoop\lab4> |

Task Description#2

- One-shot: Give one input-output example to guide AI in writing a function that converts centimeters to inches.

Expected Output#2

- Function with correct conversion logic

Prompt:

Write a function to convert centimeters to inches.

Example:10.0 centimeters is equal to 3.912345 inches.

read input from the user.

```
task2copilot.py > ...
1  def cm_to_inches(cm):
2      return cm / 2.54
3
4  cm = float(input("Enter length in centimeters: "))
5  inches = cm_to_inches(cm)
6  print(f"{cm} centimeters is equal to {inches} inches.")

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\thoop\lab4> & 'c:\Users\thoop\AppData\Local\Programs\Python\Python313\python.exe' 'c:\Users\thoop\.vscode\extensions\ms-python.debugpy-2025.10.0-win32-x64\bundled\libs\debugpy\launcher' '62927' '--' 'c:\Users\thoop\lab4\task2copilot.py'
Enter length in centimeters: 100
100.0 centimeters is equal to 39.37007874015748 inches.
PS C:\Users\thoop\lab4> 
```

Task Description#3

- Few-shot: Provide 2–3 examples to generate a function that formats full names as “Last, First”.

Expected Output#3

- Well-structured function respecting the examples

Prompt:

Write a python function that generates formats full names as “last,first”.

Example: peter parker =parker peter.

Harry potter=Potter Harry

Read full name from the user.

Code:

```
task3copilot.py > ...
1
2 # Function to format full name as "Last First"
3 def format_full_name(full_name):
4     """Return the full name formatted as 'Last First' with proper capitalization."""
5     parts = full_name.strip().split()
6     if len(parts) < 2:
7         return "Invalid input. Please enter both first and last name."
8     first = parts[0].capitalize()
9     last = parts[-1].capitalize()
10    return f"{last} {first}"
11
12 if __name__ == "__main__":
13     full_name = input("Enter full name (first last): ")
14     formatted = format_full_name(full_name)
15     print(f"Formatted name: {formatted}")
16
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\thoop\lab4> & C:\Users\thoop\AppData\Local\Programs\Python\Python313\python.exe c:/Users/thoop/lab4/task3copilot.py
Enter full name (first last): harichandana thoopukari
Formatted name: Thoopukari Harichandana
PS C:\Users\thoop\lab4> 
```

Task Description#4

- Compare zero-shot and few-shot prompts for writing a function that counts the number of vowels in a string.

Expected Output#4

- Functional output and comparative reflection

Prompt:

1.Zero shot:

Write a python program to count number of vowels in a string. read input from the user.

2.few-shot:

Write a python program to count number of vowels in a given string.

Example: sruniversity

Vowel count=4.

Read input from the user.

Zero shot

```
task4copilot.py > ...
1 def count_vowels(s):
2     vowels = 'aeiouAEIOU'
3     return sum(1 for char in s if char in vowels)
4
5 user_input = input("Enter a string: ")
6 vowel_count = count_vowels(user_input)
7 print(f"Number of vowels: {vowel_count}")

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\thoop\lab4> & c:\Users\thoop\AppData\Local\Programs\Python\Python311\python.exe c:\Users\thoop\lab4\sk4copilot.py
Enter a string: sr university
Number of vowels: 4
PS C:\Users\thoop\lab4> █
```

few-shot

```
task4copilot.py task4copilot.py task4copilot.py task4copilot.py task4_1copilot.py
1 # Program to count number of vowels in a given string
2
3 # Read input from the user
4 input_str = input("Enter a string: ")
5
6 # Define vowels
7 vowels = "aeiouAEIOU"
8
9 # Count vowels
10 vowel_count = sum(1 for char in input_str if char in vowels)
11
12 print(f"Vowel count-{vowel_count}")

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\thoop\lab4> & c:\Users\thoop\AppData\Local\Programs\Python\Python311\python.exe c:\Users\thoop\lab4\sk4copilot.py
Enter a string: sr university
Number of vowels: 4
PS C:\Users\thoop\lab4> & c:\Users\thoop\AppData\Local\Programs\Python\Python311\python.exe c:\Users\thoop\lab4\sk4_1copilot.py
Enter a string: harichandana
Vowel count:5
PS C:\Users\thoop\lab4> █
```

Task Description#5

- Use few-shot prompting to generate a function that reads a .txt file and returns the number of lines.

Expected Output#5

- Working file-processing function with AI-guided logic

Prompt:

Generate a function that reads the given a.txt file and returns the number of lines

Example:hello sr university.hanmakonda warangal.

Top engineering college.

Offers wide variety of courses.

No.of lines in a.txt=3.

```
taskScopilot.py > ...
1 def count_lines_in_file(filename):
2     with open(filename, 'r', encoding='utf-8') as f:
3         return len(f.readlines())
4
5 if __name__ == "__main__":
6     num_lines = count_lines_in_file('a.txt')
7     print(f"Number of lines in a.txt: {num_lines}")

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

skScopilot.py
Number of lines in a.txt: 8
Number of lines in a.txt: 8
PS C:\Users\thoop\lab4> & C:\Users\thoop\AppData\Local\Programs\Python\Python313\python
skScopilot.py
Number of lines in a.txt: 8
Number of lines in a.txt: 8
PS C:\Users\thoop\lab4> █
```

Cursor AI

Task Description#1

- Zero-shot: Prompt AI to write a function that checks whether a given year is a leap year.

Expected Output#1

- AI-generated function with no examples provided

Prompt:

write code to check whether given year is leap or not.

```
1 def is_leap_year(year): | TAB to jump here
2     """
3     Check if a given year is a leap year.
4
5     Leap year rules:
6     1. If a year is divisible by 4, it's a leap year
7     2. However, if it's also divisible by 100, it's NOT a leap year
8     3. Unless it's also divisible by 400, then it IS a leap year
9
10    Args:
11        year (int): The year to check
12
13    Returns:
14        bool: True if it's a leap year, False otherwise
15    """
16    if year % 4 == 0:
17        if year % 100 == 0:
18            if year % 400 == 0:
19                return True
20            else:
21                return False
22        else:
23            return True
24    else:
25        return False
26
```



```
28 def main():
29     """Main function to demonstrate the leap year checker."""
30     print("Leap Year Checker")
31     print("=" * 20)
32
33     # Test cases
34     test_years = [2000, 2020, 2024, 1900, 2100, 2023, 2025]
35
36     for year in test_years:
37         if is_leap_year(year):
38             print(f"{year} is a leap year")
39         else:
40             print(f"{year} is NOT a leap year")
41
42     print("\n" + "=" * 20)
43
44     # Interactive input
45     try:
46         user_year = int(input("Enter a year to check: "))
47         if is_leap_year(user_year):
48             print(f"{user_year} is a leap year!")
49         else:
50             print(f"{user_year} is NOT a leap year.")
51     except ValueError:
52         print("Please enter a valid integer year.")
```

Problems Output Debug Console Terminal Ports

```
PS C:\Users\thoop\lab4> & C:/Users/thoop/AppData/Local/Programs/Python/Python313/python.exe c:/Users/
Enter a year: & c:/Users/thoop/AppData/Local/Programs/Python/Python313/python.exe c:/Users/thoop/lab4
Invalid input. Please enter a valid year.
PS C:\Users\thoop\lab4> & C:/Users/thoop/AppData/Local/Programs/Python/Python313/python.exe c:/Users/
Enter a year: 2024
2024 is a leap year.
PS C:\Users\thoop\lab4> 
```

Task Description#2

- One-shot: Give one input-output example to guide AI in writing a function that converts centimeters to inches.

Expected Output#2

- Function with correct conversion logic

Prompt:

Write a function to convert centimeters to inches.

Example:10.0 centimeters is equal to 3.912345 inches.

read input from the user.

```
task2cursor.py > main
1 def cm_to_inches(cm):
2
3     Convert centimeters to inches.
4     Args:
5         cm (float): Length in centimeters
6     Returns:
7         float: Length in inches
8     """
9     # 1 inch = 2.54 centimeters
10    inches = cm / 2.54
11    return inches
12
13 def main():
14     """Main function to demonstrate the centimeter to inch converter."""
15     print("Centimeter to Inch Converter")
16     print("=" * 30)
17     # Test case
18     test_cm = 10.0
19     test_inches = cm_to_inches(test_cm)
20     print(f"Example: {test_cm} centimeters is equal to {test_inches:.6f} inches.")
21     print("\n" + "=" * 30)
22     # Interactive input
23     try:
24         user_cm = float(input("Enter length in centimeters: "))
25         user_inches = cm_to_inches(user_cm)
26         print(f"{user_cm} centimeters is equal to {user_inches:.6f} inches.")
27     except ValueError:
28         print("Please enter a valid number.")
29
30 if __name__ == "__main__":
31     main()
```

Problems Output Debug Console **Terminal** Ports Python ⚠ + ▾ □

Centimeter to Inch Converter
=====

Example: 10.0 centimeters is equal to 3.937008 inches.

=====

Enter length in centimeters: 100

Ctrl+K to generate a command

Task Description#3

- Few-shot: Provide 2–3 examples to generate a function that formats full names as “Last, First”.

Expected Output#3

- Well-structured function respecting the examples

Prompt:

Write a python function that generates formats full names as “last,first”.

Example: peter parker =parker peter.

Harry potter=Potter Harry

Read full name from the user.

```
task3cursor.py > ...
1 def format_name(full_name):
2     """
3     Format a full name as "last,first" with proper capitalization.
4
5     Args:
6     | full_name (str): Full name in "first last" format
7
8     Returns:
9     | str: Formatted name as "Last,First"
10    """
11    # Split the name into parts and strip whitespace
12    name_parts = full_name.strip().split()
13
14    if len(name_parts) < 2:
15        return "Error: Please enter both first and last name"
16
17    # Get first and last name
18    first_name = name_parts[0]
19    last_name = name_parts[-1]
20
21    # Capitalize first letter of each name
22    first_name = first_name.capitalize()
23    last_name = last_name.capitalize()
24
25    # Format as "last,first"
26    formatted_name = f"{last_name},{first_name}"
27
28    return formatted_name
29
30
31 def main():
32     """Main function to demonstrate the name formatter."""
33     print("Name Formatter - Last,First")
34     print("=" * 30)
35
36     # Test cases
37     test_names = ["peter parker", "harry potter", "mary jane watson"]
38
39     print("Examples:")
40     for name in test_names:
41         formatted = format_name(name)
42         print(f"{name} = {formatted}")
43
44     print("\n" + "=" * 30)
45
46     # Interactive input
47     while True:
48         try:
49             user_name = input("Enter full name (first last): ")
50             if user_name.lower() == 'quit':
51                 break
52
53             formatted = format_name(user_name)
54             print(f"Formatted: {formatted}")
55
56         except KeyboardInterrupt:
57             print("\nGoodbye!")
58             break
59         except Exception as e:
60             print(f"Error: {e}")
61
62
Problems Output Debug Console Terminal Ports
Enter full name (first last): harichandana thoopukari
Formatted: Thoopukari,Harichandana
```

Task Description#4

- Compare zero-shot and few-shot prompts for writing a function that counts the number of vowels in a string.

Expected Output#4

- Functional output and comparative reflection

Prompt:

1.Zero shot:

Write a python program to count number of vowels in a string: read input from the user.

2.few-shot:

Write a python program to count number of vowels in a given string.

Example: sruniversi

Vowel count=4.

Read input from the user.

Zero-shot

```
task4.cursor.py > ...
1 def format_name(full_name):
2     """
3     Format a full name as "last,first" with proper capitalization.
4
5     Args:
6     | full_name (str): Full name in "first last" format
7
8     Returns:
9     | str: Formatted name as "Last,First"
10    """
11    # Split the name into parts and strip whitespace
12    name_parts = full_name.strip().split()
13
14    if len(name_parts) < 2:
15        return "Error: Please enter both first and last name"
16
17    # Get first and last name
18    first_name = name_parts[0]
19    last_name = name_parts[-1]
20
21    # Capitalize first letter of each name
22    first_name = first_name.capitalize()
23    last_name = last_name.capitalize()
24
25    # Format as "last,first"
26    formatted_name = f"{last_name},{first_name}"
27
28    return formatted_name
29
30 task4.cursor.py > ...
31
32 def main():
33     """Main function to get user input and count vowels."""
34     print("Vowel Counter")
35     print("=" * 20)
36
37     # Get input from user
38     user_input = input("Enter a string: ")
39
40     # Count vowels
41     vowel_count = count_vowels(user_input)
42
43     # Display result
44     print(f"Number of vowels in '{user_input}': {vowel_count}")
45
46     # Show which vowels were found
47     vowels_found = [char for char in user_input if char.lower() in 'aeiou']
48     if vowels_found:
49         print(f"Vowels found: {vowels_found}")
50     else:
51         print("No vowels found in the string.")
52
53 if __name__ == "__main__":
54     main()
55
56 Ctrl+L to chat, Ctrl+K to generate
```

Problems Output Debug Console Terminal Ports

rsor\extensions\es-python.debuggy-2025.10.0-win32-x64\bundled\libs\debuggy\launcher' '50563' '-' 'lab4\task4.cursor.py'

Vowel Counter

Enter a string: harichandana

Number of vowels in 'harichandana': 5

Vowels found: ['a', 'i', 'a', 'a', 'a']

PS C:\Users\thoop\lab4>

few-shot

```
task4.cursor.py > ...
1 def count_vowels(text):
2     """
3     Count the number of vowels in a given string.
4
5     Args:
6     | text (str): Input string to count vowels in
7
8     Returns:
9     | int: Number of vowels in the string
10    """
11    vowels = 'aeiouAEIOU'
12    count = 0
13
14    for char in text:
15        if char in vowels:
16            count += 1
17
18    return count
19
20 task4.cursor.py > ...
21
22 def main():
23     """Main function to demonstrate vowel counting with example and user input."""
24     print("Vowel Counter")
25     print("=" * 30)
26
27     # Show the example
28     example = "sruniversi"
29     example_count = count_vowels(example)
30     print(f"Example: {example}")
31     print(f"Vowel count = {example_count}")
32
33     # Show the vowels found in the example
34     vowels_found = [char for char in example if char.lower() in 'aeiou']
35     print(f"Vowels found: {vowels_found}")
36     print("\n" + "=" * 30)
37
38     # Get input from user
39     user_input = input("Enter a string: ")
40
41     # Count vowels in user input
42     user_count = count_vowels(user_input)
43
44     # Display result
45     print(f"Vowel count = {user_count}")
46
47     # Show which vowels were found
48     user_vowels = [char for char in user_input if char.lower() in 'aeiou']
49     if user_vowels:
50         print(f"Vowels found: {user_vowels}")
51     else:
52         print("No vowels found in the string.")
53
54 if __name__ == "__main__":
55     main()
56
```

task4.cursor.py > main

21 def main():

26 # Show the example

27 example = "sruniversi"

28 example_count = count_vowels(example)

29 print(f"Example: {example}")

30 print(f"Vowel count = {example_count}")

31 # Show the vowels found in the example

32 vowels_found = [char for char in example if char.lower() in 'aeiou']

33 print(f"Vowels found: {vowels_found}")

34 print("\n" + "=" * 30)

35 # Get input from user

36 user_input = input("Enter a string: ")

37 # Count vowels in user input

38 user_count = count_vowels(user_input)

39 # Display result

40 print(f"Vowel count = {user_count}")

41 # Show which vowels were found

42 user_vowels = [char for char in user_input if char.lower() in 'aeiou']

43 if user_vowels:

44 print(f"Vowels found: {user_vowels}")

45 else:

46 print("No vowels found in the string.")

47 if __name__ == "__main__":

48 main()

49

Problems Output Debug Console Terminal Ports

Vowel Counter

Example: sruniversi

Vowel count = 4

Vowels found: ['u', 'i', 'e', 'i']

Enter a string: harichandana

Enter a string: harichandana

Vowel count = 5

Task Description#5

- Use few-shot prompting to generate a function that reads a .txt file and returns the number of lines.

Expected Output#5

- Working file-processing function with AI-guided logic

Prompt:

Generate a function that reads the given a.txt file and returns the number of lines

Example:hello sr university.hanmakonda warangal.

Top engineering college.

Offers wide variety of courses.

No.of lines in a.txt=3.

```
1 def count_lines_in_file(filename):
2     """
3     Read a text file and return the number of lines.
4
5     Args:
6         filename (str): Name of the file to read
7
8     Returns:
9         int: Number of lines in the file
10    """
11    try:
12        with open(filename, 'r', encoding='utf-8') as file:
13            lines = file.readlines()
14            return len(lines)
15    except FileNotFoundError:
16        print(f"Error: File '{filename}' not found.")
17        return -1
18    except Exception as e:
19        print(f"Error reading file: {e}")
20        return -1
21
22
23 def display_file_content(filename):
24     """
25     Display the content of a file with line numbers.
26
27     Args:
28         filename (str): Name of the file to display
29    """
30    try:
31        with open(filename, 'r', encoding='utf-8') as file:
32            lines = file.readlines()
33            print(f"Content of {filename}:")
34            print("-" * 40)
35            for i, line in enumerate(lines, 1):
36                print(f"Line {i}: {line.strip()}")
37            print("-" * 40)
38    except FileNotFoundError:
39        print(f"Error: File '{filename}' not found.")
40    except Exception as e:
41        print(f"Error reading file: {e}")
42
43 def main():
44     """Main function to demonstrate line counting with example and file reading."""
45     print("File Line Counter")
46     print("-" * 40)
47     # Show example
48     print("Example:")
49     example_lines = [
50         "hello sr university.hanmakonda warangal.",
51         "Top engineering college.",
52         "Offers wide variety of courses."
53     ]
54     print("Content:")
55     for i, line in enumerate(example_lines, 1):
56         print(f"Line {i}: {line}")
57
58     print(f"No. of lines in a.txt = {len(example_lines)}.")
59     print("\n" + "-" * 40)
60
61     # Read actual a.txt file
62     filename = "a.txt"
63     line_count = count_lines_in_file(filename)
64
65     if line_count >= 0:
66         print(f"Reading file: {filename}")
67         display_file_content(filename)
68         print(f"No. of lines in {filename} = {line_count}.")
69     else:
70         print("Could not read the file.")
71
72 if __name__ == "__main__":
73     main()
```

to. of lines in a.txt = 3.

