

```
pip install openai PyPDF2
```

```
Requirement already satisfied: openai in /usr/local/lib/python3.12/dist-packages (2.43.0)
Requirement already satisfied: PyPDF2 in /usr/local/lib/python3.12/dist-packages (3.0.1)
Requirement already satisfied: anyio<5,>=3.5.0 in /usr/local/lib/python3.12/dist-packages (from openai) (4.14.0)
Requirement already satisfied: distro<2,>=1.7.0 in /usr/local/lib/python3.12/dist-packages (from openai) (1.9.0)
Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.12/dist-packages (from openai) (0.28.1)
Requirement already satisfied: jiter<1,>=0.10.0 in /usr/local/lib/python3.12/dist-packages (from openai) (0.15.0)
Requirement already satisfied: pydantic<3,>=1.9.0 in /usr/local/lib/python3.12/dist-packages (from openai) (2.13.4)
Requirement already satisfied: sniffio in /usr/local/lib/python3.12/dist-packages (from openai) (1.3.1)
Requirement already satisfied: tqdm>4 in /usr/local/lib/python3.12/dist-packages (from openai) (4.67.3)
Requirement already satisfied: typing-extensions<5,>=4.11 in /usr/local/lib/python3.12/dist-packages (from openai) (4.15.0)
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.12/dist-packages (from anyio<5,>=3.5.0->openai) (3.18)
Requirement already satisfied: certifi in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.23.0->openai) (2026.6.17)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.23.0->openai) (1.0.7)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.12/dist-packages (from httpcore==1.*->httpx<1,>=0.23.0->openai) (0.14.0)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->openai) (0.7.0)
Requirement already satisfied: pydantic-core==2.46.4 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->openai) (2.21.1)
Requirement already satisfied: typing-inspection>=0.4.2 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->openai) (0.9.0)
```

```
from google.colab import files
uploaded = files.upload()
print(uploaded)
file_name = list(uploaded.keys())[0]
```

Choose Files Sai_Adithya...enotalent.pdf

Sai_Adithya_Zenotalent.pdf(application/pdf) - 58724 bytes, last modified: 7/8/2026 - 100% done

Saving Sai_Adithya_Zenotalent.pdf to Sai_Adithya_Zenotalent (1).pdf

```
{'Sai_Adithya_Zenotalent (1).pdf': b'%PDF-1.7\n\xbc\x3\xa4\xbc\x3\xbc\x3\xbc\x3\x9f\n2 0 obj\n<</Length 3 0 R/Filter/FlateDeco
```

```
import PyPDF2
def read_resume(file_path):
    text = ""
    with open(file_path, "rb") as file:
        reader = PyPDF2.PdfReader(file)
        for page in reader.pages:
            text += page.extract_text()
    return text
print(read_resume(file_name))
```

SAI ADITHYA GANJIKUNTHA

Data Analytics · Python · SQL · Power BI · Tableau · Excel · Data Science

saiadithya668@gmail.com · [linkedin.com/in/ganjikuntasaiadithya](https://www.linkedin.com/in/ganjikuntasaiadithya) · github.com/saiadithya98

SUMMARY

Analytical B.Tech AI & ML student (Batch 2027, CGPA 8.1) with strong expertise in Python (Pandas, NumPy, Matplotlib), SQL, Power BI, Tableau, and Excel. Built 3 end-to-end analytics projects on 100K+ real-world datasets performing EDA, creating dashboards, and generating actionable insights. Skilled in data cleaning, SQL database work, visualization, and stakeholder communication. Eager to leverage analytical expertise to drive data-informed business decisions.

SKILLS

Python & Data Libraries: Python, Pandas, NumPy, Scikit-learn, Matplotlib, Seaborn – EDA and data analysis

SQL & Databases: SQL, MySQL, database management, data extraction, manipulation, query optimization

BI & Visualization: Power BI, DAX, Tableau, Microsoft Excel (Pivot Tables, Charts, Advanced Formulas)

Analytics & Reporting: Exploratory Data Analysis (EDA), Dashboard creation, Report writing, Insight generation, KPI tracking

Soft Skills: Problem-solving, attention to detail, communication, collaboration, documentation, presentation skills

EXPERIENCE

Data Analytics Job Simulation – Deloitte (Forage) Feb 2026

- Performed exploratory data analysis (EDA) on structured datasets using Python and Pandas, identifying trends and patterns to inform business strategy

- Documented analysis processes and presented findings to stakeholders, demonstrating strong communication and analytical skills

GenAI Data Analytics Simulation – Tata (Forage) Dec 2025

- Conducted comprehensive data analysis and prepared actionable insights using Python libraries, supporting senior analysts on data-driven projects

- Collaborated across teams to deliver data analysis solutions, showcasing teamwork and eagerness to learn new approaches

PROJECTS

PhonePe Transaction Analysis Dashboard Python · Pandas · NumPy · SQL · Power BI · Tableau

- Collected and organized 100K+ transaction records from multiple sources, cleaning and preprocessing data to ensure accuracy and consistency

- Performed exploratory data analysis (EDA) using Pandas and NumPy to identify regional trends, creating interactive dashboards and visualizations in Power BI and Tableau

- Generated weekly and monthly performance reports with actionable insights, presenting analytical results to stakeholders

IMDb Movie Data Analysis Dashboard Python · Pandas · NumPy · SQL · Power BI

- Cleaned and preprocessed 10,000+ movie records using Python and SQL, ensuring data quality and consistency across the dataset

- Conducted EDA to identify genre trends, rating patterns, and business opportunities, creating visualizations and communicating findings

- Documented analysis processes and methodologies, supporting knowledge sharing across the team

BMW Sales Analysis Dashboard Python · Pandas · SQL · Power BI · Matplotlib

- Organized and maintained sales data from multiple sources, performing data cleaning and preprocessing for analytical



```

accuracy
•Conducted EDA and statistical analysis to identify sales trends and business patterns, creating dashboards and performance reports for stakeholder review
•Analyzed business data and provided actionable insights, supporting data-driven decision-making initiatives
EDUCATION
B.Tech – Artificial Intelligence & Machine Learning 2023 – 2027
Sree Vidyanikethan Education Trust (SVET), Tirupathi • CGPA: 8.1 (up to 7th Sem)
CERTIFICATIONS•Probability & Statistics for ML & Data Science – DeepLearning.AI (Feb 2025)
•Basic Statistics – University of Amsterdam (Feb 2025)
•Data Understanding and Visualization – University of Colorado Boulder (Sep 2024)

```

```
!pip install google-genai
```

```

Requirement already satisfied: google-genai in /usr/local/lib/python3.12/dist-packages (2.10.0)
Requirement already satisfied: anyio<5.0.0,>=4.8.0 in /usr/local/lib/python3.12/dist-packages (from google-genai) (4.14.0)
Requirement already satisfied: google-auth<3.0.0,>=2.48.1 in /usr/local/lib/python3.12/dist-packages (from google-genai) (2.48.1)
Requirement already satisfied: httpx<1.0.0,>=0.28.1 in /usr/local/lib/python3.12/dist-packages (from google-genai) (0.28.1)
Requirement already satisfied: pydantic<3.0.0,>=2.12.5 in /usr/local/lib/python3.12/dist-packages (from google-genai) (2.13.1)
Requirement already satisfied: requests<3.0.0,>=2.28.1 in /usr/local/lib/python3.12/dist-packages (from google-genai) (2.32.0)
Requirement already satisfied: tenacity<9.2.0,>=8.2.3 in /usr/local/lib/python3.12/dist-packages (from google-genai) (9.1.4)
Requirement already satisfied: websockets<17.0,>=13.0.0 in /usr/local/lib/python3.12/dist-packages (from google-genai) (15.0.7)
Requirement already satisfied: typing-extensions<5.0.0,>=4.14.0 in /usr/local/lib/python3.12/dist-packages (from google-genai) (4.14.0)
Requirement already satisfied: distro<2,>=1.7.0 in /usr/local/lib/python3.12/dist-packages (from google-genai) (1.9.0)
Requirement already satisfied: sniffio in /usr/local/lib/python3.12/dist-packages (from google-genai) (1.3.1)
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.12/dist-packages (from anyio<5.0.0,>=4.8.0->google-genai) (3.10.1)
Requirement already satisfied: pyasn1-modules>=0.2.1 in /usr/local/lib/python3.12/dist-packages (from google-auth<3.0.0,>=2.48.1->google-genai) (0.4.1)
Requirement already satisfied: cryptography>=38.0.3 in /usr/local/lib/python3.12/dist-packages (from google-auth<3.0.0,>=2.48.1->google-genai) (45.0.7)
Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.12/dist-packages (from google-auth<3.0.0,>=2.48.1->google-genai) (4.9.1)
Requirement already satisfied: certifi in /usr/local/lib/python3.12/dist-packages (from httpx<1.0.0,>=0.28.1->google-genai) (2025.7.11)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.12/dist-packages (from httpx<1.0.0,>=0.28.1->google-genai) (1.0.7)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.12/dist-packages (from httpcore==1.*->httpx<1.0.0,>=0.28.1->google-genai) (0.14.0)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.12/dist-packages (from pydantic<3.0.0,>=2.12.5->google-genai) (0.7.0)
Requirement already satisfied: pydantic-core==2.46.4 in /usr/local/lib/python3.12/dist-packages (from pydantic<3.0.0,>=2.12.5->google-genai) (2.46.4)
Requirement already satisfied: typing-inspection>=0.4.2 in /usr/local/lib/python3.12/dist-packages (from pydantic<3.0.0,>=2.12.5->google-genai) (0.4.1)
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.12/dist-packages (from requests<3.0.0,>=2.28.1->google-genai) (3.4.0)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.12/dist-packages (from requests<3.0.0,>=2.28.1->google-genai) (2.3.0)
Requirement already satisfied: cffi>=2.0.0 in /usr/local/lib/python3.12/dist-packages (from cryptography>=38.0.3->google-genai) (2.0.0)
Requirement already satisfied: pyasn1<0.7.0,>=0.6.1 in /usr/local/lib/python3.12/dist-packages (from pyasn1-modules>=0.2.1->google-genai) (0.6.1)
Requirement already satisfied: pycparser in /usr/local/lib/python3.12/dist-packages (from cffi>=2.0.0->cryptography>=38.0.3->google-genai) (2.23)

```

```
from google.colab import userdata
```

```

from google import genai
client = genai.Client(api_key=userdata.get('GOOGLE_API_KEY'))

```

```

def analyze_resume(text):
    response = client.models.generate_content(
        model="gemini-3.1-flash-lite",
        contents= f"""
You are an ATS resume analyzer.

Analyze the resume below and return ATS score and feedback.

Resume:
{text}

Return in JSON format with:
- ats_score (0-100)
- summary
- strengths
- weaknesses

Rules:
- Output ONLY JSON
- No extra text
"""
    )
    return response.text

```

```

##resume_text = read_resume(file_name)
##result = analyze_resume(resume_text)
##print(result)

```

```

import json
import re
from IPython.display import HTML, display

```



```

resume_text = read_resume(file_name)
raw_result = analyze_resume(resume_text)

# Clean up in case the model wraps JSON in ```json fences
cleaned = re.sub(r"```json|```$", "", raw_result.strip(), flags=re.MULTILINE).strip()
data = json.loads(cleaned)

score = data.get("ats_score", 0)
summary = data.get("summary", "")
strengths = data.get("strengths", [])
weaknesses = data.get("weaknesses", [])

# Color logic based on score
if score >= 80:
    color = "#22c55e" # green
elif score >= 60:
    color = "#eab308" # yellow
else:
    color = "#ef4444" # red

strengths_html = "".join(f"<li>✅ {s}</li>" for s in strengths)
weaknesses_html = "".join(f"<li>⚠️ {w}</li>" for w in weaknesses)

dashboard = f"""
<div style="font-family:Arial, sans-serif; max-width:750px; margin:auto;
    border:1px solid #e5e7eb; border-radius:16px; padding:24px;
    box-shadow:0 4px 12px rgba(0,0,0,0.08);">

    <h2 style="text-align:center; color:#111827; margin-bottom:4px;">
        📄 AI Resume Analyzer – Dashboard
    </h2>
    <p style="text-align:center; color:#6b7280; margin-top:0;">ATS Compatibility Report</p>

    <div style="display:flex; justify-content:center; margin:20px 0;">
        <div style="width:140px; height:140px; border-radius:50%;
            background:conic-gradient({color} {score}%, #e5e7eb 0);
            display:flex; align-items:center; justify-content:center;">
            <div style="width:110px; height:110px; border-radius:50%; background:white;
                display:flex; align-items:center; justify-content:center;
                flex-direction:column;">
                <span style="font-size:28px; font-weight:bold; color:{color};">{score}</span>
                <span style="font-size:12px; color:#9ca3af;">ATS Score</span>
            </div>
        </div>
    </div>

    <div style="background:#f9fafb; border-radius:10px; padding:14px; margin-bottom:16px;">
        <strong style="color:#111827;">Summary</strong>
        <p style="color:#374151; margin:6px 0 0 0;">{summary}</p>
    </div>

    <div style="display:flex; gap:16px; flex-wrap:wrap;">
        <div style="flex:1; min-width:280px; background:#f0fdf4; border-radius:10px; padding:14px;">
            <strong style="color:#166534;">Strengths</strong>
            <ul style="padding-left:18px; color:#166534; margin:8px 0 0 0;">
                {strengths_html}
            </ul>
        </div>
        <div style="flex:1; min-width:280px; background:#fef2f2; border-radius:10px; padding:14px;">
            <strong style="color:#991b1b;">Weaknesses</strong>
            <ul style="padding-left:18px; color:#991b1b; margin:8px 0 0 0;">
                {weaknesses_html}
            </ul>
        </div>
    </div>
</div>
"""

display(HTML(dashboard))

```



 AI Resume Analyzer — Dashboard
ATS Compatibility Report

78
ATS Score

Summary

The resume is well-structured and highly relevant for an entry-level Data Analyst role. It demonstrates a strong grasp of the modern data stack (Python, SQL, BI tools) and leverages experiential learning through Forage simulations and projects. The primary areas for improvement involve quantifying impact and addressing the chronological formatting of future-dated experience.

- Strengths**
- ✔ Strong technical skill alignment with industry-standard data analytics tools.
 - ✔ Well-defined project section that highlights the end-to-end data lifecycle (Cleaning, EDA, Visualization).
 - ✔ Effective use of keywords like 'Actionable insights', 'Stakeholder communication', and 'KPI tracking'.
 - ✔ Clean, readable layout with a clear summary and distinct sections.

- Weaknesses**
- ⚠ Future-dated experience: The resume lists dates in 2025 and 2026, which can trigger flags for AI screeners or recruiters; ensure these are accurately reflected as ongoing or past simulations.
 - ⚠ Lack of metrics: While '100K+ records' is mentioned, the projects lack specific business outcomes or ROI (e.g., 'reduced processing time by X%' or 'improved reporting accuracy by Y%').
 - ⚠ Education formatting: The 'Batch 2027' and 'up to 7th Sem' notation is slightly confusing given the current date, suggesting a need for a cleaner timeline.
 - ⚠ Missing 'Professional Summary' customization: The summary is generic; it should be slightly tailored to match the specific keywords of the job description for every application.

