

Development of an Algorithm Improving Label Arrangements in Offset Printing

Do you have a subtitle?
If so, write it here

First Author · Second Author

Received: date / Accepted: date

Abstract One of the most classic problems in the manufacturing industry is inventory processing. The best method to solve the problem is not to make any inventory. There is a way to effectively reduce inventory by merely changing the array of the pieces on the printing plates in the offset printing. It is setting an upper limit of acceptable for each plate and carrying out complete enumeration. These method reduce the accuracy, but dramatically reduces the operating time of the algorithm. The strength of this method lies in the fact that there is only change the arrangement of the pieces inside the plates.

Keywords First keyword · Second keyword · More

1 Introduction

A combinations with repetition is the number of cases, where k elements are selected from among different n elements allowing repetition [1]. It is indicated with the symbol ${}_nH_k$ and the following is established.

$${}_nH_k = {}_{n+k-1}C_k = \frac{(n+k-1)!}{(n-1)!k!} \quad (1)$$

For instance, the combinations with repetition ${}_2H_4$ to select four elements from among two elements A and B comprises the following five cases.

(1) [A, A, A, A] : a list consisting of four A's

F. Author
first address
Tel.: +123-45-678910
Fax: +123-45-678910
E-mail: fauthor@example.com

S. Author
second address

- (2) [A, A, A, B] : a list consisting of three A's and one B
- (3) [A, A, B, B] : a list consisting of two each of A's and B's
- (4) [A, B, B, B] : a list consisting of one A and three B's
- (5) [B, B, B, B] : a list consisting of four B's

Among the above cases, if we want to obtain three A's and nine B's, then we can choose $[A, B, B, B] \times 3$. Let us consider the following.

$$[A, A, B, B] \times 1 + [A, B, B, B] \times 1 + [B, B, B, B] \times 1 \quad (2)$$

In this case, we can get the three A's and nine B's. However, the former case seems to be a 'Better' because making three different lists is inefficient. Let us examine another case.

$$[A, A, A, A] \times 1 + [B, B, B, B] \times 3 - [A] \times 1 - [B] \times 3 \quad (3)$$

$[A, B, B, B] \times 3$ also seems to be 'Better' because there is no loss. Under the following conditions, $[A, B, B, B] \times 3$ is the 'Best' method.

- (1) Minimize the number of list.
- (2) Minimize the loss of lists.

Offset printing, also called offset lithography, or litho-offset, in commercial printing, widely used printing technique in which the inked image on a printing plate is printed on a rubber cylinder and then transferred (i.e., offset) to paper or other material. The rubber cylinder gives great flexibility, permitting printing on wood, cloth, metal, leather, and rough paper (see Fig.1) [2].

Offset lithography is one of the most common ways of creating printed materials. A few of its common applications include: newspapers, magazines, brochures, stationery, and books. Compared to other printing methods, offset printing is best suited for economically producing large volumes of high quality prints in a manner that requires little maintenance [3]. Therefore, how to make the initial plates is an important issue. Above example means that what is the best arrangement in such print method.

In the past, production was based on ordering of products from companies. For instance, apparel companies stocked popular products in warehouses. If the companies didn't have inventory, then consumers could not obtain rare sized or unpopular products. However, as the Internet market has become popular, the production systems have been changed into systems. Factories do not produce products based on their prediction of consumption but do produce only ordered products.

World Komax is a company that produces labels using the offset printing. The labels refer to stickers containing bar-codes attached to garments or shoes as follows (see Fig.2). Each bar-code in the label contains fixed information such as product names and colors, and variable information such as the date of manufacture.

Since the program of World Komax is not suitable for small quantity batch productions, the number of labels loss increased compared to the past.

Section 2 of this paper will describe the process of label printing using offsets. The modeling of the problem will be carried out in Section 3, and examples to help the understanding of the problem will be prepared in Section 4. The final results of the algorithm will be described in Section 5.

2 Offset label printing process

2.1 Label printing process

Prior to describing the label printing process, we define the following terms first.

- * **Plate** : A printing plate for the offset printing (see Fig.3)
- * **Loss** : The number of labels printed in excess of the order-quantity

The offset label printing process is as follows. At first, we receive orders from customers. The order includes many types of labels to be printed and order-quantities by type (see Fig. 4). Thereafter, offset printing plates are made. Many types of labels are placed on each plate so that many labels are printed at one printing. When the plates have been made, the printing operation is carried out so that individual labels are produced in quantities not smaller than the order-quantities using individual plates. As the final process, the sheets are cut to the sizes of labels and labels are collected by type.

2.2 Major points for cost saving

The constraint conditions and major points that will be considered in this paper for cost saving are as follows. First, one type of label should be placed on one plate only. This is to prevent different types of labels from being mixed when collected by type after the printed sheets are cut. Meanwhile, the total number of labels placed on each plate is also constant because the sizes of individual plates are constant and the sizes of labels in one order are also constant. In addition, the number of plates should be minimized as little as possible because plates are made using molds and the costs are high. Finally, the losses of labels printed should be minimized because bar-codes which are used only one time are printed in the labels and if the inventory remains, they cannot be used and should be entirely discarded.

2.3 Sorting report output program

Plate fabrication and the use of printing paper incur costs. In order to reduce the costs, order details are inputted to output appropriate methods to place labels on the plate as sorting reports. The plate makers produce plates according to the instructions in the sorting reports (see Fig. 4).

Since the existing sorting report output method was not suitable for small quantity batch production systems, the algorithm should be improved. Therefore, this study was conducted to develop new algorithms suitable for small quantity batch production systems too.

Paragraph headings Use paragraph headings as needed.

$$a^2 + b^2 = c^2 \quad (4)$$




Fig. 1 Please write your figure caption here




Fig. 2 Please write your figure caption here

Table 1 Please write your table caption here

first	second	third
number	number	number
number	number	number

References

- 1. Author, Article title, Journal, Volume, page numbers (year)
- 2. Author, Book title, page numbers. Publisher, place (year)