

# **Dynamic XPATH**

Chapter 1 - Introduction  
Chapter 2 - Types of XPath  
Chapter 3 - XPath using Attributes  
Chapter 4 - XPath Operators  
Chapter 5 - XPath Conditions  
Chapter 6 - XPath with Index  
Chapter 7 - XPath Functions  
Chapter 8 - XPath Axes I  
Chapter 9 - XPath Shortcuts  
Chapter 10 - Third Party XPath Tools  
Chapter 11 - Common Mistakes

# Types of XPath

## **1. Absolute XPath**

Starts from the root element of the document.

**Example:**

/html/body/div[1]/div[3]/form/div[1]/div[1]/div[1]/div[1]/input

## **2. Relative XPath**

Starts from any point in the document based on the search criteria.

**Example:**

//input[@id='abcd']

# DYNAMIC XPATH

1. Absolute xpath start with single slash
2. Relative xpath start with double slash

## Absolute XPath

**Syntax:** /html/body/div[1]/form/input[1]

### Characteristics:

- Starts from the **root node** (/html) and follows the full path to the element.
- Uses **single forward slash** (/) to denote hierarchy.
- **Fragile**: If any structure in the HTML changes, it will break.

```
driver.find_element(By.XPATH, "/html/body/div[1]/form/input[1]")
```

# Relative XPath

Relative XPath:`//tagname[@attribute='value']`

## Characteristics:

Starts with **double slash (//)** which can search **anywhere** in the DOM

**More flexible and reliable** than absolute XPath.

Allows use of functions like `contains()`, `starts-with()`, `text()`, etc.

## Quick Comparison:

Feature	Absolute XPath	Relative XPath
Starts with	/ (root)	// (anywhere in DOM)
Flexibility	Low	High
Maintenance	Fragile	Robust
Readability	Complex	Clean & readable
Use case	Precise path matching	Dynamic element location

# XPath using Attributes

//tagName[@attribute='value']

Tag names like  
input, button, div  
and span etc..

Attributes like id,  
name and  
classname etc..

Value of the  
Attribute

```
<input type="text" id="firstName" name="fName" class="name"/>
```

```
<input type="text" name="lName" class="name" value="abc"/>
```

# XPath using Attributes

//tagName[@attribute='value']

Tag names like  
input, button, div  
and span etc..

Attributes like id,  
name and  
classname etc..

Value of the  
Attribute

//input[@id='firstName']

//input[@name='lName']

<input type="text" id="firstName" name="fName" class="name"/>

<input type="text" name="lName" class="name" value="abc"/>

# XPath Operators

Operator	Description
=	Equal
!=	Not equal
<	Less than
<=	Less than or equal to
>	Greater than
>=	Greater than or equal to

# Operators examples

.//input[@maxlength==10] .....(text/numeric)

.//input[@maxlength!=10] .....(text/numeric)

//input[@maxlength<10] .....(only numeric)

//input[@maxlength>10] .....(only numeric)

//input[@maxlength<=10].....(only numeric)

//input[@maxlength>=10].....(only numeric)

# XPath Conditions

and

or

not

XPath Practice - H Y R Tutorials × XPath | XML Path Language | Y W3Schools Online Web Tutorials ×

hyrtutorials.com/p/add-padding-to-containers.html

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password

By creating an account you agree to our [Terms](#) and [Privacy](#).

interesting happenings by joining our newsletter program

Email address...

SUBMIT

IRON MOUNTAIN<sup>®</sup>  
DATA CENTERS

COLOCATE WITH CONFIDENCE

LEARN MORE



Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    6    Styles    >

<input maxlength="10" name="name" type="text">

<br>

<label>Last Name</label>

<br>

<input maxlength="15" name="name" type="text"> == \$0

<br>

<label>Email</label>

<br>

... r div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container input ...

//input[@maxlength<=15] and @name='name']

1 of 2    Cancel

12:00 AM  
16-05-2021

XPath Practice - H Y R Tutorials X XPath | XML Path Language | - W W3Schools Online Web Tutorials X +

hytutorials.com/p/add-padding-to-containers.html

Please fill in this form to create an account, or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password

By creating an account you agree to our Terms and Privacy.

interesting happenings by joining our newsletter program

Email address...

SUBMIT

IRON MOUNTAIN® DATA CENTERS  
COLOCATE WITH CONFIDENCE  
[LEARN MORE](#)



Elements Console Sources Network Performance Memory Application Security > ▲ 6 ⚙️ ⋮ X

```
<input maxlength="10" name="name" type="text">
<br>
<label>Last Name</label>
<br>
<input maxlength="15" name="name" type="text"> == $0
<br>
<label>Email</label>
<br>
```

Styles >>  
:hov .cls -  
element.style {  
}  
add-paddi...  
input[type=t...  
input[type=p...  
width:

... r div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container input ...

//input[@maxlength<=15 and @name='name' and @type="text"]

Cancel

1 of 2

12:22 AM 16-05-2021 ENG

Please fill in this form to create an account, or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password

By creating an account you agree to our [Terms](#) and [Privacy](#).

interesting happenings by joining our newsletter program

Email address...

SUBMIT



Elements    Console    Sources    Network    Performance    Memory    Application    Security    >

```
<input maxlength="10" name="name" type="text">
<br>
<label>Last Name</label>
<br>
<input maxlength="15" name="name" type="text"> == $0
<br>
<label>Email</label>
<br>
```

Styles >>

```
:hov .cls
element.style {
}
.add-paddi...
input[type=t...
input[type=p...
password] {
width:
```

... r div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container input ...

//input[@maxlength<=15 and @name='name' or @type="tt"]

1 of 2 Cancel

Please fill in this form to create an account, or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password

By creating an account you agree to our Terms and Privacy.

interesting happenings by joining  
our newsletter program

Email address...

SUBMIT



Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    6    Styles    :hov .cls

```
<input maxlength="10" name="name" type="text"> == $0
<br>
<label>Last Name</label>
<br>
<input maxlength="15" name="name" type="text">
<br>
<label>Email</label>
<br>
```

... r div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container input ...

//input[@maxlength!=10]

Cancel

1 of 1

12:29 AM 16-05-2021 ENG

Reset Refresh

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>



TWITTER

[Follow @hyrtutorials](#)
[POPULAR](#) [RECENT](#) [COMMENTS](#)

## SQL Server: Data Types - Part 1

### Data Types in SQL Server Part 1



Elements Console Sources Network Performance Memory Application Security > ⚠ 6 ⚙ ⋮ X

```

</tr>
▶ <tr>...</tr>
▶ <tr>...</tr>
▶ <tr>...</tr>
▼ <tr>
  ▶ <td>...</td>
  <td>Yoshi Tannamuri</td>
  <td>Canada</td>

```

... div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList tbody tr ...

(//table[@id='contactList']/tbody/tr/td)[23]

Cancel
background-

```
(//table[@name='BookTable']/tbody/tr/td)[5]
```

The above xpath indicates we dive into table and read data inside the cell

Chapter 7

# XPath Functions

# XPath Functions

- Text
- Contains
- Starts-with
- Normalize-space
- Last
- Position

XPath Practice - H Y R Tutorials x W3Schools Online Web Tutorials x +

hytutorials.com/p/add-padding-to-containers.html

By creating an account you agree to our Terms and Privacy.

Register Clear

Reset Refresh

Already have an account? [Sign in](#).

Contact	Country	Salary	
Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/> Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/> Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/> Helen Bennett	UK	3000	<a href="#">Click</a>

FACEBOOK

HYR Tutorials 21 likes [www.youtube.com/hytutorials](#) [www.hytutorials.com](#)

Liked Send Message

TWITTER

Follow @hytutorials

POPULAR RECENT COMMENTS

SQL Server: Data Types - Part

Elements Console Sources Network Performance Memory Application Security > 14 Styles ::

:hov .cls

element.style { }

add-paddi...

.post-body

a, .post-

body

a:visited,

.post-body

...  
... div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container.signin a ...  
//a[text()='Sign in']

1 of 1 Cancel

12:37 AM ENG 17-05-2021

## Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)


First Name

Last Name

Email

Password

Repeat Password

Elements Console Sources Network Performance Memory Application Security » ⚠ 14 ⚙ ⋮ X

```
<label>Last Name</label>
<br>
<input maxlength="15" name="name" type="text">
<br>
...
<label>Email</label> == $0
<br>
<input required type="text">
<br>
  <div> </div>
```

... er div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container label ...

//label[text()='Email']

Cancel

Styles »

:hov .cls

element.style { }

add-paddi...

html, body, .section, .widget, div, span, applet,

XPath Practice - HYR Tutorials x W3Schools Online Web Tutorials +

hyrtutorials.com/p/add-padding-to-containers.html

# XPath Practice

Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

HY R Tutorials

YouTube

NEWSLETTER

Make sure you don't miss interesting happenings by joining our newsletter program

Email address...

SUBMIT



Elements Console Sources Network Performance Memory Application Security > 14 ⚙️ ⋮ X

```
<h1>Register</h1>
"Please fill in this form to create an account. or if you already have an
account "
...
<a href="https://www.blogger.com/blogger.g?blogID=2026392825261642617&pli=1#">
Sign in into account</a> == $0
<br>
<hr>
<label>First Name </label>
```

```
... outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container a ...
```

```
//a[contains(text(),'account')]
```

Cancel

Chapter 1 - Introduction  
Chapter 2 - Types of XPath  
Chapter 3 - XPath using Attributes  
Chapter 4 - XPath Operators  
Chapter 5 - XPath Conditions  
Chapter 6 - XPath with Index  
Chapter 7 - XPath Functions  
Chapter 8 - XPath Axes  
Chapter 9 - XPath Shortcuts  
Chapter 10 - Third Party XPath Tools  
Chapter 11 - Common Mistakes

```
//a[contains(text(),'account')]  
//div[contains(@class,'signin')]
```

Email

Password

Repeat Password

By creating an account you agree to our Terms and Privacy.

Register      Clear  
Reset      Refresh

Already have an account? [Sign in](#).



• FACEBOOK



Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    14    ⋮    X

Styles    >>

:hov .cls

element.style {  
}

add-paddi...  
.signin {  
background-color :  
}

<br>  
</div>  
::after  
</div>  

= \$0  
"Already have an account? "  
[Sign in</a>](https://www.blogger.com/blogger.g?blogID=2026392825261642617&pI=1#)

... ter div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container.signin ...

//div[contains(@class,'signin')]

Cancel

Chapter 1 - Introduction  
Chapter 2 - Types of XPath  
Chapter 3 - XPath using Attributes  
Chapter 4 - XPath Operators  
Chapter 5 - XPath Conditions  
Chapter 6 - XPath with Index  
Chapter 7 - XPath Functions  
Chapter 8 - XPath Axes  
Chapter 9 - XPath Shortcuts  
Chapter 10 - Third Party XPath Tools  
Chapter 11 - Common Mistakes

normalise function is used to remove the space between elements and identify  
It will remove the starting and ending space will remove

```
//a[contains(text(),'account')]  
//div[contains(@class,'signin')]  
//label[normalize-space(text())='First Name']
```

Username or email address



## Sign in to GitHub

Username or email address

Password [Forgot password?](#)

New to GitHub? [Create an account.](#)

Elements Console Sources Network Performance Memory Application Security > ⚠ 1 ⋮ X

Styles >  
:hov .cls -  
element.style {  
}  
auth.scss...  
.session-authentication .auth-form label {  
display

```
<!-- </textarea></xmp> -->
<form action="/session" accept-charset="UTF-8" method="post">
  <input type="hidden" name="authenticity_token" value="Nfsan3URtgbJfoif537K/FrL9brtY24G/lGAYNHTvR
q5NqfYucxz1Fk73S1BrEtKKRKyK9TJ76S2W4tRGPiFFQ==">
  ...
  <label for="login_field">
    Username or email address
  </label> == $0
  <input type="text" name="login" id="login_field" class="form-control input-block"
  autocapitalize="off" autocorrect="off" autocomplete="username" autofocus="autofocus">
...
  &t-mouse div.application-main. main#js-pjax-container div#login.auth-form.px-3 div.auth-form-body.mt-3 form label ...
//label[normalize-space(text())='Username or email address']
```

Cancel

1 of 1

12:58 AM 17-05-2021 ENG

XPath Practice - HYR Tutorials x W3Schools Online Web Tutorials x Sign in to GitHub · GitHub x +

hytutorials.com/p/add-padding-to-containers.html

Reset Refresh

Already have an account? [Sign in](#).

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

HYR TUTORIALS  
www.youtube.com/hyrtutorials  
www.hyrtutorials.com

Liked Send Message

TWITTER

Follow @hyrtutorials

POPULAR RECENT COMMENTS

SQL Server: Data Types - Part 1  
Data Types in SQL Server  
Part 1

How to install Cucumber Eclipse Plugin cucumber

Elements Console Sources Network Performance Memory Application Security > 14 Styles :hov .cls element.style { } add-paddi... table { font-family : arial,

... v.post-outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList ...

(//table[@id='contactList']/tbody/tr)[last()]

1 of 1 Cancel

01:04 AM 17-05-2021 ENG

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

HYR TUTORIALS  
www.youtube.com/hyrtutorials  
www.hyrtutorials.com

Liked Send Message

TWITTER

Follow @hyrtutorials

POPULAR RECENT COMMENTS

SQL Server: Data Types - Part 1  
Data Types in SQL Server  
Part 1

How to install Cucumber Eclipse Plugin cucumber

Elements Console Sources Network Performance Memory Application Security > 14

Styles :hover .cls

```
:element.style { }
.add-paddi...
table {
  font-
  family
  :
  arial,
```

▼ <tbody>

- ▶ <tr>...</tr>
- ▶ <tr>...</tr>
- ▶ <tr>...</tr> highlighted
- ▶ <tr>...</tr>

... v.post-outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList ...

(//table[@id='contactList']/tbody/tr)[position()>2]

Cancel

Reset

Refresh

tr 775 x 43

Already have an account? [Sign in](#).

Contact	Country	Salary	
<input type="checkbox"/> Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/> Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/> Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/> Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/> Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/> Giovanni Rovelli	Italy	1000	<a href="#">Click</a>



TWITTER

[Follow @hyrtutorials](#)

POPULAR RECENT COMMENTS

## SQL Server: Data Types - Part 1

Data Types in SQL Server  
 Part 1

How to install Cucumber Eclipse Plugin cucumber

Elements Console Sources Network Performance Memory Application Security > 14

Styles :hover .cls

```
:element.style { }
.add-paddi...
table {
    font-
    family
    :
    arial,
```

... v.post-outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList ...


(//table[@id='contactList']/tbody/tr)[position()! = 2]


Cancel

Chapter 8

# XPath Axes

# Relationships





---

Following

Preceding

XPath Practice - H Y R Tutorials

hytutorials.com/p/add-padding-to-containers.html

The page displays a registration form with fields for Email, Password, and Repeat Password. Below the form is a note about agreeing to Terms and Privacy. At the bottom are Register, Clear, Reset, and Refresh buttons. To the right, there's an advertisement for Oracle MICROS Hardware featuring a mobile device displaying a food menu.

By creating an account you agree to our Terms and Privacy.

Register    Clear

Reset    Refresh

Already have an account? [Sign in](#)

Food and Beverage  
Oracle MICROS Hardware  
Mobile, tablets, kiosks. Upgrade for just \$1  
Get the offer →

• ARCHIVE

Archive

• TAGS

.NET APACHE POI  
AUTOMATIONTESTING ECLIPSE JAVA  
MAVEN SELENIUM SQL TECHNEWS

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    18    Styles    >  
...  
<br>  
<input required type="text"> == \$0  
<br>  
► <div>...</div>  
► <div>...</div>  
<label for="psw-repeat">Repeat Password</label>  
<br>  
<input required type="password">  
... r div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container input ...  
//label[text()='Email']/following-sibling::input[@type='text']

1 of 1    Cancel

11:18 PM 19-05-2021 ENG

XPath Practice - HYR Tutorials

hytutorials.com/p/add-padding-to-containers.html

Register      Clear  
Reset      Refresh

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

FACEBOOK Maria Anders 0/1

HYR Tutorials 211 likes  
www.youtube.com/hytutorials  
www.hytutorials.com

Liked Send Message

TWITTER

Follow @hyrtutorials

POPULAR RECENT COMMENTS

SQL Server: Data Types - Part 1  
Data Types in SQL Server  
Part 1

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    18    Styles

▼ <table id="contactList">  
  ▼ <tbody>  
    ► <tr>...</tr>  
    ▼ <tr>  
      ▼ <td>  
         == \$0  
      </td>  
      <td>Maria Anders</td>

... ntry article div#post-body-299858861183690484.post-body.entry-content div table#contactList tbody tr td input ...  
//td[text()='Maria Anders']/preceding-sibling::td/child::input

1 of 1 Cancel

11:23 PM 19-05-2021 ENG

XPath Practice - H Y R Tutorials

hytutorials.com/p/add-padding-to-containers.html

Reset Refresh

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Albert Wickens	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

Like Liked Send Message

TWITTER

Follow @hytutorials

POPULAR RECENT COMMENTS

SQL Server: Data Types - Part 1  
Data Types in SQL Server  
Part 1  
How to install Cucumber Eclipse Plugin cucumber

Elements Console Sources Network Performance Memory Application Security > 18 Styles :hov .cls element.style { } add-paddi... table { font-family : arial,

//table[@id='contactList']/child::tbody/child::tr

1 of 7 Cancel

11:26 PM 19-05-2021 ENG

XPath Practice - HYR Tutorials

hytutorials.com/p/add-padding-to-containers.html

Register      Clear  
Reset      Refresh

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

FACEBOOK      Maria Anders      0/1

 HYR Tutorials  
21 likes [www.youtube.com/hytutorials](#)  
[www.hytutorials.com](#)

Liked [Send Message](#)

TWITTER

[Follow @hyrtutorials](#)

POPULAR   RECENT   COMMENTS

SQL Server: Data Types - Part 1  
Data Types in SQL Server  
Part 1

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    18    ⋮

Styles    >

:hov .cls

element.style {  
}

add-paddi...  
html, body,  
.section,  
.widget,  
div, span,  
applet,  
script

...

<tr>...</tr>  
<tr>...</tr>  
▼ <tr> == \$0  
  ▶ <td>...</td>  
    <td>Helen Bennett</td>  
    <td>UK</td>  
    <td>3000</td>  
  ▶ <td>...</td>  
  </tr>

...

div.post.hentry    article    div#post-body-299858861183690484.post-body.entry-content    div    table#contactList    tbody    tr    ...

//td[txt()='Helen Bennett']/parent::tr I

1 of 1    Cancel

11:27 PM 19-05-2021 ENG

XPath Practice - H Y R Tutorials

hytutorials.com/p/add-padding-to-containers.html

Reset Refresh

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
tr 775 x 43	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	3000	<a href="#">Click</a>

• TWITTER

[Follow @hytutorials](#)

POPULAR RECENT COMMENTS

**SQL Server: Data Types - Part 1**  
Data Types in SQL Server  
Part 1

**How to install Cucumber Eclipse Plugin Cucumber**

Data Binding in WPF DataGrid

Elements Console Sources Network Performance Memory Application Security > ⚠ 18 Styles »

```
<tr><td>...</td>
  </tr>
  > <tr>...</tr>
  > <tr>...</tr>
  > <tr>...</tr> == $0
  > <tr>...</tr>
  > <tr>...</tr>
</tbody>
```

... div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList tbody tr ...

//td[text()='Helen Bennett']/ancestor::\*

17 of 17 Cancel

www.HYTUTORIALS.COM Maria Anders 0/1

11:30 PM ENG 19-05-2021

XPath Practice - H Y R Tutorials

hyrtutorials.com/p/add-padding-to-containers.html

May 19, 2021 Home Contact Maria Anders 0/1

# H Y R Tutorials

ORACLE Food and Beverage  
**Self-service Restaurant POS**  
Grow your business on the industry's #1 cloud POS

HOME TUTORIALS TECH NEWS SELENIUM PRACTICE CONTACT

## XPath Practice

SUBSCRIBE TO YOUTUBE CHANNEL

H.Y.R Tutorials YouTube

NEWSLETTER

html.v2.js 1663 x 489

Elements Console Sources Network Performance Memory Application Security > 18

```
<html class="v2 js js" dir="ltr" xmlns="http://www.w3.org/1999/xhtml" xmlns:b="http://www.google.com/2005/gml/b" xmlns:data="http://www.google.com/2005/gml/data" xmlns:expr="http://www.google.com/2005/gml/expr" style="transform: none;">
  <head>...</head>
  <body class="static_page" style="font-family: Arial, Helvetica, sans-serif; transform: none;" data-new-gr-c-s-check-loaded="14.1012.0" data-gr-ext-installed>
    <include expiration="7d" path="*.css"></include>
    <include expiration="7d" path="*.js"></include>
    <include expiration="3d" path="* .gif"></include>
  ... .post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList tbody tr td ...
  //td[text()='Helen Bennett']/ancestor-or-self::*|
```

1 of 18 Cancel

11:32 PM 19-05-2021

XPath Practice - H Y R Tutorials

hytutorials.com/p/add-padding-to-containers.html

Reset Refresh

Already have an account? [Sign in.](#)

th	82 x 43	Contact	Country	Salary	
<input type="checkbox"/>	<a href="#">Maria Anders</a>	Germany	5000	<a href="#">Click</a>	
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>	
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>	
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>	
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>	
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>	

[TWITTER](#)

[Follow @hytutorials](#)

[POPULAR](#) [RECENT](#) [COMMENTS](#)

**SQL Server: Data Types - Part 1**  
Data Types in SQL Server  
Part 1

**How to install Cucumber Eclipse Plugin cucumber**



Elements Console Sources Network Performance Memory Application Security >

Styles >

```
:hov .cls
element.style {
}
add-paddi...
table {
font-
family :
arial,
```

18

...

...

//table[@id='contactList']/descendant::\*

3 of 55

Cancel

11:33 PM 19-05-2021 ENG

XPath Practice - HY R Tutorials

hytutorials.com/p/add-padding-to-containers.html

Reset Refresh

Already have an account? [Sign in](#).

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

Like Send Message

TWITTER

Follow @hytutorials

POPULAR RECENT COMMENTS

SQL Server: Data Types - Part 1  
Data Types in SQL Server  
Part 1  
How to install Cucumber Eclipse Plugin cucumber

Elements Console Sources Network Performance Memory Application Security > 18 Styles :hov .cls element.style { } add-paddi... table { font-family : arial,

<th></th>  
<th>Contact</th>  
<th>Country</th>  
<th>Salary</th>  
<th></th>  
</tr>  
▼<tr>  
▼<td>

//table[@id='contactList']/descendant::td

1 of 30 Cancel

11:33 PM 19-05-2021 ENG

XPath Practice - H Y R Tutorials

hyrtutorials.com/p/add-padding-to-containers.html

Reset Refresh

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

Maria Anders 0/1

Liked Send Message

TWITTER

Follow @hyrtutorials

POPULAR RECENT COMMENTS

SQL Server: Data Types - Part 1  
Data Types in SQL Server  
Part 1  
How to install Cucumber Eclipse Plugin cucumber

Elements Console Sources Network Performance Memory Application Security > 18

Styles :hov .cls

```
:element.style {  
}  
add-paddi...  
table {  
font-  
family :  
arial,
```

//table[@id='contactList']/descendant-or-self::\*

1 of 56 Cancel

11:34 PM 19-05-2021 ENG

XPath Practice - HYR Tutorials

hytutorials.com/p/add-padding-to-containers.html

input 805.59 x 45

By creating an account you agree to our Terms and Privacy.

Register Clear

Reset Refresh

Already have an account? [Sign in](#).

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>

<label>Password</label> == \$0  
<br>  
</div>  
▼<div>  
    <input required type="password">  
    <br>  
    </div>  
    <label for="psw-repeat">Repeat Password</label>

... iv.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container div label ...

//label[text()='Password']/parent::div/following-sibling::div[1]/child::input

1 of 1 Cancel

11:37 PM 19-05-2021

Maria Anders

prime video WATCH NOW

Join Prime Now

FACEBOOK

HYR Tutorials 211 likes www.youtube.com/hytutorials www.hytutorials.com

Liked Send Message

TWITTER

Follow @hytutorials

Styles ::

:hov .cls

element.style { }

add-paddi...

html, body, .section, .widget, div, span, applet,

XPath Practice - HYR Tutorials

hytutorials.com/p/add-padding-to-containers.html

Last Name

Email

Repeat Password

By creating an account you agree to our Terms and Privacy.

Register    Clear

Reset    Refresh

Maria Anders

SUBMIT



amazon prime video WATCH NOW

Join Prime Now

FACEBOOK

 HYR Tutorials  
211 likes

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    18    ⋮    X

Styles    >>

```
:hov .cls
element.style {
}
add-paddi...
html, body,
.section,
.widget,
div, span,
applet,
object
```

<input required type="text">  
<br>  
▼<div>  
    <label>Password</label>  
    <br>  
  </div>  
▼<div> == \$0  
    <input required type="password">

... iter div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container div ...

//label[text()='Password']/following::div[1]

Cancel

11:38 PM 19-05-2021

XPath Practice - H Y R Tutorials

hyrtutorials.com/p/add-padding-to-containers.html

Last Name

Email

Password

Repeat Password

By creating an account you agree to our Terms and Privacy.

Register

Clear

locations

Maria Anders

0/1

ORACLE Food and Beverage

Oracle MICROS Hardware

Mobile, tablets, kiosks. Upgrade for just \$1

Get the offer →



ARCHIVE

Archive

TAGS

NET APACHE POI

Elements Console Sources Network Performance Memory Application Security > 18 ⚙️ ⋮ X

```
<br>
</div>
▼<div>
  <input required type="password">
  <br>
</div>
<label for="psw-repeat">Repeat Password</label>
<br>
<input required type="password">
```

```
... v.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container div label ...
```

```
//label[text()='Password']/following::input
```

1 of 16

Cancel



11:40 PM  
19-05-2021

Styles >  
:hov .cls -  
element.style {  
}  
add-paddi...  
html, body,  
.section,  
.widget,  
div, span,  
applet,

XPath Practice - H Y R Tutorials

hyrtutorials.com/p/add-padding-to-containers.html

Last Name

Email

Password

Repeat Password

By creating an account you agree to our Terms and Privacy.

Register      Clear

locations

Maria Anders

0/1

ORACLE Food and Beverage

Oracle MICROS Hardware

Mobile, tablets, kiosks. Upgrade for just \$1

Get the offer →

ARCHIVE

Archive

TAGS

NET APACHE POI

Elements      Console      Sources      Network      Performance      Memory      Application      Security      >      18      Styles      :hov .cls      element.style { } add-paddi... html, body, .section, .widget, div, span, applet,

```
<input maxlength="10" name="name" type="text">
<br>
<label>Last Name</label>
<br>
<input maxlength="15" name="name" type="text">
<br>
<label>Email</label>
<br>
```

... v.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container div label ...

//label[text()='Password']/preceding::input

Cancel

11:40 PM 19-05-2021

Chapter 9

# XPath Shortcuts

# XPath Shortcuts or XPath Abbreviations

## Register

label 68.45 x 16

Sign in into account

First Name

Last Name

Email

Password

## NEWSLETTER

Make sure you don't miss interesting happenings by joining our newsletter program

Email address...

SUBMIT

ORACLE  
Food and Beverage

Oracle  
MICROS  
Hardware



Elements Console Sources Network Performance Memory Application Security > 14

```
account "
<a href="https://www.blogger.com/blogger.g?blogID=2026392825261642617&pli=1#">
Sign in into account</a>
<br>
<hr>
<label>First Name </label> == $0
<br>
<input maxlength="10" name="name" type="text">
<br>
<label>Last Name</label>
<br>
```

... er div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container label ...

//td[starts-with(.,'Maria')]

1 of 1

Cancel

XPath Practice - H Y R Tutorials

hytutorials.com/p/add-padding-to-containers.html

## Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Part 1  
How to install Cucumber Eclipse Plugin Cucumber

Data Binding in WPF DataGrid Using SQLServer DB Via LINQ .NET

Google Could Acquire Nutanix For \$9 Billion To Simplify Hybrid Cloud NUTANIX

A JRE or JDK must be available in order to run KIE KIE

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    14    !

`<label>First Name </label> == $0`

`<br>`

`<input maxlength="10" name="name" type="text">`

`<br>`

`<label>Last Name</label>`

`<br>`

`<input maxlength="15" name="name" type="text">`

`<br>`

`<label>Email</label>`

`<br>`

`<input required type="text">`

Styles    >>

:hov .cls

element.style {  
}

add-paddi...  
html, body,  
.section,  
.widget,  
div, span,  
applet,  
object,  
iframe, h1,  
h2, h3, h4,  
h5, h6, p,

//label[normalize-space(text())='First Name']

1 of 1    Cancel

11:43 PM 20-05-2021

XPath Practice - H Y R Tutorials

hytutorials.com/p/add-padding-to-containers.html

# Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name


Email

Part 1  
How to install Cucumber Eclipse Plugin Cucumber

Data Binding in WPF DataGrid Using SQLServer DB Via LINQ .NET Microsoft SQL Server

Google Could Acquire Nutanix For \$9 Billion To Simplify Hybrid Cloud NUTANIX Google Cloud Platform

A JRE or JDK must be available in order to run Eclipse



Elements Console Sources Network Performance Memory Application Security > ▲ 14 ⚙️ ⋮ X

<label>First Name </label> == \$0

<br>

<input maxlength="10" name="name" type="text">

<br>

<label>Last Name</label>

<br>

<input maxlength="15" name="name" type="text">

<br>

<label>Email</label>

<br>

<input required type="text">

Styles >>

:hov .cls


element.style { }

add-padding...  
html, body,  
.section,  
.widget,  
div, span,  
applet,  
object,  
iframe, h1,  
h2, h3, h4,

//label[normalize-space(.)='First Name']

1 of 1 Cancel

11:44 PM ENG 20-05-2021



```
XPathPractice.java  Console <terminated> XPathPractice [Java Application] C
95     driver.get("https://www.hyrtutorials.com/p/add-padding-to-containers.html");
96     highlight(driver.findElement(By.xpath("//label[text()='Email']/following-sibling::input")));
97     driver.findElement(By.xpath("//td[text()='Maria Anders']/preceding-sibling::td/child::i"));
98     highlight(driver.findElement(By.xpath("//label[text()='Password']/following::input")));
99     //td[text()='Helen Bennett']/ancestor-or-self::**
100    //table[@id='contactList']/descendant-or-self::**
101    //label[text()='Password']/preceding::input[1]
102 }
103
104 //XPath Shortcuts
105 public static void chapter9() {
106     driver.get("https://www.hyrtutorials.com/p/add-padding-to-containers.html");
107
108     // text() -> .
109     highlight(driver.findElement(By.xpath("//h1[.='Register']")));
110     highlight(driver.findElement(By.xpath("//a[contains(.,'account')]")));
111     highlight(driver.findElement(By.xpath("//td[starts-with(.,'Maria')]")));
112     highlight(driver.findElement(By.xpath("//label[normalize-space(.)='First Name']")));
113
114
115
116
117 }
118
119
120
121
122
123
124
125
```

SLF4J: Failed to load configuration from resource SLF4J: Defaulting to the local environment. SLF4J: See http://www.slf4j.org/codes.html#configuration SLF4J: Starting ChromeDriver 89.0.4389.90 (f4d6c3f6a7a0e5c1035a8a4a3a5d8e0f3d4a4a7) (May 20, 2021 11:45:00) Only local connectivity detected. Please see https://sites.google.com/a/qaguru.in/chromedriver-local-connectivity ChromeDriver was started normally. INFO: Detected dial-up connection.

Register

form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password

Data Binding in WPF DataGrid  
Using SQLServer DB Via LINQ  
.NET  
SQL Server

Google Could Acquire Nutanix  
For \$9 Billion To Simplify  
Hybrid Cloud  
NUTANIX.  
Google Cloud Platform

A JRE or JDK must be  
available in order to run  
Eclipse. No JVM was found  
after searching the following  
locations.

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    14         

<br>

<br>

<br>

▼ <form>

...    ▼ <div class="container"> == \$0

    <h1>Register</h1>

    "Please fill in this form to create an account. or if you already have an account "  
    <a href="https://www.blogger.com/blogger.g?blogID=2026392825261642617&pli=1#>">  
    Sign in into account</a>

    <br>

... post-outer    div.post.hentry    article    div#post-body-299858861183690484.post-body.entry-content    div    form    div.container ...

//div[@class='container']/child::h1

Cancel

Styles    >

:hov .cls -

element.style {  
}

add-paddi...  
.container {  
  
background-color :  
white  
}

add-paddi...

## Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name


Email

Password

Repeat Password



Google Could Acquire Nutanix  
For \$9 Billion To Simplify  
Hybrid Cloud



Eclipse  
A JRE or JDK must be  
available in order to run. Kit (DK)  
must be available in order to run Eclipse. No Java virtual machine  
Eclipse. No JVM was found  
after searching the following  
locations.

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    14         

<br>  
<br>  
<br>  
▼<form>  
...    ▼<div class="container"> == \$0  
      <h1>Register</h1>  
      "Please fill in this form to create an account. or if you already have an  
      account "  
      <a href="https://www.blogger.com/blogger.g?blogID=2026392825261642617&pli=1#">  
      Sign in into account</a>  
      <br>

... post-outer    div.post.hentry    article    div#post-body-299858861183690484.post-body.entry-content    div    form    div.container ...

//div[@class='container']/\*

1 of 25          Cancel

Styles    >>  
:hov .cls  
element.style {  
}  
add-paddi...  
.container {  
  
background-color :  
white  
}  
add-paddi...

XPath Practice - H Y R Tutorials

hytutorials.com/p/add-padding-to-containers.html

Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password

**Eclipse** A JRE or JDK must be available in order to run. Kit (JDK) must be available in order to run Eclipse. No Java virtual machine was found after searching the following locations.

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    14    Styles    :hov .cls    element.style { }    add-paddi... .container { background-color: white; }

<br>

<br>

<br>

<form>

<div class="container"> == \$0

<h1>Register</h1>

"Please fill in this form to create an account. or if you already have an account "

[Sign in into account](https://www.blogger.com/blogger.g?blogID=2026392825261642617&pli=1#)

<br>

... post-outer    div.post.hentry    article    div#post-body-299858861183690484.post-body.entry-content    div    form    div.container    ...

//div[@class='container']/a

1 of 1    Cancel

11:47 PM    ENG    20-05-2021

XPath Practice - H Y R Tutorials

hyrtutorials.com/p/add-padding-to-containers.html

## Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name  
Last Name  
Email  
Password  
Repeat Password

**Elements** Console Sources Network Performance Memory Application Security > **Styles** **:hov .cls**

```
<br>
<br>
<br>
▼<form>
  ▼<div class="container">
    <h1>Register</h1>
    "Please fill in this form to create an account. or if you already have an account "
    <a href="https://www.blogger.com/blogger.g?blogID=2026392825261642617&pli=1#">
      Sign in into account</a> == $0
    <br>
```

... outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container a ...

//div[@class='container']/a[.= 'Sign in into account']

1 of 1 Cancel

Data Binding in WPF DataGrid Using SQLServer DB Via LINQ .NET SQL Server

Google Could Acquire Nutanix For \$9 Billion To Simplify Hybrid Cloud NUTANIX Google Cloud Platform

Eclipse A JRE or JDK must be available in order to run Eclipse. No Java virtual machine was found after searching the following locations.

11:48 PM 20-05-2021 ENG

XPath Practice - H Y R Tutorials

hyrtutorials.com/p/add-padding-to-containers.html

Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password


A JRE or JDK must be available in order to run Eclipse. No Java virtual machine could be found in the following locations:

.NET

SQL Server

Google Could Acquire Nutanix For \$9 Billion To Simplify Hybrid Cloud

NUTANIX



Elements Console Sources Network Performance Memory Application Security > 14

Styles :hover .cls element.style { }

add-padding... .post-body h1, .post-body h2, .post-body h3, .post-body h4, .post-body h5, .post-

er:description">

<div dir="ltr" style="text-align: left;" trbidi="on">

<br>

<br>

><style>...</style>

<br>

<br>

<br>

<br>

><form>


><div class="container">

<h1>Register</h1> == \$0

... .uter div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container h1 ...

//h1[.='Register']/parent::div

Cancel



## Register

Please fill in this form to create an account. or if you already have an account [Sign in into account](#)

First Name

Last Name

Email

Password

Repeat Password



A JRE or JDK must be available in order to run Eclipse. No Java virtual machine could be located in order to run Eclipse. No Java virtual machine Eclipse. No JVM was found after searching the following locations.

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    14         

er:description">

▼<div dir="ltr" style="text-align: left;" trbidi="on">

    <br>

    <br>

►<style>...</style>

    <br>

    <br>

    <br>

▼<form>

    ▼<div class="container">

        <h1>Register</h1> == \$0

...

... Register div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div form div.container h1 ...

//h1[.='Register']/...

Cancel

Styles    >

:hov .cls -

element.style {

}

add-paddi...

.post-body

h1, .post-

body h2,

.post-body

h3, .post-

body h4,

.post-body

h5, .post-

\*XPathPractice.java

```
95     driver.get("https://www.hyrtutorials.com/p/add-padding-to-containers.html");
96     highlight(driver.findElement(By.xpath("//label[text()='Email']/following-sibling::input")));
97     driver.findElement(By.xpath("//td[text()='Maria Anders']/preceding-sibling::td/child::input"));
98     highlight(driver.findElement(By.xpath("//label[text()='Password']/following::input")));
99     //td[text()='Helen Bennett']/ancestor-or-self::* 
100    //table[@id='contactList']/descendant-or-self::* 
101    //label[text()='Password']/preceding::input[1]
102 }
103
104 //XPath Shortcuts
105 public static void chapter9() {
106     driver.get("https://www.hyrtutorials.com/p/add-padding-to-containers.html");
107
108     // text() -> .
109 //     highlight(driver.findElement(By.xpath("//h1[.= 'Register']")));
110 //     highlight(driver.findElement(By.xpath("//a[contains(., 'account')]")));
111 //     highlight(driver.findElement(By.xpath("//td[starts-with(., 'Maria')]")));
112 //     highlight(driver.findElement(By.xpath("//label[normalize-space(.)= 'First Name']")));
113
114     // child -> /
115     highlight(driver.findElement(By.xpath("//div[@class='container']/h1")));
116
117     //parent -> ../
118     highlight(driver.findElement(By.xpath("//div[@class='container']/h1")));
119     //h1[.= 'Register']/..
120 }
121
122
123 }
```

Console

```
<terminated> XPathPractice [Java Application] C:\Prog...
SLF4J: Failed to load ...
SLF4J: Defaulting to ...
SLF4J: See http://ww...
Starting ChromeDrive
Only local connectio...
Please see https://c...
ChromeDriver was sta...
May 20, 2021 11:45:0...
INFO: Detected diale...
```

XPath Practice - HYR Tutorials

hytutorials.com/p/add-padding-to-containers.html

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

Mobile, tablets, kiosks. Upgrade for just \$1  
Get the offer →

FACEBOOK

HYR Tutorials 211 likes [www.youtube.com/hytutorials](#) [www.hytutorials.com](#)  
Liked Send Message

TWITTER

Follow @hyrtutorials

Styles

```
:hov .cls
element.style {
}
.add-paddi...
table {
    font-
    family
    :
    arial,
    sans-
    serif;
border-
```

Elements Console Sources Network Performance Memory Application Security > □ 14 ⚙️ ⋮ X

▼ <tr>

<th></th>

<th>Contact</th>

<th>Country</th>

<th>Salary</th>

<th></th>

</tr>

▼ <tr>

► <td>...</td>

<td>Maria Anders</td>

<td>Germanv</td>

... v.post-outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList ...

//table[@id='contactList']/descendant::td

1 of 30 Cancel

11:51 PM 20-05-2021 ENG

XPath Practice - HY R Tutorials

hytutorials.com/p/add-padding-to-containers.html

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

Mobile, tablets,  
kiosks. Upgrade  
for just \$1

Get the offer →

FACEBOOK

HYR Tutorials  
211 likes  
[www.youtube.com/hytutorials](#)  
[www.hyrutorials.com](#)

Liked Send Message

TWITTER

Follow @hyrtutorials

...

Elements    Console    Sources    Network    Performance    Memory    Application    Security    >    14    ...

Styles    >>

```
:hov .cls
element.style {
}
add-paddi...
table {
  font-
  family
  :
  arial,
  sans-
  serif;
border-
```

<tr>
 <th></th>
 <th>Contact</th>
 <th>Country</th>
 <th>Salary</th>
 <th></th>
</tr>
<tr>
 <td>...</td>
 <td>Maria Anders</td>
 <td>Germanv</td>

... v.post-outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList ...

//table[@id='contactList']/td

1 of 30

Cancel

11:51 PM  
20-05-2021

XPath Practice - H Y R Tutorials

hyrtutorials.com/p/add-padding-to-containers.html

Already have an account? [Sign in.](#)

	Contact	Country	Salary	
<input type="checkbox"/>	Maria Anders	Germany	5000	<a href="#">Click</a>
<input type="checkbox"/>	Francisco Chang	Mexico	2000	<a href="#">Click</a>
<input type="checkbox"/>	Roland Mendel	Austria	7000	<a href="#">Click</a>
<input type="checkbox"/>	Helen Bennett	UK	3000	<a href="#">Click</a>
<input type="checkbox"/>	Yoshi Tannamuri	Canada	5000	<a href="#">Click</a>
<input type="checkbox"/>	Giovanni Rovelli	Italy	1000	<a href="#">Click</a>

Mobile, tablets, kiosks. Upgrade for just \$1  
Get the offer →

FACEBOOK

 HYR Tutorials  
211 likes HYR Tutorial  
www.youtube.com/hyrtutorials  
www.hyrtutorials.com  
Liked Send Message

TWITTER

 Follow @hyrtutorials

Elements Console Sources Network Performance Memory Application Security > 14

Styles

```
:hov .cls
element.style {
}
add-paddi...
table {
  font-
  family
  :
  arial,
  sans-
  serif;
border-
```

▼ <tr>
 <th></th>
 <th>Contact</th>
 <th>Country</th>
 <th>Salary</th>
 <th></th>
</tr>
▼ <tr>
 ▶ <td>...</td>
 <td>Maria Anders</td>
 <td>Germanv</td>

... v.post-outer div.post.hentry article div#post-body-299858861183690484.post-body.entry-content div table#contactList ...

//table[@id='contactList']/td

1 of 30 Cancel

11:51 PM ENG 20-05-2021

Chapter 10

# Third Party XPath Tools









