


MFA (Multi-Factor Authentication) for the GitHub account using microsoft authenticator app




i have added ssh key in local destination using 'ssh-keygen'

And pasting the key in ssh authentication in github just copying the code

And using command

Git remote add origin ssh url



Created a 3 new files naming 20 21 and 22

First i have added origin url destination

Then changed the local file to git repo using

Git add .

Then committed some changes with comment message

Git commit -m " message"

Then pushed into the git hub new repo

```

MINGW64/c/Users/Rajes/Desktop/gitday1/20
No commits yet
nothing to commit (create/copy files and use "git add" to track)
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ touch a b c sai charan
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ ls
a b c charan sai
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ git add .
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   a
    new file:   b
    new file:   c
    new file:   charan
    new file:   sai

Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ touch saicharan
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   a
    new file:   b
    new file:   c
    new file:   charan
    new file:   sai

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    saicharan

Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$

```

```

MINGW64/c/Users/Rajes/Desktop/gitday1/20
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   a
    new file:   b
    new file:   c
    new file:   charan
    new file:   sai

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    saicharan

Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ ls
a b c charan sai saicharan
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ ll
total 0
-rw-r--r-- 1 Rajes 197609 0 May 18 14:33 a
-rw-r--r-- 1 Rajes 197609 0 May 18 14:33 b
-rw-r--r-- 1 Rajes 197609 0 May 18 14:33 c
-rw-r--r-- 1 Rajes 197609 0 May 18 14:33 charan
-rw-r--r-- 1 Rajes 197609 0 May 18 14:33 sai
-rw-r--r-- 1 Rajes 197609 0 May 18 14:34 saicharan
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ git commit -m my first commit
error: pathspec 'first' did not match any file(s) known to git
error: pathspec 'commit' did not match any file(s) known to git
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$ git commit -m "my first commit"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Rajes@charanreddy.(none)')
Rajes@charanreddy MINGW64 ~/Desktop/gitday1/20 (master)
$

```

```
MINGW64/c/Users/Rajes/desktop/gitday1/20
(use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
deleted: Adding a GitHub webhook in Your Jenkins Pipeline - DZone DevOps.pdf

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  n120
  webhook

no changes added to commit (use "git add" and/or "git commit -a")
Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git add .

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ ls
Git-Commands a b c charan n120 sai saicharan webhook
Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git commit -m "2nd commit"
[master a80a4f0] 2nd commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 n120
rename Adding a GitHub Webhook in Your Jenkins Pipeline - DZone DevOps.pdf => webhook (100%)

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git st6atus
git: 'st6atus' is not a git command. See 'git --help'.

The most similar command is
  status

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 20 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 269 bytes | 269.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:saicharanreddy5678/xbox.git
  6170f70..a80a4f0  master -> master

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$
```

here first i have pushed using origin master

Git push –u origin master

Here origin == remote destination

Master== branch of the repo

Then the 2nd time i haven't used git push –u origin master because previously i hahve used the commad and the path was created so now directly without adding –u origin master the files were pushed

And used git revert commit_id to revert the commit changes done

```

MINGW64/c:/Users/Rajes/desktop/gitday1/20
(use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
deleted: Adding a GitHub webhook in Your Jenkins Pipeline - DZone DevOps.pdf

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  n120
  webhook

no changes added to commit (use "git add" and/or "git commit -a")
Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git add .

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ ls
Git-Commands a b c charan n120 sai saicharan webhook
Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git commit -m "2nd commit"
[master a80a4f0] 2nd commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 n120
rename Adding a GitHub Webhook in Your Jenkins Pipeline - DZone DevOps.pdf => webhook (100%)

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git st6status
git: 'st6status' is not a git command. See 'git --help'.

The most similar command is
  status

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 20 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 269 bytes | 269.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:saicharanreddy5678/xbox.git
  6170f70..a80a4f0  master -> master

Rajes@charanreddy MINGW64 ~/desktop/gitday1/20 (master)
$

```

Then i have used reset command to move from tracked files to untracked files

```

MINGW64/c:/Users/Rajes/desktop/gitday1/21/xbox
Rajes@charanreddy MINGW64 ~/desktop/gitday1/21/xbox (master)
$ git add .

Rajes@charanreddy MINGW64 ~/desktop/gitday1/21/xbox (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   mainnew

Rajes@charanreddy MINGW64 ~/desktop/gitday1/21/xbox (master)
$ git revert
usage: git revert [<options>] <commit-ish>...
       or: git revert <subcommand>

    --quit                end revert or cherry-pick sequence
    --continue            resume revert or cherry-pick sequence
    --abort               cancel revert or cherry-pick sequence
    --skip                skip current commit and continue
    --cleanup <mode>     how to strip spaces and #comments from message
    -n, --no-commit       don't automatically commit
    -e, --edit            edit the commit message
    -s, --signoff         add a Signed-off-by trailer
    -m, --mainline <parent-number>
                           select mainline parent
    --rerere-autoupdate   update the index with reused conflict resolution if possible
    --strategy <strategy>
                           merge strategy
    -X, --strategy-option <option>
                           option for merge strategy
    -S, --gpg-sign[=<key-id>]
                           GPG sign commit
    --reference            use the 'reference' format to refer to commits

Rajes@charanreddy MINGW64 ~/desktop/gitday1/21/xbox (master)
$ git reset

Rajes@charanreddy MINGW64 ~/desktop/gitday1/21/xbox (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  mainnew

nothing added to commit but untracked files present (use "git add" to track)
Rajes@charanreddy MINGW64 ~/desktop/gitday1/21/xbox (master)
$

```