

INSTITUT D'ENSEIGNEMENT SUPÉRIEUR DE RUHENGERI (INES)

SWE 3513 Artificial Intelligence — Assignment 1

Musanze HarvestLink Cooperative

Staff Decision Dashboard: UI/UX Specification

Group Code: MOB-G9-7573

Dataset: AI_A1_MOB-G9-7573.csv (SHA-256: 1de2293c3b42904d...)

Document: AI_A1_MOB-G9-7573_UIUX.pdf (Page 1 of 6)

Stakeholder: Musanze HarvestLink Operations Team & INES Assessors

Group Members:

- NSHIMIYIMANA Saidi (25/27573) - Member 1: Data & UX Lead (Group Leader)
- KANYANGE Kellen (25/27821) - Member 2: Regression Engineer
- MUGABO Alvin Marvin (24/26657) - Member 3: Classification Engineer
- HAMID ABAAS HAMID (25/27817) - Member 4: Clustering & QA Engineer
- TUYISINGIZE Devotha (25/27747) - Member 5: Reproducibility & Release Lead

1. OPERATIONAL CONTEXT & THREE CORE DECISIONS

Musanze HarvestLink Cooperative coordinates Irish potato collection across volcanic hillside farms in Rwanda (Kinigi, Nyange, Cyanika). Before dispatch to Kigali wholesale markets, staff make three time-critical decisions:

- Decision 1 (Regression): Estimate expected harvest weight (actual_yield_kg) to allocate appropriate freight tonnage.
- Decision 2 (Classification): Flag consignments needing dispatch attention (0 or 1) to isolate high-risk batches before loading.
- Decision 3 (Clustering): Group collection points into operating profiles ($k=2..5$) to optimize truck routing without claiming natural farm categories.

USER JOURNEY & INFORMATION FLOW (Page 2 of 6)

STAGE 1: Field Harvest Ingestion

- Extension agents record farm metrics (plot_area_ha, rainfall_mm, soil_ph, seed_kg, distance_km, arrival_hour).
- Pipeline calculates SHA-256 fingerprint, verifies zero missing values, and excludes record_id.

STAGE 2: Multi-Model Automated Inference

- NumPy Linear Regression computes expected yield (kg) with prediction intervals.
- Interpretable Logistic Classifier computes dispatch attention probability and binary flag.
- Unsupervised K-Means assigns consignment to an operational logistics profile.

STAGE 3: Dispatch Supervisor Dashboard Review

- Supervisor views triage summary: safe consignments glow green (Standard Dispatch); flagged lots glow amber with actionable root causes (e.g. late arrival + rain).

STAGE 4: Informed Human Action & Override

- Supervisor directs flagged lots to Bay B for a rapid 5-minute moisture/temperature audit.
- Dispatches cleared bulk trucks along clustered routes to Kigali wholesale depots.

ANNOTATED WIREFRAME: INGESTION & YIELD ESTIMATION (Page 3 of 6)

[Annotation A: Data Quality & Fingerprint Header]

Group: MOB-G9-7573 • Displays SHA-256 fingerprint, row count (420), and schema validation bac

[Annotation B: Expected Yield Prediction Card]

Shows predicted harvest weight: 18,450 kg $\pm$ 510 kg.

NumPy First-Principles gradient descent model ($R^2 = 0.923$, RMSE = 5,159 kg).

[Annotation C: Truck Fleet Allocation Recommendation]

Recommends vehicle class (e.g., 20-tonne multi-axle freight vs 3.5T pickup).

ANNOTATED WIREFRAME: DISPATCH WARNINGS & CLUSTERS (Page 4 of 6)

[Annotation D: Dispatch Attention Alert Banner]
Color-coded high-contrast card: 'FLAGGED FOR PRIORITY INSPECTION'.
Probability: 78.4% • Root drivers: Arrival at 17:00 + High rainfall.

[Annotation E: Cluster Operating Profile Card]
Assigns consignment to Profile Cluster 1 (Commercial hillside farms).

[Annotation F: Human Action Buttons]
'Route to Inspection Bay B' vs 'Manual Supervisor Override'.

RESPONSIBLE AI STATES & HUMAN OVERRIDE (Page 5 of 6)

1. **UNCERTAINTY COMMUNICATION:**
Yield estimates include statistical error bounds ($\pm$ RMSE) so dispatchers do not over-commit warehouse capacity.
2. **MISSING & MALFORMED SENSOR HANDLING:**
predict.py strictly rejects incomplete records with clear JSON diagnostics (e.g., `MissingFieldsError: ['soil_ph']`) to prevent database corruption.
3. **MODEL BOUNDARIES & OUT-OF-DISTRIBUTION WARNINGS:**
Models are explicitly scoped to volcanic soil in Musanze. Predictions for non-regional varieties trigger an out-of-distribution advisory.
4. **HUMAN OVERRIDE GOVERNANCE:**
The AI decision is assistive; human supervisors retain final authority with auditable override logging.

VISUAL SYSTEM RATIONALE & THREE DECISIONS (Page 6 of 6)

ACCESSIBLE VISUAL SYSTEM (WCAG AA COMPLIANT):

- High-contrast emerald (#10b981) for standard clearance, amber (#f59e0b) for attention.
- Dual encoding: Text badges always accompany color cues for colorblind operators.

THREE METHODOLOGICALLY JUSTIFIED DESIGN DECISIONS:

1. Prominent Error-Cost Visualization: Explains that False Negatives cost 250,000 RWF in transit spoilage vs False Positives costing only 3,000 RWF in quick visual audits.
2. Scientific Clustering Safeguard: Explicitly badges clusters as 'Exploratory Profiles' rather than ground-truth categories.
3. One-Click Verification Terminal: Enables academic assessors to verify all 10 tests reproducibly from a clean command prompt.