

Ostad Assainment Module - 17

Name: Md Saidur Rahman

Date: 12-06-23

Questions - 1 :

Explain what Laravel's query builder is and how it provides a simple and elegant way to interact with databases.

Answer - 1:

Laravel's query builder is a feature that simplifies working with databases in Laravel applications. It offers a streamlined and expressive API for constructing and executing database queries without writing raw SQL statements. The query builder provides a fluent interface, allowing developers to chain methods to build complex queries in a readable and concise manner. It handles parameter binding to prevent SQL injection attacks and supports multiple database systems, making it adaptable to different environments. Moreover, the query builder seamlessly integrates with Laravel's Eloquent ORM, providing a seamless transition between query building and working with database models. Overall, Laravel's query builder offers a straightforward and elegant solution for interacting with databases, enhancing productivity and maintainability in Laravel projects.

Questions - 2 :

Write the code to retrieve the "excerpt" and "description" columns from the "posts" table using Laravel's query builder. Store the result in the \$posts variable. Print the \$posts variable.

Answer - 2:

Controller method:

```
function getExcerptDescription() {  
    $posts = DB::table( 'posts' )→select( 'excerpt', 'description' )→get();  
    return $posts;  
}
```

Route:

```
Route::get( '/getExcerptDescription', [AssignmentController::class,  
    'getExcerptDescription'] );
```

Questions - 3:

Describe the purpose of the distinct() method in Laravel's query builder. How is it used in conjunction with the select() method?

Answer - 3:

The distinct() method in Laravel's query builder is used to retrieve only unique rows from a table. It ensures that the query results do not contain any duplicate rows. When used in conjunction with the select() method, distinct() modifies the select statement to return only distinct (unique)

Example:

```
$uniquePosts = DB::table('posts')→select('title')→distinct()→get();
```

Questions - 4:

Write the code to retrieve the first record from the "posts" table where the "id" is 2 using Laravel's query builder. Store the result in the \$posts variable. Print the "description" column of the \$posts variable.

Answer - 4:

Controller method:

```
function firstRecordDescription() {  
    $posts = DB::table( 'posts' )→where( 'id', '=', '2' )→first();  
    return $posts→description;  
}
```

Route:

```
Route::get( '/firstRecordDescription', [AssignmentController::class,  
'firstRecordDescription'] );
```

Questions - 5:

Write the code to retrieve the "description" column from the "posts" table where the "id" is 2 using Laravel's query builder. Store the result in the \$posts variable. Print the \$posts variable.

Answer - 5:

Controller method:

```
function getDescription() {  
    $posts = DB::table( 'posts' )→where( 'id', 2 )→pluck( 'description' );  
    return $posts;  
}
```

Route:

```
Route::get( '/getDescription', [AssignmentController::class, 'getDescription'] );
```

Questions - 6:

Explain the difference between the first() and find() methods in Laravel's query builder. How are they used to retrieve single records?

Answer - 6:

In Laravel's query builder, the first() and find() methods are used to retrieve single records from a table, but they differ in how they are used and the underlying logic.

=> The first() method is used to retrieve the first record that matches the query conditions. It returns a single object containing the record's data.

```
$firstPost = DB::table( 'posts' )→first();
```

=> The find() method is used to retrieve a record based on its primary key value. It assumes that the primary key column in the table is named "id" by default.

```
$post = DB::table('posts')→find(2);
```

Questions - 7:

Write the code to retrieve the "title" column from the "posts" table using Laravel's query builder. Store the result in the \$posts variable. Print the \$posts variable.

Answer - 7:

Controller method:

```
function getAllTitle() {  
    $posts = DB::table( 'posts' )→select( 'title' )→get();  
    return $posts;  
}
```

Route:

```
Route::get( '/getAllTitle', [AssignmentController::class, 'getAllTitle'] );
```

Questions - 8:

Write the code to insert a new record into the "posts" table using Laravel's query builder. Set the "title" and "slug" columns to 'X', and the "excerpt" and "description" columns to 'excerpt' and 'description', respectively. Set the "is_published" column to true and the "min_to_read" column to 2. Print the result of the insert operation.

Answer - 8:

Route:

```
Route::post( '/insertPost', [AssignmentController::class, 'insertPost'] );
```

Controller method:

```
function insertPost() {  
    $result = DB::table( 'posts' )->insert( [  
        'title'      => 'X',  
        'slug'       => 'x',  
        'excerpt'    => 'excerpt',  
        'description' => 'description',  
        'is_published' => true,  
        'min_to_read' => 2,  
    ] );  
    return $result;  
}
```

Questions - 9:

Write the code to update the "excerpt" and "description" columns of the record with the "id" of 2 in the "posts" table using Laravel's query builder. Set the new values to 'Laravel 10'. Print the number of affected rows.

Answer - 9:

Route:

```
Route::patch( '/update', [AssignmentController::class, 'update'] );
```

Controller method:

```
function update() {  
    $affectedRows = DB::table( 'posts' )->where( 'id', 2 )  
        ->update( [  
            'excerpt'    => 'Laravel 10',  
            'description' => 'Laravel 10',  
        ] );  
    return $affectedRows;  
}
```

Questions - 10:

Write the code to delete the record with the "id" of 3 from the "posts" table using Laravel's query builder. Print the number of affected rows.

Answer - 10:

Route:

```
Route::delete( '/delete', [AssignmentController::class, 'delete'] );
```

Controller method:

```
function delete() {  
    $affectedRows = DB::table( 'posts' )→where( 'id', 3 )→delete();  
    return $affectedRows;  
}
```

Questions - 11:

Explain the purpose and usage of the aggregate methods count(), sum(), avg(), max(), and min() in Laravel's query builder. Provide an example of each.

Answer - 11:

In Laravel's query builder, the aggregate methods (count(), sum(), avg(), max(), and min()) are used to perform calculations on a specific column or set of columns in a table. These methods allow you to retrieve aggregated values and perform computations on your data. Here's an explanation and an example of each aggregate method:

01: count(): The `count()` method is used to retrieve the total count of records that match a specific condition. It returns the number of rows in the result set.

Example:

```
$count = DB::table( 'posts' )→count();
```

02: sum(): The `sum()` method calculates the sum of a specific column's values. It is typically used on numeric columns.

Example:

```
$sum = DB::table( 'orders' )→sum( 'amount' );
```

03: avg(): The `avg()` method calculates the average value of a specific column. It is commonly used on numeric columns.

Example:

```
$avg = DB::table( 'orders' )→avg( 'amount' );
```

04: max(): The `max()` method retrieves the maximum value from a specific column. It is typically used on numeric or date/time columns.

Example:

```
$max = DB::table( 'orders' )→max( 'amount' );
```

05: min(): The `min()` method retrieves the minimum value from a specific column. It is commonly used on numeric or date/time columns.

Example:

```
$min = DB::table( 'orders' )→min( 'amount' );
```

Questions - 12:

Describe how the whereNot() method is used in Laravel's query builder. Provide an example of its usage.

Answer - 12:

In Laravel's query builder, the whereNot() method is used to add a "not equal" condition to the query. It allows you to retrieve records where a specific column's value is not equal to a given value.

The whereNot() method is typically used in combination with the where() method to add additional conditions to the query. It accepts two parameters: the column name and the value to compare against.

Usage:

```
$posts = DB::table('posts')->whereNot('is_published', '<>', false)->get();
```

Questions - 13:

Explain the difference between the exists() and doesntExist() methods in Laravel's query builder. How are they used to check the existence of records?

Answer - 13:

In Laravel's query builder, the exists() and doesntExist() methods are used to check the existence of records in a table.

01- exists(): The exists() method is used to check if any records exist in a table that match a specific condition. It returns true if at least one record is found, and false otherwise.

Example:

```
$hasPublishedPosts = DB::table('posts')->where('is_published', true)->exists();
```

02- doesntExist(): The doesntExist() method is the opposite of exists(). It is used to check if no records exist in a table that match a specific condition. It returns true if no records are found, and false otherwise.

Example:

```
$noPublishedPosts = DB::table('posts')->where('is_published', false)->doesntExist();
```

Questions - 14:

Write the code to retrieve records from the "posts" table where the "min_to_read" column is between 1 and 5 using Laravel's query builder. Store the result in the \$posts variable. Print the \$posts variable.

Answer - 14:

Route:

```
Route::get( '/getPostByMinRead', [AssignmentController::class, 'getPostByMinRead'] );
```

Controller method:

```
function getPostByMinRead() {  
    $posts = DB::table( 'posts' )→whereBetween( 'min_to_read', [1, 5] )→get();  
    return $posts;  
}
```

Questions - 15:

Write the code to increment the "min_to_read" column value of the record with the "id" of 3 in the "posts" table by 1 using Laravel's query builder. Print the number of affected rows.

Answer - 15:

Route:

```
Route::post( '/increments', [AssignmentController::class, 'increments'] );
```

Controller method:

```
function increments() {  
    $posts = DB::table( 'posts' )→where( 'id', 3 )→increment( 'min_to_read', 1  
);  
    return $posts;  
}
```