

IIcs (Informatica Intelligent cloud services)

- * In this service all informatica services are integrated like Powercenter, MDM, ...
- * It is mainly useful for cloud & data lake storage systems.

Types of dimension tables:- (V32)

1. Slowly changing dimensions
2. Conformed dimension
3. Junk dimension
4. Roleplay dimension
5. Degenerate dimension.

Types of fact tables:-

1. Additive fact - measures on which aggregation can be done across all dimensions
2. Semi-additive fact - measures on which aggregation can be done across some dimensions
3. Non-additive fact - measures on which aggregation can be done none of the dimensions.
4. Fact vs fact

For XML & JSON:-

- * First we have to define schema by using Hierarchical Schema present in Components.
- * Hierarchy parser $\rightarrow$ XML & JSON into table. } $\rightarrow$ For transformation
- * Hierarchy Builder $\rightarrow$ Table into XML & JSON }

For Excel:-

- * We have to use 2 components.
- 1. Intelligent structure model $\rightarrow$ present in Components
- 2. Structure parser transformation. $\rightarrow$ for transformation.

For AWS to create connection:-

1. Create Account
2. Give access to IAM from that get access keys
3. Create S3
4. Start connections in TICS by using access (keys & bucket name)

For GCP:-

1. create GCP account.
2. Big-query - To create a table (for Datawarehouse)
3. Storage bucket - stage files (cloud storage → Buckets)
4. service account - keys (In IAM service account present).
5. TICS - Create a Connection by using

For Snowflake:-

1. Create account
2. Create table (Database, Data Warehouse, Schema.)
3. TICS - by using (User-name, Password, Warehouse name (compute), Account)

Expression macros:-

1. Vertical macro
2. Horizontal macro
3. Hybrid macro

* If we want to apply same conditions in standardization things means we no need to do for each column by using macros we can achieve it.

* It is present in expression transformation.

Joiner Transformation:-

Source Joiner = Homogeneous sources

- * In some we have to select multiple object & add joiner table but data in same source only it will work.

Joiner transformation = Heterogeneous sources

- * In default we have to take big table as Detailed table, another table is master table it stays in cache.

Sorter transformation:-

- * It is like order by.
- * In additional options, we can check mark case sensitive, distinct, NULL treated low.

Aggregator transformation:-

- * min(), max(), sum(), avg(), count()
- * group by().

Lookup transformation:-

- * It always do left join

* There are 2 lookups

1. Connected lookup

2. Unconnected lookup.

Transaction Control Transformation:-

- * Active transformation.
- * It's dynamic file in target.
- * Very easy we will use.
- * It is like commit, rollback in SQL.

1. TC - Commit - Before

2. TC - Commit - After

3. TC - Rollback - Before

4. TC - Rollback - After

5. TC - Continue - transaction.

Normalized transaction:-

- * It converts columns to rows.

Sequence Generator:-

- * Passive
- * It is a surrogate key.
- * We can't run this mapping directly we have to do mapping task to execute it.
- * It is having a option called shared sequence.
- * We can disable input field in advance section.
- * Start, end, increment, reset & cycle
- * We can edit next value in map task mapping also.

Java transformation:-

- * Active or passive
- * By giving Java code we build this one.

SQL Transformation:-

Just we have to write SQL query.

* There are 3 selects. → SQL query, stored procedure, functions.

for stored procedure:-

* Passive, Connected, Unconnected

* Pre-compiled object stored in database.

Target table transformation:-

1. Insert

2. Update must have primary key.

3. Delete

4. Upsert (Insert + update) must have primary key

5. Data Driven (DD-Insert, DD-Update, DD-Upsert).

Union transformation:-

* Active

* By using Just Union transformation we can able to perform only union all, if we want to perform Just Union means we have to use Sorter transformation in Advanced section we have to enable distinct.

Maplet:-

* Create a set of transformations that you can ~~use~~ reuse in multiple mappings.

Taskflow in DCS:-

1. Linear taskflow
2. taskflow
3. Parallel task
4. Parallel tasks with decision.
5. Sequential task
6. sequential tasks with decision.
7. single task.

Task Steps:-

1. Assignment
2. Data task
3. Notification - Email
4. File watch
5. Sub task
6. Decision
7. wait
8. Parallel
9. Jump
10. Throw
11. Command.

Performance tuning:-

1. Pushdown optimization

* We can enable it in 2 sides in mapping by clicking 3 dots & mapping task in Schedule section.

* There are 3 types → To source
To Target
Full.

Parameter & Variable:-

Dynamic value to mapping, mapping task

Parameter $\rightarrow$ Value will not change during the run time.

Variable $\rightarrow$ Value may change during the run time

Ex:- $$$a = 10$

$\rightarrow$ Comments

\$\$ $\rightarrow$ User defined parameter

\$ $\rightarrow$ System defined