

# Azure Data Factory

DATE : ...../...../.....

\* IT is a ETL tool, (GUI)

## Linked services:-

\* IT is like a Connector, it provides access to the database to perform read/write operations.

## transformations:-

### 1. Copy data activity:-

\* To transform data one place to another place.

### 2. Get metadata activity:-

\* It gives the metadata

### 3. if Condition:-

\* It is normal if condition

### 4. set variable:-

\* It is set variable to store data

## Storage event trigger:-

\* It is available in triggers as a type of "BlobEventsTrigger"

\* Any file is uploaded in that store it will trigger the pipeline.



## 5. Execute Pipeline activity:-


\* It can execute different pipelines from one pipeline.

## Incremental data load in SQL:-

1. Using watermark approach (old way)

2. New Way

Create folders in datalake like



This value is generated by using set variable in Pipeline that we have to copy & past here.

for this we have to create a variable in pipeline task

then we have to assign values as @RegionName() in advanced section

we have to keep like we

\* After that we have to use lookup activity to fetch lastload.json data, for this we have to connect to data set

\* Now in Copydata activity we have to update SQL <sup>lookup activity</sup>


query like Select \* from tablename where

booking\_date > @{activity('LastLoad').output.firstrow.

lastload} date column in table this part we can get in single clicks



This is for both initial & incremental load both pages: ...../...../.....



### Lookup 1 :-

\* It is connected to last load.json file as dataset

### Lookup 2 :-

\* It is connected to SQL Linked service.

\* Select query, click Advanced & write

\* select max (booking\_date) as last + load from table\_name  
date                      column name

### Copy data 1 :-

\* Source as SQL linked service.

\* select query, click advanced & write

select \* from dbo.table\_name where booking\_date >

'@[activity('LastLoad').output.firstRow.lastload]' and

booking\_date <= '@[activity('Last + Load').output.firstRow.last + load]'



Copy data2 :-

\* It is for to update the lastload.json.

\* Source is empty.json.

\* Add Additional columns.

\* @activity ('~~LastLoad~~ LatestLoad').output.firstRow.lastLoad

\* Sink is lastload.json.