A Modified Glicko Model for Rating Soccer Clubs and National Teams Worldwide

Andrei Shelopugin*[1] and Alexander Sirotkin†[2]

[1]Independent Researcher
[2]HSE University

arXiv:2611.15378v1 [cs.LG] 11 Nov 2026

Abstract

Comparing soccer teams that rarely or never meet is a fundamental challenge in sports analytics: clubs play mostly within their national leagues, and national teams within their confederations. We propose a rating framework that places clubs and national teams worldwide on a common probabilistic scale. Building on a recent extension of Glicko with order effects and strength-dependent draw probabilities, we adapt the model to soccer with goal-scoring adjustments, a decomposition of home advantage, extra time, league-aware rating initialization and rules of promotion and relegation that do not inflate the levels of leagues; national teams start from the levels of their confederations. The models are evaluated on about 1.2 million club matches of 252 leagues from 166 countries (2000–2026) and 12.6 thousand national team matches (1998–2026). On held-out seasons, the modified Glicko model is clearly more accurate than Elo and as accurate as score-matrix models built on the goal expectations of a gradient boosting model, including the Dixon–Coles and Markov chain models, while it is substantially more accurate in international club matches. Averaging the predictions of the rating model and the Markov chain model is more accurate than either model alone. For national teams, the model is significantly more accurate than all baselines, especially in the final tournaments, where teams of different confederations meet. The resulting ratings are interpretable and can be used for player evaluation, transfer analysis and match forecasting. The match data, the ratings and the code are publicly available at https://github.com/andreyshelopugin/SportsRatings.

Keywords: Glicko, rating systems, sports analytics, football analytics, soccer match outcome prediction, national teams

1 Introduction

One of the key challenges for soccer (association football) managers, scouts, and analysts is accurately evaluating player abilities. This can be achieved through video analysis of player performance or by examining performance metrics[1]. In the latter case, it is crucial for analysts to understand the competitive level of different leagues in order to make informed decisions about player recruitment. For example, a player who is the top goal scorer in a lower-tier league may fail to replicate the same performance level after transferring to a more competitive league.

Another important task in soccer analytics is predicting match outcomes [2]. To improve the accuracy of match outcome predictions, a ranking model needs to be developed. This model enables the simulation of future match results, helping soccer managers make strategic decisions, particularly regarding player transfers. Additionally, the ranking model can be used to set constraints in draw simulators for final tournaments, ensuring balanced groups and enhancing overall fan engagement.

Some models already calculate ratings of soccer clubs and leagues, such as Club Elo[1] and the UEFA coefficient system, but existing approaches suffer from serious drawbacks. The UEFA rating system[2] is

*Corresponding author: shelopuginandrey@gmail.com
†avsirotkin@hse.ru

[1]http://clubelo.com, accessed October 30, 2026.
[2]https://www.uefa.com/nationalassociations/uefarankings/country, accessed October 30, 2026

widely regarded in soccer, but it has several weaknesses. Firstly, it does not account for the strength of opponents, treating victories over both top teams and weaker opponents equally. Secondly, it relies heavily on past performances, which can distort a team's current ranking and influence tournament draw outcomes. If a team's performance declines, they may still face stronger opponents, making it difficult to accumulate points. Additionally, the system applies the same weight to matches regardless of the season or year, failing to accurately reflect the current strength of teams.

In addition to these major issues, the UEFA rating system has several minor limitations. For instance, the rating points are not based on a solid mathematical foundation, making the system difficult to interpret. Furthermore, it does not effectively assess the strength of a national league, as it primarily focuses on the performance of top teams, which are typically the ones participating in international competitions. This approach provides little to no information about the performance of weaker teams in the first division or those in lower leagues.

The same problem arises for national teams. The FIFA World Ranking[3] has been computed since 2018 with an Elo-type formula [3], which accounts for the strength of the opponent. However, it ignores the venue of a match, does not model draws explicitly, and weights matches by fixed importance coefficients of the competitions rather than by coefficients estimated from data. Since most national teams play most of their matches within their own confederation, the levels of the confederations are anchored only by a small number of intercontinental matches, mainly at the World Cup.

This paper aims to address these limitations. We propose a rating system for soccer clubs and national teams based on the Glicko model, with several modifications. The main contributions are as follows:

- an adaptation of the Glicko model with strength-dependent draws and order effects of Glickman [4] to soccer: the dependence of the outcome probabilities on the expected number of goals, a decomposition of home advantage into crowd and travel components, and extra time;
- league-aware rating initialization and rating dynamics at promotion and relegation that do not inflate the levels of leagues, which makes clubs of different leagues and countries comparable;
- an extension to national teams with confederation starting levels;
- an evaluation on about 1.2 million matches against the Elo model and against score-matrix models built on the goal expectations of a gradient boosting model: the proposed model is as accurate as the score-matrix models overall and substantially more accurate in international matches, and an ablation attributes this advantage to the league-aware initialization; for national teams, it is significantly more accurate than all baselines, and the levels of the confederations play the same role; together with a comparison with the FIFA ranking;
- public match data, code and ratings of clubs, leagues and national teams (https://github.com/andreyshelopugin/SportsRatings), which are planned to be updated regularly.

2 Experimental Setup

2.1 Data

The data were collected from Flashscore[4] and consist of matches from the first and second divisions of nearly all countries, as well as national cup competitions and international tournaments such as the Champions League and Copa Libertadores. Matches involving teams from lower-ranked leagues (third division and below) were deliberately excluded, including national cup matches featuring third-tier teams. In addition, matches decided by forfeit were removed from the dataset.

The club dataset contains matches played between January 2000 and September 2026 by 8,402 clubs from 252 leagues of 166 countries.

[3] https://inside.fifa.com/fifa-rankings/world-ranking/men, accessed October 30, 2026

[4] https://www.flashscore.com, accessed October 30, 2026

The national team dataset contains matches of 220 national teams played between June 1998 and July 2026: the World Cup and continental final tournaments, their qualifiers starting with the qualifiers for Euro 2000 and the 2002 World Cup, and the Nations Leagues.

The numbers of matches by type of competition are given in Table 1.

Table 1: Number of matches by type of competition

Competition	Matches	Share, %
Clubs, 2000–2026		
First divisions	715,021	58.9
Second divisions	408,047	33.6
Domestic cups	55,891	4.6
Domestic super cups	1,530	0.1
Continental and intercontinental competitions	33,606	2.8
Continental super cups	97	0.0
Total	**1,214,192**	**100.0**
National teams, 1998–2026		
Qualifiers	9,272	73.5
Continental final tournaments	1,710	13.6
World Cup final tournaments	487	3.9
Nations Leagues	1,149	9.1
Total	**12,618**	**100.0**

The score of a match includes extra time; for 6,491 of the 9,374 matches with extra time, the match pages also give the score after 90 minutes and the goals of extra time separately. Penalty shootouts are not included in the score, and forfeits, walkovers, annulled and abandoned matches are removed. Neutral venues, matches played at the stadium of the visiting team and the hosts of final tournaments are annotated. From the match notes of Flashscore, we also annotate the matches played without spectators (21,549 club matches, mostly during the COVID-19 pandemic), with a limited number of spectators (2,958) and at a different stadium of the home team (2,674); these annotations enter the home advantage (Section 4).

2.2 Evaluation Protocol

All models are evaluated on the same held-out seasons. The parameters of all models are estimated on the seasons that started before 2021, and the metrics are computed on the seasons that started in 2021 or later (Table 2).

Table 2: Number of matches in the training and test seasons

Matches	Train ($<$ 2021)	Test ($\geq$ 2021)	Total
Clubs, domestic	878,816	301,756	1,180,572
Clubs, international	24,222	9,481	33,703
National teams	8,721	3,897	12,618
Total	**911,759**	**315,134**	**1,226,893**

For national teams, the split is by date: the rating models are estimated on the matches played before 2021 and evaluated on the matches since 2021. A split by season would mix the chronology, since a season of national teams spans several years (the qualifiers for the 2022 World Cup started in 2019, and Euro 2020 was played in 2021). During the test seasons, the parameters are fixed, and the ratings are updated after every match in the order of the dates: the prediction of a match uses the ratings after all earlier matches, as in the use of the model in practice. The predictions are therefore

out-of-sample with respect to both the parameters and the results of the matches being predicted. The parameters are not re-estimated during the test seasons, which makes the reported metrics conservative for all models. The national teams are evaluated separately (Section 5.8).

The metrics are computed on the outcome after 90 minutes (win, draw or loss), which is defined for every match. All matches are weighted equally in the test metrics, without the weights and the discounting used in the estimation of the Glicko parameters (Section 4.4).

The ratings published with this paper are computed with the parameters re-estimated on all seasons, so that the most recent seasons, which matter most for the current strength of the teams, also contribute to the parameters. The two sets of parameters are compared in Section 5.6.

2.3 Approaches

There are two effective approaches to predicting soccer match outcomes. The first approach is based on predicting the number of goals each team will score and translating these goal expectations into probabilities of a win, draw, or loss. The second approach relies on rating systems to quantify team strength, in which the probabilistic nature is embedded in the model formulation. Consequently, probabilities of a win, draw, or loss arise directly from the rating dynamics. We discuss both approaches in sections 3 and 4, respectively.

3 Approach 1: Match Outcome Prediction via Goal Expectations

3.1 Idea

This approach leverages a widely recognized concept for forecasting soccer match results, focusing on predicting the number of goals each team will score against its respective opponent. We assume that the number of goals in soccer *approximately* follows a Poisson distribution [2]. We then translate these goal expectations into outcome probabilities.

3.2 Implementation

Gradient boosting models have demonstrated impressive performance when applied to tabular data [5]. Consequently, we constructed a machine learning model utilizing the LightGBM [6] framework to predict the goal count for both competing teams. We also experimented with the CatBoost [7] model; however, it yielded inferior results. Since the goals in soccer approximately follow a Poisson distribution, we set the LightGBM parameter `objective` to `poisson`. We note, however, that empirical goal distributions deviate from the strict Poisson assumption. This limitation is addressed later through model refinements.

The goal models (LightGBM and CatBoost, with the same features) predict the expected number of goals of each team in a match. Each row of the training set corresponds to one participant of a match, so every match gives two rows. The model uses 52 features listed in Table 3. The rolling statistics are computed over the last 5, 10, 20 and 30 matches of the team (one feature per window) with at least 3, 5, 10 and 20 matches, respectively; otherwise the feature is missing.

Matches with extra time last 120 minutes instead of 90. Where the score after 90 minutes is known, the goal model is trained on it. For the other matches with extra time, the final score is used with an offset: the model expects 1.38 times more goals than in 90 minutes. The ratio 0.38 of the goals of extra time to the goals of a regular match is estimated from the data: 1.02 goals are scored in extra time against 2.69 in an average match (12,898 matches with extra time and the scores by period, including the lower divisions and cups that are not part of the dataset). Per minute, more goals are scored in extra time than in an average match (3.05 against 2.69 per 90 minutes). The prediction for every match is the expected number of goals in 90 minutes, and the expected number of goals in extra time is 0.38 of it.

Table 3: Features of the gradient boosting models (LightGBM and CatBoost) that predict the expected number of goals of a team in a match. Every row of the training set is a pair (match, team), so every match gives two rows. Venue: in the last home matches for a home match and in the last away matches for an away match

Group	Features
Venue	venue (+1 home, 0 neutral, –1 away); no spectators; limited number of spectators; home match at a different stadium; match during the COVID-19 pandemic
Stage	extra time possible
Schedule	days since the previous match; matches played in the season; both for the team and for the opponent
Competition	league of the team and of the opponent; tournament; tournament type (first league, second league, cup, super cup, international cup, international super cup, national team qualification, national team final tournament); league level difference (+1, 0, –1)

Group	Rolling statistic	Mean	Median	Max	Windows
Form	goals scored	•			5, 10, 20, 30
	goals conceded	•			5, 10, 20, 30
	goals scored by the opponent	•			5, 10, 20, 30
	goals conceded by the opponent	•			5, 10, 20, 30
	goals scored, same tournament type	•			5, 10, 20, 30
Venue form	goals scored at the venue	•	•	•	5, 10, 20, 30; max: 10
	goals conceded at the venue	•	•		5, 10, 20, 30

3.3 Outcome Probabilities via the Skellam Distribution

The Poisson assumption, together with the assumption of independence between the goal-scoring processes of the two teams, allows us to use the probability mass function associated with the Skellam distribution:

$$p(k, \mu_1, \mu_2) = exp(-(\mu_1 + \mu_2))(\frac{\mu_1}{\mu_2})^{\frac{k}{2}} I_k(2\sqrt{\mu_1 \mu_2}) \quad (1)$$

In equation (1), I_k is the modified Bessel function, and k represents the score difference in a soccer match. If $k > 0$, the value of the probability mass function corresponds to the probability of the first team winning; for $k = 0$, it gives the draw probability; and if $k < 0$, it provides the probability of the second team winning. The parameters μ_1 and μ_2 are the means of two Poisson-distributed random variables. In our case, μ_1 and μ_2 are the expected goals of the two teams predicted by the gradient boosting model.

3.4 Score Matrix Models

While the Skellam distribution provides a direct way to compute win, draw, and loss probabilities from goal expectations, it does not explicitly represent the full joint distribution of possible scorelines. To obtain a more detailed description of match outcomes, we construct a score probability matrix.

Let $p(i, j)$ denote the probability that the home team scores i goals and the away team scores j goals. The collection of probabilities $\{p(i, j)\}$ forms a two-dimensional matrix representing the joint distribution of match scores. In practice, the infinite support of goal counts must be truncated for computational purposes. We approximate the joint distribution by constructing a 15×15 score matrix corresponding to goal counts from 0 to 14 for each team. For typical goal expectations observed in professional soccer, the probability of exceeding this range is negligible; the matrix is subsequently renormalized so that the total probability mass equals one.

Outcome probabilities are then computed by summing over appropriate regions of this matrix:

$$
\begin{aligned}
p_H &= \sum_{i>j} p(i,j), \\
p_D &= \sum_{i=j} p(i,j), \\
p_A &= \sum_{i<j} p(i,j).
\end{aligned}
\tag{2}
$$

This matrix-based formulation offers several advantages. First, it provides the complete distribution over scorelines rather than only the score difference. Second, it allows flexible modeling of dependence structures between the two teams' goal processes. Third, the outcome probabilities of all score-matrix models below are computed in the same way, by Eq. (2), so the models differ only in how the matrix is constructed.

In the following subsections, we describe three alternative constructions of the score matrix.

3.5 Score Matrix under Independent Poisson Assumption

The simplest approach assumes that the number of goals scored by the home and away teams follows independent Poisson distributions with means μ_1 and μ_2, respectively.

Let $x_i = p(G_{\text{home}} = i)$ and $y_j = p(G_{\text{away}} = j)$ denote the corresponding Poisson probabilities. Under the independence assumption, the joint score probability is given by

$$
p(i,j) = x_i y_j. \tag{3}
$$

3.6 Dixon–Coles Score Matrix

Although the independent Poisson model provides a convenient baseline, empirical soccer data reveal dependence between the goal-scoring processes of the two teams, particularly in low-scoring matches. The independent model tends to underestimate the probabilities of low-scoring draws such as $(0,0)$ and $(1,1)$. To account for this, we adopt the Dixon–Coles adjustment [2]. Starting from the independent Poisson construction given in Equation (3), the probabilities of specific low-score outcomes are modified.

The Dixon–Coles model introduces a dependence parameter ρ that adjusts the probabilities as follows:

$$
\begin{aligned}
p(0,0) &\leftarrow p(0,0)\,(1-\mu_1\mu_2\rho), \\
p(0,1) &\leftarrow p(0,1)\,(1+\mu_1\rho), \\
p(1,0) &\leftarrow p(1,0)\,(1+\mu_2\rho), \\
p(1,1) &\leftarrow p(1,1)\,(1-\rho).
\end{aligned}
\tag{4}
$$

All other scoreline probabilities remain unchanged. After applying the correction factors, the score matrix is renormalized to ensure that the total probability sums to one.

When $\rho = 0$, the model reduces to the independent Poisson formulation. The parameter is estimated on the validation set of the goal model by a grid search with the step 0.001 (Section 5.2): $\rho = -0.060$.

3.7 Markov Score Matrix

The Poisson and Dixon–Coles matrices describe only the final score. In a real match, however, the scoring rate of a team depends on the current score: a leading team tends to defend, and a trailing team takes more risk. Following the birth process model of Dixon and Robinson [8], we describe a match as a sequence of goals: the score starts at 0–0, and from every score each team scores at its own rate, which depends on the goal difference. Unlike the original model, which estimates the strength of the teams itself and is fitted on the times of the goals, we use it as a layer on top of the goal model: the base rates of the two teams are the expected goals of LightGBM, and only the dependence on the score is estimated, from the final outcomes.

From a score (i,j) the home team scores with the rate $\lambda_{\text{home}}(i,j)$ and the away team with the rate $\lambda_{\text{away}}(i,j)$:

$$\begin{aligned} \lambda_{\text{home}}(i,j) &= \mu_{\text{home}}\, m_{\text{score}}(d)\, m_{\text{low}}(i,j), \\ \lambda_{\text{away}}(i,j) &= \mu_{\text{away}}\, m_{\text{score}}(-d)\, m_{\text{low}}(i,j), \end{aligned} \tag{5}$$

where $d = i - j$ is the goal difference, capped at ± 3, $m_{\text{score}}(d)$ is the multiplier of a team leading by d goals ($d < 0$: trailing by $|d|$ goals), $m_{\text{score}}(0) = 1$, and $m_{\text{low}}(i,j)$ adjusts the low scores in the spirit of Dixon–Coles, scaled by $\mu_{\text{home}}\mu_{\text{away}}$:

$$\begin{aligned} m_{\text{low}}(0,0) &= 1 + a_{00}\mu_{\text{home}}\mu_{\text{away}}, \\ m_{\text{low}}(1,0) = m_{\text{low}}(0,1) &= 1 - a_{10}\mu_{\text{home}}\mu_{\text{away}}, \\ m_{\text{low}}(1,1) &= 1 + a_{11}\mu_{\text{home}}\mu_{\text{away}}, \end{aligned} \tag{6}$$

$m_{\text{low}}(i,j) = 1$ for the other scores. The score matrix $p(i,j)$ is the distribution of the state of the chain at the end of the match, the matrix exponential of the generator (transition rate) matrix built from these rates. With $m_{\text{score}} \equiv 1$ and $m_{\text{low}} \equiv 1$ the chain reduces to the independent Poisson matrix.

The multipliers change not only the shape of the score distribution but also the total number of goals. Since the expected goals are taken from LightGBM, we rescale the base rates so that the chain produces the same expected goals as LightGBM, and the Markov layer changes only the shape of the distribution.

The nine parameters are estimated on the validation set of the goal model (Section 5.2) by minimizing the outcome log loss; Table 4 shows the estimates. A one-goal lead makes the leading team score less and the trailing team score more, a strong comeback effect, in agreement with Dixon and Robinson [8]; with a three-goal lead the effect reverses (Table 4). Part of the reason is that the match is effectively decided, but a three-goal lead is also a selected state: it often arises when something went wrong for the trailing team, such as a red card or a collapse of the team, which is not in the expected goals before the match and keeps acting until the end of the match.

The estimates should be read as the direction and the approximate size of the effects rather than as precise values. The loss changes very little with the parameters, since different combinations of them give almost the same probabilities of a win, a draw and a loss, and large goal differences are rare. With the minutes of the goals, as used by Dixon and Robinson [8], the time spent at every score and the goals scored from it would be observed directly, and the multipliers would be identified much better.

Table 4: Fitted parameters of the Markov score matrix, Eq. (5): the scoring rates of the leading and the trailing team relative to the base rates of the goal model, and the low-score adjustments

Goal	Leading team		Trailing team		
difference	Multiplier	Change	Multiplier	Change	Interpretation
1	0.800	–20.0%	1.205	+20.5%	leader defends, trailer attacks
2	0.960	–4.0%	0.930	–7.0%	both teams score less
3	1.230	+23.0%	0.855	–14.5%	match decided; red cards
Low-score adjustments: $a_{00} = 0.025$, $a_{10} = 0.085$, $a_{11} = 0.040$					

4 Approach 2: Match Outcome Prediction Using Modified Glicko

4.1 Rating Systems

Rating systems such as Elo [3], Glicko [9], and TrueSkill [10] have been widely applied to measure competitor strength in head-to-head games and sports. These systems were originally designed for competitions with binary outcomes (win or loss). Most implementations treat ties as equivalent to half a win and half a loss, ignoring the fact that draw probabilities may depend not only on the difference in competitor strengths. However, their direct application to team sports such as soccer presents significant challenges, as standard rating models do not account for crucial sport-specific

factors, including home-field advantage, roster changes due to player transfers, and strength-dependent draw probabilities.

In soccer, the occurrence of draws introduces additional complexity that classical rating systems cannot naturally accommodate. Empirical evidence suggests that draw probabilities depend not only on the relative strength difference between teams, but also on their absolute strength levels and goal-scoring tendencies. Recently, Glickman [4] extended paired comparison models to incorporate strength-dependent tie probabilities in chess, recognizing that draws become more likely when competitors are closely matched in skill, and that stronger players are more likely to draw than weaker players. This development provides a principled foundation for adapting rating systems to soccer, where draws are similarly common and influenced by both team strengths.

In our previous work [11], we adapted the Glicko-2 model to soccer by incorporating draw probabilities, home-field advantage, and rating adjustments for league transitions. Building on these developments and Glickman's recent advances, we now adopt the strength-dependent draw framework from [4], extending it to account for goal-scoring tendencies—a soccer-specific factor where high-scoring teams produce fewer draws than low-scoring teams (Fig. 1). This relationship is consistent with the nature of goal-scoring in soccer: teams with lower expected goal rates are more likely to remain at 0-0, thereby increasing the overall probability of a draw, while high-scoring teams generate more total goals, reducing the likelihood that both teams finish with identical scores.




Figure 1: Score probabilities (%) for two equally strong teams under independent Poisson goals: (a) both teams expect 1.1 goals, (b) both teams expect 1.6 goals. Home wins are shown in blue, draws (the diagonal) in orange and away wins in purple, darker for more probable scores. The teams are equal in both cases, but the draw probability falls from 29.1% to 23.4% as the expected number of goals grows.

Furthermore, we incorporate league-specific characteristics and dynamic rating adjustments following promotion or relegation. Our approach enables cross-league comparisons and provides interpretable ratings that can be applied to player evaluation, transfer analysis, and match outcome prediction across diverse competitive environments.

4.2 Glicko with Strength-Dependent Draws

The Glicko model represents competitor strength as a probability distribution. Each team is initially associated with a normal prior distribution characterized by a mean rating μ and uncertainty (rating deviation) ϕ. As match outcomes accumulate, ratings are updated via Bayesian inference toward a

posterior distribution. When a team wins, its rating increases; the magnitude of this increase is primarily determined by two factors: the difference in ratings (larger upsets produce larger adjustments) and rating uncertainty (teams with limited match history experience larger changes).

Recent work by Glickman [4] extends paired comparison models to address two critical limitations of classical rating systems. First, order effects such as home-field advantage (analogous to the white piece advantage in chess) systematically favor one competitor. Second, the probability of a draw depends not only on the strength difference between competitors, but also on their absolute strength levels—stronger pairs are more likely to draw.

The original formulas are given below:

$$P(Y_{ij} = 1) = \frac{\exp\left(\theta_i + \frac{1}{4}x_{ij}\left(\alpha_0 + \alpha_1 \cdot \frac{\theta_i+\theta_j}{2}\right)\right)}{D_{ij}} \tag{7}$$

$$P(Y_{ij} = 0) = \frac{\exp\left(\theta_j - \frac{1}{4}x_{ij}\left(\alpha_0 + \alpha_1 \cdot \frac{\theta_i+\theta_j}{2}\right)\right)}{D_{ij}} \tag{8}$$

$$P(Y_{ij} = \tfrac{1}{2}) = \frac{\exp\left(\beta_0 + (1+\beta_1) \cdot \frac{\theta_i+\theta_j}{2}\right)}{D_{ij}} \tag{9}$$

where

– θ_i, θ_j are the ratings of team i (home) and team j (away);
– x_{ij} is the venue: 1 home, 0 neutral, -1 away for team i;
– α_0, α_1 are the baseline and the strength-dependent home advantage;
– β_0, β_1 are the baseline and the strength-dependent draw probability;
– D_{ij} is the sum of the three numerators.

The term $\frac{\theta_i+\theta_j}{2}$ represents the average strength of both teams. In Equations (7)–(8), this term modulates the home-field advantage: the parameter α_1 allows the advantage to vary with team quality. In Equation (9), the coefficient $(1+\beta_1)$ determines how draw probability changes with absolute team strength.

4.3 Custom Extensions of Glicko-2

4.3.1 Modified Outcome Probability Function

We modify the original probability specification by (i) incorporating expected goals into both the order effect and the draw component, and (ii) decomposing the baseline order effect into a crowd-related term and a logistic (travel) term. Let g_{ij} denote the scoring intensity of the match: the sum of the expected goals of the two teams from the goal model (Section 3), clipped at its 99.9% quantile for numerical stability and centered at its mean over the club matches.

The match outcome probabilities are defined as:

$$P(Y_{ij} = 1) = \frac{\exp\left(\theta_i + x_{ij}\left(\alpha_{\text{crowd}} + \alpha_{\text{logistic}} + \alpha_1\frac{\theta_i+\theta_j}{2} + \alpha_2 g_{ij}\right)\right)}{D_{ij}}, \tag{10}$$

$$P(Y_{ij} = 0) = \frac{\exp\left(\theta_j - x_{ij}\left(\alpha_{\text{crowd}} + \alpha_{\text{logistic}} + \alpha_1\frac{\theta_i+\theta_j}{2} + \alpha_2 g_{ij}\right)\right)}{D_{ij}}, \tag{11}$$

$$P(Y_{ij} = \tfrac{1}{2}) = \frac{\exp\left(\beta_0 + \beta_1\frac{\theta_i+\theta_j}{2} + \beta_2 g_{ij}\right)}{D_{ij}}. \tag{12}$$

Here, x_{ij} indicates venue, α_{crowd} and α_{logistic} jointly determine the baseline home advantage, α_1 captures strength-dependent order effects, and α_2 introduces a scoring-intensity adjustment. The draw

component is governed by β_0 (baseline draw frequency), β_1 (strength dependence), and β_2 (scoring dependence).

The separation between α_{crowd} and α_{logistic} is identifiable due to the COVID-19 period, during which matches were played without spectators. While the crowd-related component was effectively removed, travel-related disadvantages remained, providing natural variation that allows the two effects to be estimated separately. Beyond the pandemic period, match-level annotations from Flashscore—such as "Limited number of spectators" or "Playing home matches at a different stadium"—enable further fine-tuning of these parameters. Specifically, the crowd component is set to zero for matches without spectators and halved for matches with a limited number of spectators; for a home match at a different stadium, the crowd component is halved and the travel component is set to zero, since in this case both teams usually travel to the venue (a simplification: the alternative stadium is sometimes close to the home city). At a neutral venue, the home advantage is zero, and the draw component uses the average of the parameters of the leagues of the two teams.

4.3.2 Rating Initialization

The Glicko model depends only on rating differences; adding a constant to all ratings does not affect predicted match outcomes. To enable cross-league comparability, we introduce an additional parameter referred to as the *initial league rating*, which represents the average strength level of a league. While this parameter does not affect predictions within a single national championship, it plays a crucial role when comparing teams across different leagues, particularly in international competitions.

Every club starts with the initial rating of its league, $\mu = \mu_{\text{init}}$, and the initial rating deviation $\phi_0 = 250$. The initial league rating is used only when the league itself appears in the dataset (or the club appears in its first season in the dataset). Later, the initial rating of a club that enters a league is determined by the clubs it replaces, which keeps the level of the league stable (Section 4.3.4):

$$\mu = \begin{cases} \mu + \mu_{\text{lift}} \text{ or } \mu - \mu_{\text{lift}} & \text{if the club was promoted or relegated (Eq. (16)),} \\ \overline{\mu}_{\text{leavers}} + \mu_{\text{new}} & \text{if the club has no matches in the previous season,} \\ \mu_{\text{init}} & \text{in the first season of the league.} \end{cases} \tag{13}$$

A club without matches in the previous season is reinitialized even if earlier history exists: for example, a club that played in the second division in 2013/2014, was relegated to the third division (not in the dataset) and returned in 2015/2016 starts the 2015/2016 season from the anchor of Eq. (17), and its rating deviation is reset to ϕ_0.

For leagues that appear only after the training seasons, the parameters are the medians over the fitted first or second divisions; for leagues of countries with fewer than 30 international matches, the initial rating is additionally capped at 1400, below the mean rating of 1500: their level cannot be identified from the data, and leagues with little international history are, as a rule, weaker than average.

4.3.3 Mid-Season

As in Glicko, the matches are grouped into rating periods: the ratings and rating deviations are updated once per period, using all matches of the period together. The rating periods are the calendar quarters, which gives 107 periods between 2000 and 2026 and about ten matches of a team per period in a typical league. The length of the period is a hyperparameter: shorter periods update the ratings more often but with less information per update, longer periods react more slowly to changes of form. For the predictions, the ratings within a period are updated after every match in the order of the dates (Section 2.2), so the length of the period affects the official update of the ratings but not the timeliness of the predictions.

Team strength changes over time, gradually during a season and abruptly at the season transition, when the rosters change in the transfer window. Both are modeled by the growth of the rating deviation. Before every rating period (a quarter of a year), the rating deviation of a team grows as in Glicko,

$$\phi \leftarrow \sqrt{\phi^2 + \phi^2_{\text{period}}}, \tag{14}$$

as long as ϕ is below the threshold of 120. At the season transition, it additionally grows by ϕ_{season}, and a team that changes its division also changes its rating by μ_{lift}:

$$r(\mu, \phi) \leftarrow \begin{cases} r(\mu \pm \mu_{\text{lift}},\ \phi + \phi_{\text{season}}) & \text{if the team was promoted } (+) \text{ or relegated } (-), \\ r(\mu,\ \phi + \phi_{\text{season}}) & \text{otherwise.} \end{cases} \tag{15}$$

The parameter $\mu_{\text{lift}} \geq 0$ is estimated for every country and captures the tendency of promoted clubs to strengthen (the budget typically increases after promotion) and of relegated clubs to weaken. The growth ϕ_{season} has two global values, one for the first and one for the second divisions, since the rosters of second-division clubs change more between seasons (per-league values did not improve the model, Section 5.10); the estimates are given in Section 5.6.

Another source of inflation is the change in the number of teams of a league, for example after a reform of its format. It is handled by the same mechanism: the newcomers start from the ratings of the clubs they replace, or, in an expansion of the league, from a low quantile of the ratings of the continuing clubs (Section 4.3.4).

4.3.4 Preventing Rating Inflation at League Transitions

Matches within a league are almost zero-sum: the rating gained by one team is lost by its opponent. The levels of the leagues are therefore determined by two sources: international matches and the rating that enters or leaves a league at the season transitions. If the transitions systematically add rating to a league, the league is inflated, and since most leagues play few international matches, the inflation is not corrected by the data.

In the earlier version of the model [12], promotion and relegation had separate parameters, estimated independently for every league. Such parameters are poorly identified within a single league, and the estimates of some leagues added more rating to promoted teams than was taken from relegated teams. As a result, the total rating of these leagues grew from season to season, and their clubs were overrated in international competitions. The imbalance of a single transition is small, but it is repeated at every season transition, and over the 25 seasons of the dataset it accumulates into a noticeable drift of the level of the league. The effect resembles exploding and vanishing gradients in deep and recurrent neural networks, where a small deviation at every step is compounded over a long sequence of steps. A similar imbalance exists in the FIFA ranking of national teams: matches decided by a penalty shoot-out are scored as 0.75 for the winner and 0.5 for the loser, so such a match adds 1.25 instead of 1 to the total score of the two teams, and the teams that often reach the knockout stages accumulate points in excess of their results.

In the proposed model, the transition between the first and the second division of a country is governed by a single parameter $\mu_{\text{lift}} \geq 0$, estimated for the first division: a promoted team gains μ_{lift}, and a relegated team loses the same amount,

$$\mu \leftarrow \mu + \mu_{\text{lift}} \text{ (promotion)}, \qquad \mu \leftarrow \mu - \mu_{\text{lift}} \text{ (relegation)}. \tag{16}$$

When the numbers of promoted and relegated teams are equal, the transitions do not change the total rating of the two divisions of the country.

A team that enters a league without a match history in the previous season (for example, after a few seasons in the third division, which is not in the dataset) starts from the mean current rating of the teams that left the league at the same transition, plus a global offset μ_{new}:

$$\mu = \overline{\mu}_{\text{leavers}} + \mu_{\text{new}}. \tag{17}$$

If the league has no leavers (e.g. an expansion of the league), the starting rating is the 10% quantile of the ratings of the continuing teams, and in the first season of a league, the initial league rating μ_{init}. The offset is positive ($\mu_{\text{new}} = 90$): at the moment of leaving, the ratings of the leavers are too low because of regression to the mean and the collapse of some clubs (financial problems, the departure of key players, administrative relegation), so the newcomers start above them. Since a newcomer replaces a leaver, the total rating of the league changes only by the offset. One value is used for all leagues (Section 5.10).

The offset slightly increases the total rating of a league at every transition. We also tested a stricter version, in which the continuing teams of the league give up the same total amount, so the total rating of the league is preserved exactly. This version made the predictions worse for the newcomers, the relegated teams and the international matches (Section 5.5), so it is not used. The reason is that exact conservation is only needed where nothing else anchors the level of a league. In leagues connected to other leagues by international matches, the ratings of the continuing teams are already corrected by these matches, and an additional downward shift only distorts them. The small inflation from the newcomer offset matters only for isolated leagues with few international matches, whose level is in any case less reliable (Section 4.5). The goal of the model is therefore not an exactly constant total rating, but the absence of a systematic drift that the data cannot correct: the large imbalance of separate promotion and relegation parameters is removed, while the small, justified offset of the newcomers is kept.

4.3.5 Extra Time

In single-leg knockout matches and in the second legs of two-legged ties with a level aggregate score, a draw after 90 minutes is often followed by extra time. Such matches are rare (9,122 club matches, 0.75% of the dataset, and 252 national team matches, 2.0%), but they are the playoffs of the most important tournaments, where an accurate assessment of the strongest teams matters most. We treat extra time as a second stage of the match with its own outcome (win, draw or loss in extra time), which enters both the rating update and the loss function in the same way as the outcome of the regular time. Penalty shootouts directly after 90 minutes, in competitions without extra time (2,142 matches, identified by the scores by period), are draws of the regular time without the extra time stage.

Extra time is described by the same outcome model as the regular time, applied to a shorter game, rather than by a separate model. The only question is how the parameters of the outcome model change when the game lasts 30 minutes instead of 90. A shorter game contains fewer goals, so the outcome depends less on the difference in strength and more on chance. In the model, this corresponds to a contraction of the rating scale by a factor κ: the ratings enter the outcome probabilities as $\kappa\theta$, and $\kappa = 1$ recovers the regular time. Similarly, the home advantage of the league is scaled by a factor s_{ET}, and the draw component, which describes the probability that 30 minutes end without a decisive goal, has its own parameters $\beta_0^{\mathrm{ET}}, \beta_1^{\mathrm{ET}}, \beta_2^{\mathrm{ET}}$. All five parameters are common for all leagues, since extra time is played in only a few matches per league, and they are estimated from the data together with the other parameters of the model:

$$P(Y_{ij}^{\mathrm{ET}} = 1) \propto \exp\left(\kappa\theta_i + x_{ij}\, s_{\mathrm{ET}} \left(\alpha_{\mathrm{crowd}} + \alpha_{\mathrm{logistic}} + \alpha_1 \tfrac{\theta_i+\theta_j}{2} + \alpha_2 g_{ij}^{\mathrm{ET}}\right)\right), \tag{18}$$

$$P(Y_{ij}^{\mathrm{ET}} = 0) \propto \exp\left(\kappa\theta_j - x_{ij}\, s_{\mathrm{ET}} \left(\alpha_{\mathrm{crowd}} + \alpha_{\mathrm{logistic}} + \alpha_1 \tfrac{\theta_i+\theta_j}{2} + \alpha_2 g_{ij}^{\mathrm{ET}}\right)\right), \tag{19}$$

$$P(Y_{ij}^{\mathrm{ET}} = \tfrac{1}{2}) \propto \exp\left(\beta_0^{\mathrm{ET}} + \beta_1^{\mathrm{ET}} \kappa \tfrac{\theta_i+\theta_j}{2} + \beta_2^{\mathrm{ET}} g_{ij}^{\mathrm{ET}}\right), \tag{20}$$

where g_{ij}^{ET} is the expected number of goals in extra time: the expected number of goals of 90 minutes multiplied by 0.38 (Section 3). A match with extra time thus acts as two games: a draw of the regular time, which updates the ratings as any other draw, and a short second game, whose result moves the ratings κ times less than an equally surprising result of a regular match. The parameters of extra time are estimated after the parameters of the leagues; the estimates are given in Table 5.

With the estimated parameters ($\kappa = 0.76$, $s_{\mathrm{ET}} = 0.58$), a draw is by far the most likely outcome of extra time, and the difference in strength and the home advantage matter much less than in regular time (Table 10).

4.4 Parameter Estimation

The parameters of the model are listed in Table 5. They are of two kinds: the parameters of a league are estimated separately for every first and second division, and the global parameters are common for all leagues. The transition parameter μ_{lift} is estimated for the first division of every country and applies to both of its divisions. The offset of the newcomers is not estimated but set to $\mu_{\mathrm{new}} = 90$:

newcomers play a small share of the matches, so the loss hardly changes with this value. Instead, the value is checked by the calibration: in their first season in the league, the newcomers score as expected by the model (+0.006 per match, Table 9). The table gives the estimates on all seasons, which are used for the published ratings; the estimates on the training seasons, used for the evaluation, are close to them (Section 5.6).

Table 5: Parameters of the model and their estimates on all seasons. League: estimated for every league (253 leagues: 165 first and 88 second divisions); country: for every country (165 countries); global: once for all leagues; fixed: set without estimation by the model. For the league and country parameters, the mean over the leagues and, in brackets, the standard deviation

Parameter	Estimate	Description
League		
μ_{init}	1330 (253)	initial rating of the league
α_{crowd}	0.101 (0.068)	home advantage: crowd
α_{logistic}	0.119 (0.067)	home advantage: travel
α_1	0.004 (0.009)	home advantage: strength of the teams
α_2	−0.022 (0.019)	home advantage: expected goals
β_0	−0.245 (0.069)	draws: baseline
β_1	1.009 (0.012)	draws: strength of the teams
β_2	−0.495 (0.023)	draws: expected goals
Country		
μ_{lift}	37.6 (12.9)	rating change at promotion and relegation
Global		
ϕ_{period}	14	growth of ϕ per rating period
ϕ_{season}	16	growth of ϕ per season, first divisions
ϕ_{season}	34	growth of ϕ per season, second divisions
κ	0.76	extra time: scale of the ratings
s_{ET}	0.58	extra time: scale of the home advantage
β_0^{ET}	1.01	extra time: draws, baseline
β_1^{ET}	1.00	extra time: draws, strength of the teams
β_2^{ET}	−1.63	extra time: draws, expected goals
Fixed		
μ_{new}	90	rating offset of the newcomers
	4	rating periods per year (calendar quarters)
γ	0.95	discount of the loss per rating period
w	4	loss weight: continental club competitions
w	10	loss weight: FIFA Club World Cup
	0.38	goals of extra time, share of a regular match (from the data)

The parameters are constrained to the values that have a meaning: the crowd and travel components of home advantage are non-negative, since playing at home is not expected to be a disadvantage, and the two components are separated only by the matches without spectators, so without the constraint one of them could become negative and be compensated by the other; promoted clubs do not become weaker ($\mu_{\text{lift}} \geq 0$); and the uncertainty added at the season transition, with the changes of the rosters, is not smaller than that of a rating period during the season ($\phi_{\text{season}} \geq \phi_{\text{period}} \geq 0$). The constraints mainly restrict the search to the meaningful region and speed up the estimation: the estimates of almost all leagues lie inside this region anyway (Table 5).

All parameters are estimated by minimizing the loss function described below with coordinate descent. The parameters of a single league change the loss only slightly, so a direct per-league search is

slow and stops at plateaus. The estimation therefore goes from the most general parameters to the most specific ones: the global parameters, shifts of each parameter shared by all leagues, the level of each country (the initial ratings of its two divisions shifted together, since their gap is fixed by domestic cups and only international matches decide the level), the parameters of each league, and the parameters of extra time. The exact procedure is given in the code[5]. Finally, all initial ratings are shifted by a common constant so that the mean rating of the active clubs equals 1500, which does not change the predictions.

The choice of the loss function follows from the purpose of the ratings. The goal is not only to predict individual matches well, but to estimate the current strength of clubs and leagues on a common scale, which is what the applications require (player evaluation, transfers, comparison of leagues). A model can predict domestic matches almost perfectly and still place the leagues at wrong levels relative to each other, so the loss is designed to emphasize the matches that carry information about the levels of leagues and the recent matches that carry information about the current strength.

The loss function is a weighted sum of the log losses of individual matches. Each match is weighted by the type of competition and by its age:

$$L = \sum_{t>t_0} \gamma^{T-t} \sum_{m \in \mathcal{M}_t} w_m \, \ell_m, \qquad w_m = \begin{cases} 1, & \text{domestic match,} \\ 4, & \text{continental club competition,} \\ 10, & \text{FIFA Club World Cup,} \end{cases} \tag{21}$$

where $\mathcal{M}_t$ is the set of matches of the rating period t, T is the last rating period, ℓ_m is the log loss of match m (including the extra time stage), and γ is the discount factor.

The weights of international matches compensate for their small number. International matches make up less than 3% of the dataset, but they are the only source of information about the relative levels of the countries: the levels of the leagues do not affect the predictions of domestic matches (Section 4.3.4). Without the weights, the estimation is dominated by domestic matches, and a league whose clubs are systematically over- or underrated in international competitions costs only a small amount of the loss. The Club World Cup has the largest weight, since it is the main source of matches between confederations. The weights are used only for the estimation of the parameters: all reported test metrics are computed with equal weights, so that they are comparable with the metrics of the other models.

The discount factor gives more weight to recent seasons, since the goal of the ratings is the current strength of the teams, and the parameters of the leagues change over time: home advantage, for example, has decreased over the last two decades (Fig. 2). A season contains four rating periods, and we use $\gamma = 0.95$ per rating period, which corresponds to a half-life of about 13.5 rating periods, or about 3.4 seasons. The first $t_0 = 8$ rating periods (two seasons) are excluded from the loss, since the ratings are not yet established.

Home advantage decreased from about 0.65 points per match in the early 2000s to about 0.49 in 2018, fell to 0.36 in the 2020 season, when most matches were played without spectators (in the top 5 European leagues, where almost the whole season was played in empty stadiums, to 0.15), and has recovered only partly since then (0.39 in 2025). Home advantage in soccer has been documented for a long time [13], and part of it is attributed to the pressure of the crowd on the referees: referees favour the home team less when the crowd noise is absent [14] or the stadium is empty [15], and the decline in 2017–2019 coincides with the introduction of the video assistant referee (VAR) in the top European leagues. However, the decline is visible in the second divisions as well, where VAR is mostly not used, so we do not attribute it to VAR. Whatever the causes, home advantage is not constant over time, which is another reason to discount older matches. A model with constant parameters estimated on the whole history would therefore overestimate home advantage in the current seasons, which is another reason to discount older matches.

Although it may be theoretically appealing to assign team-specific parameters—incorporating factors such as stadium capacity, geographic distance between cities, or other determinants of home advantage—such an approach substantially increases model complexity and typically results in overfitting.

[5] https://github.com/andreyshelopugin/SportsRatings/blob/main/soccer/club_ratings/train_glicko.py, method `TrainGlicko.fit`.




Figure 2: Home advantage by season: the mean difference between the points of the home and the away team per match (3 for a win, 1 for a draw, after 90 minutes) in domestic league matches, with 95% intervals, and separately for the first divisions of England, Spain, Germany, Italy and France (top 5; about 1,800 matches per season, the interval of about ± 0.12 is not shown). The darkness of the band of a season is the share of its matches played during the COVID-19 pandemic (13% in 2019, 93% in 2020, 9% in 2021). The dotted line marks the introduction of VAR in the top European leagues (2017/2018–2019/2020)

The complete estimation pipeline of the clubs is shown in Figure 3 in Appendix A.

4.5 League Ratings

The rating of a league is computed from the current ratings of its clubs as a weighted mean of the ratings of the eight strongest clubs:

$$R_{\text{league}} = \frac{\sum_{k=1}^{8} w_k \, \mu_{(k)}}{\sum_{k=1}^{8} w_k}, \qquad w_k = 1.1 - 0.1\,k, \tag{22}$$

where $\mu_{(k)}$ is the rating of the club ranked k-th in the league, so the weights decrease from 1 for the strongest club to 0.3 for the eighth. The number eight is the size of the smallest leagues in the dataset, so every league is measured by the same number of clubs. The decreasing weights reflect the fact that the level of a league is perceived mainly through its strongest clubs, which represent the league in the continental competitions. At the same time, unlike the UEFA coefficient, the rating takes into account the whole upper half of a typical league, not only the clubs that play in international competitions.

The model places all leagues on one scale, but the precision of the level of a league depends on how strongly it is connected to the other leagues. A league that regularly plays in continental competitions is anchored by hundreds of matches, while the level of an isolated league is inferred mainly from its initialization and from a few matches of its clubs. Even a few matches against other leagues or a few promoted and relegated teams link a league to the common scale, which is the purpose of the model. A league without any of these links over the last three seasons, however, keeps the level of its initialization. Such leagues (6 of 250: the first divisions of Bermuda, Macao, Palestine, Sri Lanka and Yemen, and the second division of Mexico, which has no promotion to the first division) are rated by the model, but are not shown in Table 12. The same holds for a country as a whole: the two Russian divisions are linked to each other, but their clubs have played almost no international matches since 2022, so the level of the country is not identified and the Russian leagues are not shown either. The weighted top-8 is not the only reasonable definition of the strength of a league, and the best definition depends on the task. For the assessment of a transfer from a top club, the rating of the strongest clubs is more relevant; for the evaluation of a typical player of the league, the mean or the median over all clubs may be more appropriate. Since the ratings of all clubs are available, any such aggregate can be

computed directly; the tables of the repository also include the means of the top 5, top 7 and top 10 clubs and the ratings of the clubs by position.

The ratings of the leagues and clubs after the 2025/2026 season are given in Tables 12 and 13, with the strongest club, the median club and the standard deviation (SD) over all clubs. The aggregates can rank leagues differently. The Saudi Pro League is ahead of the Brazilian Serie A by the weighted top 8 (2093 against 2067) and by the mean of the top 5 clubs (2141 against 2083), since its strongest clubs are stronger. The Brazilian league, however, is much more even (standard deviation 89 against 189), and its median club is stronger by 120 points (1940 against 1820), so a typical match in Brazil is played at a higher level.

5 Experimental Results

All results are computed on the held-out seasons according to the protocol of Section 2.2.

5.1 Metrics

Let $p_{m,k}$ be the predicted probability of the outcome $k \in \{\mathrm{H}, \mathrm{D}, \mathrm{A}\}$ of match m, and $y_{m,k} = 1$ if the outcome occurred and 0 otherwise. The main metric is the outcome log loss, the mean of the binary log losses of the three outcomes:

$$\mathrm{LL} = -\frac{1}{3N} \sum_{m=1}^{N} \sum_{k} \Big(y_{m,k} \log p_{m,k} + (1 - y_{m,k}) \log(1 - p_{m,k}) \Big), \tag{23}$$

which is also the loss used in the estimation of the Glicko parameters, so the values are directly comparable across all models. We also report the multiclass Brier score

$$\mathrm{BS} = \frac{1}{N} \sum_{m=1}^{N} \sum_{k} (p_{m,k} - y_{m,k})^2 \tag{24}$$

and the ranked probability score (RPS), which takes into account the order of the outcomes (a home win is closer to a draw than to an away win) [16]:

$$\mathrm{RPS} = \frac{1}{2N} \sum_{m=1}^{N} \sum_{r=1}^{2} \Big(\sum_{k \le r} (p_{m,k} - y_{m,k}) \Big)^2, \tag{25}$$

where the outcomes are ordered as H, D, A. Lower values are better for all three metrics.

5.2 Comparison of Score Matrix Models

The score-matrix models serve as baselines that share the goal model and differ only in how the goal expectations are converted into outcome probabilities. Since all of them use the same expected goals, the comparison isolates this last step and can be viewed as an ablation of the structure of the score distribution.

The parameters of the score-matrix models (ρ of Dixon–Coles and the nine parameters of the Markov model) are estimated with the expected goals of LightGBM as inputs. They are fitted on a held-out 10% of the training seasons (90,979 matches), on which LightGBM was not trained (these matches were used only for early stopping). As in stacking, the second-level model is fitted on predictions for new data, as it is used in practice, rather than on the training matches of the first-level model.

We compare three such models: the Skellam probabilities (independent Poisson goals), the Dixon–Coles matrix and the Markov score matrix (Table 6).

The independent Poisson score matrix (Eq. (3)) gives the same probabilities as the Skellam distribution up to the truncation of the matrix, so it is not reported separately.

The Dixon–Coles and Markov models achieve slightly lower loss than the independent Poisson model on club matches: the Dixon–Coles correction reduces the loss by 0.00026 and the Markov model

Table 6: Score matrix models on the test seasons (90 minutes): outcome log loss of clubs (311,166 matches), national teams (3,897) and all matches, Brier score and RPS of all matches. All models use the same goal expectations of LightGBM. Bold: the best value in a column

Model	Clubs	National	All	Brier	RPS
Skellam (independent Poisson)	0.583899	0.518382	0.583089	0.596645	0.203256
Dixon–Coles	0.583638	0.518363	0.582831	0.596330	0.203203
Markov	**0.583569**	**0.517802**	**0.582756**	**0.596266**	**0.203189**

by 0.00033. For national teams, the differences are of the same size or smaller than the noise of a sample of 3,897 matches. Overall, the structure of the score distribution matters much less than the goal expectations themselves.

5.3 Comparison with the Baselines

As a baseline rating model we use the classical Elo rating [3] with home advantage and the draw probabilities of Davidson [17]:

$$P(\mathrm{H}) = \frac{q_i}{D}, \quad P(\mathrm{A}) = \frac{q_j}{D}, \quad P(\mathrm{D}) = \frac{\nu\sqrt{q_i q_j}}{D}, \qquad q_i = 10^{(r_i + h x_{ij})/400}, \quad q_j = 10^{r_j/400}, \tag{26}$$

where D normalizes the probabilities, and the ratings are updated after every match by K times the difference between the actual and the expected score. As usual for Elo, all clubs start from the same rating. The parameters are estimated by a grid search on the training seasons (K from 10 to 50, h from 40 to 160 and ν from 0.6 to 1.1), which gives $K = 35$, $h = 100$ and $\nu = 0.8$; none of the estimates lies at the boundary of the grid.

Table 7 compares all models on the club matches of the test seasons, separately for domestic and international matches. For each model, the last column gives the difference in log loss between the modified Glicko model and the model, with a 95% interval from a paired bootstrap over matches (1,000 resamples); a negative difference means that Glicko is better.

The modified Glicko model is clearly better than Elo in all groups of matches. Over all matches and over domestic matches, it is as accurate as the score-matrix models: the intervals of the differences in log loss include zero, and by the Brier score and the RPS it is the best single model over all matches. Both approaches are built on the same matches, so the comparable accuracy is expected. The difference is in what else they give: the rating model also gives a single interpretable number for every club, comparable across leagues and seasons, together with its uncertainty.

In international matches, however, the modified Glicko model is substantially more accurate than all baselines: its log loss is lower by about 0.009 than that of the score-matrix models and by 0.043 than that of Elo, with intervals far from zero. International matches are the matches in which the levels of different leagues meet, and they are exactly the matches that the league-aware components of the model are designed for. The goal model describes the scoring of a team by its recent matches, which are mostly played within its own league, so it does not know how strong the league is; Elo, with the same initial rating for all clubs, does not know it either. The ablation below attributes the advantage to the league-aware initialization.

The test metrics are computed without the weights of international matches and without the discounting used in the estimation of the Glicko parameters (Section 4.4), so the Glicko model is evaluated by a criterion it does not optimize, while the score-matrix models are fitted on the same criterion they are evaluated by. The comparison is therefore conservative for the rating model.

Finally, the average of the probabilities of the modified Glicko and the Markov models is the best model in all groups, with a large and significant gain over each of them in domestic matches. The two approaches use different information: the rating summarizes the whole history of results and the levels of the leagues, while the goal model describes the recent scoring of the teams. In international matches, the average is as accurate as Glicko alone, since the information about the levels of the leagues comes from the rating.

Table 7: Club matches of the test seasons (90 minutes): outcome log loss, Brier score and RPS. Δ: log loss of the modified Glicko model minus log loss of the model, with a 95% paired bootstrap interval (negative: Glicko is better). Glicko + Markov is the average of the probabilities of the two models. Bold: the best model in a group; in international matches, the modified Glicko model and Glicko + Markov do not differ significantly, and both are bold

Model	Log loss	Brier	RPS	Δ [95% interval]
All matches (311,152)				
Elo	0.591105	0.606114	0.207224	–0.0075 [–0.0079, –0.0070]
Skellam	0.583895	0.597624	0.203627	–0.0002 [–0.0007, 0.0002]
Dixon–Coles	0.583634	0.597304	0.203573	0.0000 [–0.0004, 0.0005]
Markov	0.583565	0.597245	0.203561	0.0001 [–0.0004, 0.0005]
Modified Glicko	0.583646	0.596989	0.203507	–
Glicko + Markov	**0.580274**	**0.593186**	**0.201684**	0.0034 [0.0031, 0.0036]
Domestic matches (301,671)				
Elo	0.590887	0.605871	0.206943	–0.0063 [–0.0067, –0.0059]
Skellam	0.584536	0.598446	0.203853	0.0000 [–0.0004, 0.0004]
Dixon–Coles	0.584256	0.598101	0.203795	0.0003 [–0.0001, 0.0007]
Markov	0.584202	0.598058	0.203791	0.0003 [–0.0001, 0.0008]
Modified Glicko	0.584546	0.598129	0.203889	–
Glicko + Markov	**0.581084**	**0.594223**	**0.202018**	0.0035 [0.0032, 0.0037]
International matches (9,481)				
Elo	0.598042	0.613843	0.216154	–0.0430 [–0.0469, –0.0392]
Skellam	0.563512	0.571475	0.196416	–0.0085 [–0.0114, –0.0056]
Dixon–Coles	0.563853	0.571947	0.196495	–0.0088 [–0.0119, –0.0060]
Markov	0.563290	0.571379	0.196254	–0.0083 [–0.0113, –0.0054]
Modified Glicko	**0.555016**	**0.560713**	**0.191361**	–
Glicko + Markov	**0.554494**	**0.560188**	**0.191027**	0.0005 [–0.0010, 0.0020]

5.4 Ablation

To measure the contribution of the components of the model, we switch them off one at a time and compute the test loss (Table 8). In the version without refit, the other parameters are kept as estimated; in the version with refit, the global parameters and the parameters shared by the leagues are re-estimated on the training seasons without the component, so that the other parameters can compensate for it; the parameters of the individual leagues are kept as estimated.

Table 8: Ablation: increase of the test log loss of the modified Glicko model (club matches, 90 minutes) when one component is switched off. Without refit: the other parameters are fixed; with refit: the global and shared parameters are re-estimated without the component

	Without refit			With refit		
Switched off	**All**	**Domestic**	**Intern.**	**All**	**Domestic**	**Intern.**
Home advantage	0.0097	0.0094	0.0189	0.0096	0.0094	0.0181
League-aware initialization	0.0018	0.0005	**0.0443**	0.0019	0.0006	**0.0433**
Scoring dependence (α_2, β_2)	0.0021	0.0021	0.0018	0.0019	0.0019	0.0018
Season growth of ϕ	0.0013	0.0014	–0.0008	0.0013	0.0014	–0.0010
Newcomer offset μ_{new}	0.0003	0.0003	0.0001	0.0003	0.0003	–0.0002
Promotion/relegation μ_{lift}	0.0000	0.0000	0.0000	0.0001	0.0001	–0.0001

The league-aware initialization hardly matters for domestic matches, where the level of the league cancels out, but without it the loss of international matches increases by 0.044, about the same as the gap between Glicko and Elo in these matches. The advantage of the proposed model over Elo in international matches is therefore due to the initialization of the clubs at the level of their league. Home advantage is the most important component overall. The dependence of home advantage and of draws on the expected goals reduces the loss by about 0.002 in all groups; since the strength of the teams is already in the model, this is information that the ratings do not contain, which answers the question whether the expected goals are redundant given the ratings (stronger teams also score more). The season growth of the rating deviation helps in domestic matches and slightly hurts in international ones. The newcomer offset and the promotion/relegation adjustment hardly change the loss: their role is not the accuracy of individual matches but the stability of the levels of the leagues over time (Section 4.3.4), which is checked by the calibration below. The refit changes the effects only slightly: the other parameters compensate for a removed component only to a small extent, so the contributions without refit are not exaggerated.

5.5 Calibration of League Levels

Log loss measures the quality of predictions over all matches, but it says little about whether the levels of different leagues are consistent with each other. Most matches are played within a single league, so a league that is rated too high or too low as a whole may cost only a small amount of log loss. We therefore complement log loss with a calibration check.

For every match, the expected score of a team is computed from the pre-match outcome probabilities of the model,

$$E[\text{score}] = P(\text{win}) + \tfrac{1}{2}P(\text{draw}), \tag{27}$$

and compared with the actual score (1, 0.5 or 0). The difference between the actual and the expected score is averaged over groups of matches; if the model is calibrated for a group, the average difference is close to zero. The standard deviation of the score in a single match is about 0.44, so for a group of n matches the noise level of the average difference is approximately $0.44/\sqrt{n}$, for example 0.044 for 100 matches.

We consider two types of groups. The first are the teams in their first season after a league transition (promoted, relegated, new in the league, or remaining in the same league), in domestic matches since 2010. These groups check the rules of Section 4.3.4. The second are the leagues in international club matches: if a league is underrated, its clubs score more in international competitions than the model

expects. This is the most direct test of the levels of the leagues. Since international matches also enter the loss function with large weights, we perform this test on the test seasons: the parameters are estimated on the seasons before 2021, and the predictions are the sequential predictions of Section 2.2, so the matches being checked were not used in any way.

The results are given in Table 9. Teams that remain in their league, promoted teams and newcomers are well calibrated. Relegated teams score slightly less than expected in their first season in the lower league (-0.021 per match).

In the international matches of the test seasons, the mean absolute difference over the 142 leagues with at least 20 matches is 0.042, while the noise alone gives about 0.040 for a perfectly calibrated model (the mean absolute value of a normal variable is 0.8 of its standard deviation). The difference exceeds two noise levels in 4.2% of the leagues, as expected by chance. The leagues with the most international matches are calibrated within about one noise level (Brazil $+0.002$, Argentina $+0.018$, England $+0.022$, Spain -0.024, Germany $+0.008$). Some of the largest deviations follow from changes of the level of a league. Gradual changes of the level of a league are followed by the ratings, but sudden changes are followed with a delay, since the level of a league is corrected only by its international matches. The Saudi Pro League ($+0.051$) has become much stronger since 2023, when its clubs started to sign star players, and the Ukrainian league (-0.082) has become weaker since 2022, when many players left the country and the clubs started to play their home matches abroad. The deviations of the Asian leagues (Japan $+0.111$, about 3 noise levels, and Iran -0.050) are not related to such changes and are left for future work (Section 6).

Table 9: Calibration of the modified Glicko model: actual minus expected score per match (win 1, draw 0.5, loss 0). Transitions: domestic matches since 2010. Leagues: international club matches of the test seasons, predicted with the parameters estimated before 2021: the four leagues with the most matches and the leagues with the largest deviations, and the mean over all 143 leagues with at least 20 matches (the full table is in the repository). The noise level is $0.44/\sqrt{n}$. I: first division

Group	Matches	Actual − Expected	Noise
First season after a transition			
Same league	1,061,062	0.001	0.000
Promoted	71,462	0.000	0.002
Relegated	59,648	−0.021	0.002
New in the league	176,116	0.006	0.001
International matches of the test seasons, selected leagues			
Brazil I	853	0.002	0.015
Argentina I	603	0.018	0.018
England I	450	0.022	0.021
Spain I	411	−0.024	0.022
Japan I	181	0.111	0.033
Saudi Arabia I	196	0.051	0.031
Iran I	120	−0.050	0.040
Ukraine I	160	−0.082	0.035
Mean |difference|, 142 leagues		**0.042**	**0.040**

5.6 Estimated Parameters

The estimates of all parameters are given in Table 5. They are stable: the estimates on the training seasons and on all seasons are close (for example, the mean crowd component 0.119 and 0.101, the draw baseline -0.265 and -0.245, μ_{lift} 29 and 38, and the initial ratings of the leagues differ by 12 points on average).

The league parameters are interpretable. The median home advantage $\alpha_{\text{crowd}} + \alpha_{\text{logistic}}$ is 0.22 in

the first divisions and 0.23 in the second divisions. Among the leagues with at least 1,000 matches, it is the largest in Nigeria (1.00 in the first division and 0.87 in the second), followed by Bosnia and Herzegovina, Algeria, Guatemala and Ghana (about 0.6). Draws are the most frequent, relative to the strength and the expected goals of the teams, in El Salvador, the United Arab Emirates, Iran and the Italian Serie B, and the least frequent in the second divisions of Bosnia and Herzegovina and Albania and in Kazakhstan. The parameters of small leagues stay close to their starting values, since a single league changes the loss only slightly, so they should not be interpreted.

The extra time parameters show what changes in a short game after a level score. The difference in strength matters less ($\kappa = 0.76$). This is partly a selection effect rather than a property of extra time: extra time follows a draw, which is evidence that the teams were closer on the day than their ratings suggest. The home advantage is about 60% of that in regular time ($s_{\mathrm{ET}} = 0.58$), and the large draw baseline reflects the fact that 40% of extra time periods end without a goal. The mechanism of draws is the same as in regular time: per unit of the expected goals of 90 minutes, the effect of scoring on draws is $-1.63 \cdot 0.38 = -0.62$ in extra time and -0.50 on average in regular time, and the effect of strength is the same ($\beta_1^{\mathrm{ET}} = 1.00$ and $\beta_1 = 1.01$).

5.7 Interpretation of Ratings

The ratings have a direct probabilistic interpretation: Table 10 gives the outcome probabilities for a given rating difference.

Table 10: Outcome probabilities (%) by the rating difference between the stronger and the weaker team, at a neutral venue and at the home stadium of the stronger team (parameters of the English Premier League, a match with the average expected number of goals)

Rating	Neutral venue			Home of the stronger team		
difference	Win	Draw	Loss	Win	Draw	Loss
Regular time						
0	36.5	27.1	36.5	44.4	26.6	29.0
10	37.5	27.1	35.4	45.5	26.5	28.0
50	41.8	26.9	31.3	49.8	25.9	24.4
100	47.2	26.3	26.5	55.0	24.8	20.2
200	57.7	24.1	18.2	64.8	21.9	13.4
300	67.1	21.0	11.9	73.0	18.5	8.5
500	81.2	14.3	4.6	84.8	12.1	3.1
Extra time						
0	21.1	57.9	21.1	23.7	57.7	18.6
10	21.5	57.9	20.6	24.2	57.6	18.1
50	23.4	57.7	18.8	26.3	57.2	16.5
100	26.0	57.3	16.7	29.0	56.5	14.6
200	31.4	55.6	13.0	34.6	54.2	11.2
300	37.2	52.9	10.0	40.5	51.0	8.5
500	49.3	45.2	5.5	52.7	42.7	4.6

5.8 National Teams

The national teams are rated by the same model as the clubs, with the confederations in place of the leagues: a team enters with the initial rating of its confederation, and the levels of the confederations are estimated from the matches between them, mainly at the World Cup. The host of a final tournament is treated as the usual home team, and the other matches of a final tournament are played at a neutral venue. The home advantage parameters are global (Section 5.10). In the loss, the matches of the

World Cup final tournaments have weight 3, the matches of the other final tournaments weight 2, and the qualifiers and the Nations Leagues weight 1. As for the clubs, the rating periods are the calendar quarters; since national teams do not play in every quarter, the rating deviation grows in proportion to the time between two periods with matches, and there is no additional growth at season transitions. Extra time is modelled as for the clubs (Section 4.3.5). The pipeline is shown in Figure 4.

The parameters are estimated on the matches before 2021 and evaluated on the matches since 2021 (the qualifiers for the 2022 World Cup and later), with sequential predictions as for the clubs. Elo is estimated in the same way as for the clubs (Section 5.3); the grid search gives $K = 80$, $h = 100$ and $\nu = 0.7$, so the ratings of national teams, which play only a few matches per year, change faster than those of the clubs ($K = 35$). Table 11 compares the models on the 3,637 matches that are in the test sets of all models. The goal model of the baselines is split by season, so its training data include a few final tournaments played in 2021 (for example, Euro 2020), which, if anything, favours the baselines.

Table 11: National teams, test matches since 2021 (90 minutes): outcome log loss, Brier score and RPS. Δ: log loss of the modified Glicko model minus log loss of the model, with a 95% paired bootstrap interval (negative: Glicko is better). Final tournaments: the World Cup and the continental championships

Model	Log loss	Brier	RPS	Δ [95% interval]
All matches (3,637)				
Elo	0.510621	0.509617	0.168752	−0.0106 [−0.0145, −0.0063]
Skellam	0.519458	0.519064	0.174164	−0.0194 [−0.0251, −0.0134]
Dixon–Coles	0.519460	0.519140	0.174176	−0.0194 [−0.0252, −0.0134]
Markov	0.518880	0.518611	0.173952	−0.0188 [−0.0248, −0.0127]
Modified Glicko	**0.500060**	**0.496356**	**0.163617**	–
Glicko + Markov	0.501617	0.497917	0.164305	−0.0016 [−0.0046, 0.0015]
Final tournaments (592)				
Elo	0.581951	0.594969	0.191977	−0.0373 [−0.0530, −0.0202]
Skellam	0.581367	0.595744	0.195374	−0.0367 [−0.0542, −0.0189]
Dixon–Coles	0.580276	0.594539	0.195173	−0.0356 [−0.0532, −0.0176]
Markov	0.580249	0.594666	0.195150	−0.0356 [−0.0534, −0.0173]
Modified Glicko	**0.544675**	**0.547217**	**0.172870**	–
Glicko + Markov	0.551509	0.556765	0.177274	−0.0068 [−0.0157, 0.0026]

For national teams, the modified Glicko model is significantly more accurate than all baselines, by about 0.019 in log loss than the score-matrix models and by 0.011 than Elo. Unlike for the clubs, the score-matrix models are less accurate than Elo, and the average with the Markov model does not improve on Glicko alone. The gap is the largest in the final tournaments (0.036), where teams of different confederations meet; the ablation below attributes it to the levels of the confederations, as the advantage in international club matches is attributed to the levels of the leagues.

The ablation confirms this. Without the levels of the confederations (all teams start from the same rating), the test loss increases by 0.007 over all matches and by 0.028 in the final tournaments; with a refit of the other parameters, by 0.004 and 0.021, so the other parameters cannot compensate for the levels. Without home advantage, the loss increases by 0.003 (0.003 with a refit), mostly in the qualifiers, where every match has a host. The dependence on the expected goals adds 0.004 without a refit but almost nothing with a refit (0.0004), since the draw parameters take over its role.

The estimated initial levels of the confederations relative to Europe are +415 for South America, −295 for Africa, −653 for Asia, −700 for North and Central America and −1153 for Oceania. The ratings after the 2026 World Cup (Table 14) are led by Spain (2421), Argentina (2345), France (2321) and England (2274), the same four teams as at the top of the FIFA ranking. The largest differences from the FIFA ranking concern the hosts of the 2026 World Cup and the Asian teams, which are lower in our ratings (Mexico 19th, Japan 27th, the USA 34th): for the hosts, one reason is that a large part of their recent results was obtained at home, and the model, unlike the FIFA ranking, discounts the home

advantage. Another difference is that the FIFA ranking also counts friendly matches, which are not in our data.

5.9 Application: League Ratings in Player Performance Prediction

Consider, for instance, our objective to predict various player metrics for the upcoming season, such as the number of goals a specific player will score. To make accurate predictions, we can take into account factors like player age, position, previous performance, and the number of goals scored in the previous season, along with other relevant features. However, a significant challenge arises when a player undergoes transfers, moving to a different club or league during their career. How can we effectively inform the model about such transitions?

One possible solution involves introducing a categorical feature, such as "player transfers from the Denmark Superliga to France Ligue 1." Nonetheless, this approach encounters the curse of dimensionality—there are relatively few transfers between these two leagues, making it challenging for the model to train effectively. A more viable approach, which aligns with our method, is to generate numeric features. For example, we can create a feature that quantifies the difference in ratings between the Denmark Superliga and France Ligue 1. This enables the model to account for league transitions more effectively. Features of this kind were used to forecast the impact of a transfer, with the strength of the clubs and leagues measured by Elo ratings [18], and to predict the expected possession value of players in the next season [19].

The ratings can also be used to evaluate the difficulty of a schedule. The expected number of points of a team over a sequence of matches, computed from the ratings of the opponents and the venues, measures how demanding a period of the season is. Combined with the dates of the matches, this allows clubs to plan the rotation of players (load management): for example, to rest key players in matches against weaker opponents between two difficult matches, or to estimate the cost of a congested period with several strong opponents in a row.

Additionally, we can enhance the precision of player performance analysis, particularly within the context of a single team. For instance, we can calculate the average rating of the opposing teams faced by each player. This fine-grained analysis helps differentiate player performances, as several players may exhibit similar statistics, but the strength of the opponent teams they encounter can vary significantly.

5.10 Negative Results

Several variants of the model were tested and did not improve it, so they are not used:

- separate parameters of promotion and relegation for every league (as in the earlier version of the model [12]) inflated the levels of some leagues and were replaced by the single parameter μ_{lift} (Section 4.3.4);
- a stricter version of the newcomer rule, in which the continuing teams of a league pay the offset of the newcomers, made the calibration of the newcomers, the relegated teams and the international matches worse (Section 4.3.4);
- ϕ_{season} estimated for every league: the loss was almost flat in this parameter, and the only systematic difference was between the first and the second divisions, so two global values are used;
- the offset of the newcomers μ_{new} estimated for every league: a single league changes the loss by less than one unit, so the values are not identifiable;
- the volatility of Glicko-2, an individual speed of the rating of every team, changed the loss only marginally, for the clubs as well as for the national teams;
- for the national teams, rating periods that follow their calendar (every international window and every match day of a final tournament as a separate period) gave the same test loss as the calendar quarters;
- for the national teams, parameters for every country (home advantage and initial rating, as offsets to the global and confederation values) overfitted the training matches and did not reduce the test loss;
- for the national teams, a larger home advantage of the host of a final tournament (about 2.5 times the usual one) made the test loss worse, so the host is treated as a usual home team;

– for the national teams, weights of the rating update by the importance of the match (as the K-factor of the World Football Elo ratings) and a lower weight of the matches in which a team has already qualified (dead rubbers) did not reduce the test loss;
– for the national teams, scaling the rating change by the goal difference did not improve on a uniformly larger rating change.

Some choices were not tuned and are left for future work. For the clubs, only the calendar quarters were used as rating periods. The weights of international matches in the loss (4 for the continental competitions and 10 for the Club World Cup) and the discount factor $\gamma = 0.95$ were set by judgement rather than estimated (Table 5), and the parameters are estimated once rather than in an expanding window (Section 6).

6 Discussion

The primary limitation of the proposed framework is its reliance exclusively on match outcomes. As a result, the model implicitly assumes that team strength evolves smoothly over time. In practice, however, roster composition can change substantially during the season, particularly in second-tier leagues where transfers and financial instability are more common. Such structural breaks are only partially captured through seasonal and mid-season adjustments.

The dataset spans six confederations, providing broad global coverage. However, direct inter-continental competition remains relatively rare. Until 2025, matches between clubs from different confederations were limited to a few matches of the FIFA Club World Cup per year. The expanded Club World Cup of 32 clubs (since 2025) and, within Europe, the Conference League (since 2021/2022) substantially increase the number of matches that connect leagues of different levels and continents, and we expect the cross-confederation levels to become more reliable as these tournaments accumulate. At present, the sparse cross-confederation interaction still reduces the amount of information available to anchor ratings across regions and introduces additional uncertainty when comparing clubs from different continents; for national teams, the same role is played by the World Cup.

At the same time, the reliance on match outcomes makes the model undemanding: it requires only the results of matches and a small amount of metadata (the venue, the type of competition, the league of each club), which are available for almost every professional league in the world. This is what makes a worldwide coverage possible, since richer data such as expected goals or player-level data exist only for a small number of top leagues. Where such data are available, the model is easy to extend. In an earlier experiment, for example, we replaced the actual outcome of a match with the outcome by expected goals (xG) [20], that is, the win was credited to a team whose xG exceeded the xG of the opponent by more than 0.5, and the match was counted as a draw otherwise. More generally, any signal that can be expressed as an outcome or as an adjustment of the scoring intensity can enter the model without changing its structure.

The framework is not specific to soccer. Its components (strength-dependent draws, home advantage, a scoring intensity from a goal or points model, league-aware initialization and transitions between divisions) apply to any team sport with a league structure, promotion and relegation or international club competitions. Basketball, handball, volleyball and ice hockey have national leagues of very different levels connected by continental competitions, and the same problem of cross-league comparison arises there. Sports without draws (e.g. basketball) simplify the model, while sports with overtime or shoot-outs (e.g. ice hockey) can reuse the extra time stage. Adapting the model to other sports is a natural direction for future work, and the repository is designed to host ratings for other sports as well.

The gain of the average of the Glicko and the Markov models suggests that the two approaches capture different aspects of team strength. A natural next step is to analyze in which matches each of them is more accurate (for example, by the history of the teams, the gap between their strengths, the time since a transfer window, or the stage of the season) and to use these findings to build a single model that combines the stable league-aware ratings with the short-term information of the goal model, rather than averaging the predictions of two separate models.

In the evaluation, the parameters are estimated once on the seasons before 2021 and are not updated during the five test seasons. In practice, they would be re-estimated regularly, for example

before every season. An expanding-window evaluation, in which the parameters are re-estimated before every test season on all earlier seasons, would show the accuracy of the model as it is used in practice and how quickly the parameters become outdated.

The collected data contain the scores by period for about two thirds of the matches with extra time, but not the minutes of the goals. With the minutes, the scoring rates of the Markov model at every score could be identified much better. Collecting the minutes of the goals is planned for the next version of the dataset.

The international matches of some leagues are not calibrated as well as those of the others: the clubs of Japan win more often than the model predicts, and the clubs of Iran less often (Section 5.5). Whether these deviations come from the data or from the model remains to be checked.

Despite these constraints, the proposed framework remains computationally efficient and relies solely on publicly available data. While alternative probabilistic score-distribution models yield only marginal performance differences, the modified Glicko framework consistently improves predictive accuracy and provides interpretable ratings that can be directly applied to downstream analytical tasks.

A The Pipeline of the Rating Estimation




Figure 3: The pipeline of the estimation of the club and league ratings




Figure 4: The pipeline of the estimation of the national team ratings

B Ratings of Leagues, Clubs and National Teams

The ratings after the 2025/2026 season and the 2026 World Cup, computed with the parameters estimated on all seasons. The full tables are available in the repository.

Table 12: Ratings of the first and second divisions after the 2025/2026 season: the weighted mean of the eight strongest clubs, Eq. (22). The stripe: the confederation (UEFA CONMEBOL AFC CAF CONCACAF OFC); SD: the standard deviation of the club ratings (darker: less even); n: the number of clubs; Int: the matches of the clubs of the league against foreign clubs in the last three seasons; the bar: from the median club to the strongest one, the dot: the league rating; the history of the league rating since 2016, relative to the world mean of every season; the strongest club and its world rank. Not shown: 6 leagues without matches against other leagues and without promotion or relegation in the last three seasons (Section 4.5) and the Russian leagues

#	League	Rating	SD	n	Int	1500 1750 2000 2250 2500	2016–2025	Best club, rank
1	England I	2441	118	20	214			Arsenal (2)
2	Spain I	2361	133	20	191			Barcelona (3)
3	Germany I	2345	153	18	173			Bayern Munich (1)
4	Italy I	2332	153	20	176			Inter (7)
5	France I	2283	141	18	155			PSG (6)
6	Portugal I	2183	185	18	131			Benfica (17)
7	Turkey I	2103	137	18	106			Galatasaray (38)
8	Belgium I	2100	137	16	108			Club Brugge KV (37)
9	Saudi Arabia I	2093	189	18	97			Al Hilal (33)
10	Netherlands I	2083	159	18	136			PSV (30)
11	Brazil I	2067	89	20	352			Palmeiras (60)
12	England II	2057	91	24	2			Ipswich (94)
13	Greece I	2045	176	14	106			Olympiacos Piraeus (57)
14	Spain II	2040	88	22	0			Racing Santander (104)
15	Japan I	2033	71	17	94			Kashima Antlers (81)
16	Denmark I	2007	121	12	80			Midtjylland (74)
17	Mexico I	1992	122	18	165			Cruz Azul (124)
18	Czech Republic I	1992	146	16	112			Slavia Prague (64)
19	Italy II	1970	103	20	0			Venezia (121)
20	Norway I	1969	120	16	92			Bodo/Glimt (75)
21	Argentina I	1969	88	30	280			River Plate (165)
22	Poland I	1966	74	18	96			Lech Poznan (155)
23	Germany II	1956	81	18	0			Paderborn (185)
24	Austria I	1954	105	12	91			Sturm Graz (145)
25	Switzerland I	1952	96	12	88			Lugano (209)
26	Israel I	1948	137	14	50			H. Beer Sheva (125)
27	Morocco I	1943	115	16	82			FAR Rabat (135)
28	USA I	1936	89	30	186			Inter Miami (189)
29	Iran I	1933	108	16	57			Tractor (167)
30	France II	1931	92	18	1			Le Mans (204)
31	Sweden I	1928	104	16	92			Mjallby (164)
32	Egypt I	1924	132	21	93			Pyramids (140)
33	Romania I	1922	116	16	66			Univ. Craiova (184)
34	Cyprus I	1918	193	14	92			Omonia (159)
35	Ukraine I	1909	169	16	68			Shakhtar Donetsk (76)
36	UAE I	1903	168	14	81			Shabab Al Ahli Dubai (158)
37	Scotland I	1898	142	12	88			Celtic (103)

#	League	Rating	SD	n	Int	1500 1750 2000 2250 2500	2016–2025	Best club, rank
38	South Korea I	1898	70	12	75			Jeonbuk (192)
39	Algeria I	1894	104	16	86			MC Alger (190)
40	Paraguay I	1878	98	12	118			Cerro Porteno (211)
41	Croatia I	1870	133	10	56			Din. Zagreb (101)
42	Ecuador I	1867	114	16	121			Ind. del Valle (175)
43	South Africa I	1851	139	16	79			Mamelodi Sundowns (122)
44	Colombia I	1850	102	20	115			Atl. Nacional (279)
45	Brazil II	1844	109	20	0			Sao Bernardo (348)
46	Bulgaria I	1833	157	16	62			Levski Sofia (270)
47	Turkey II	1831	119	20	0			Erzurumspor (352)
48	Tunisia I	1830	165	16	53			Esperance Tunis (160)
49	Hungary I	1824	127	12	64			Ferencvaros (153)
50	Chile I	1824	101	16	133			Coquimbo (350)
51	Qatar I	1813	119	12	74			Al Sadd (222)
52	Australia I	1811	82	12	38			Auckland FC (390)
53	Iraq I	1806	137	20	30			Al Shorta (322)
54	Slovenia I	1799	141	10	78			Celje (280)
55	Uruguay I	1790	89	16	118			Penarol (355)
56	Japan II	1787	100	20	0			V-Varen Nagasaki (399)
57	Serbia I	1782	157	16	58			Crvena zvezda (118)
58	Azerbaijan I	1776	177	12	56			Qarabag (234)
59	China I	1775	115	16	65			Chengdu Rongcheng (386)
60	Slovakia I	1774	116	12	52			Slovan Bratislava (295)
61	Saudi Arabia II	1767	156	18	0			Al Diriyah (427)
62	Thailand I	1763	147	16	114			Buriram (252)
63	Bahrain I	1763	177	14	23			Al Muharraq (306)
64	Belgium II	1760	151	17	0			Beveren (245)
65	Uzbekistan I	1753	142	16	30			Neftchi Fargona (432)
66	Algeria II	1748	154	32	0			El Biar (408)
67	Portugal II	1746	71	18	0			Torreense (592)
68	Poland II	1745	98	18	8			Wisla (466)
69	Argentina II	1744	77	36	0			Deportivo Moron (707)
70	Costa Rica I	1733	123	10	68			Saprissa (507)
71	Greece II	1729	187	20	0			Kalamata (351)
72	Zimbabwe I	1720	123	18	8			Scottland (450)
73	Peru I	1718	125	18	116			Alianza Lima (476)
74	Jordan I	1718	209	10	29			Al Hussein (318)
75	Ghana I	1716	77	18	14			Medeama (794)
76	Romania II	1714	154	22	6			Sepsi Sf. Gheorghe (618)
77	Kazakhstan I	1706	116	16	51			Kairat Almaty (601)
78	DR Congo I	1694	177	30	46			Mazembe (382)
79	Belarus I	1693	160	16	38			Din. Minsk (524)
80	South Korea II	1687	136	17	0			Suwon Bluewings (805)
81	Switzerland II	1686	129	10	6			Aarau (639)
82	Vietnam I	1680	113	14	47			Cong An Ha Noi (675)
83	Zambia I	1680	117	18	26			Power Dynamos (483)
84	Paraguay II	1680	125	16	0			Benjamin Aceval (765)

#	League	Rating	SD	n	Int	1500 1750 2000 2250 2500	2016–2025	Best club, rank
85	Bolivia I	1678	112	15	104			Bolivar (588)
86	Finland I	1678	126	12	48			KuPS (629)
87	Indonesia I	1673	117	18	41			Persib Bandung (631)
88	Bosnia and Herz. I	1672	176	10	52			Borac Banja Luka (405)
89	Libya I	1671	197	36	18			Al Ahly Tripoli (581)
90	Angola I	1671	168	16	46			Petro Atletico (326)
91	Lebanon I	1671	200	12	10			Al Ansar (457)
92	Syria I	1668	168	16	4			Al Ittihad Aleppo (660)
93	Oman I	1666	143	14	12			Al Seeb (419)
94	Senegal I	1666	88	16	16			Teungueth (946)
95	Kosovo I	1665	82	10	44			Drita (754)
96	Iran II	1662	132	18	0			Nassaji Mazandaran (883)
97	Tanzania I	1661	221	16	64			Young Africans (256)
98	Mali I	1660	137	14	36			Djoliba (623)
99	Uganda I	1659	156	16	8			Vipers (573)
100	Kuwait I	1658	220	10	22			Al (271)
101	Ivory Coast I	1658	83	16	46			ASEC Mimosas (680)
102	Ghana II	1656	121	48	0			Port City (695)
103	Honduras I	1652	145	11	40			Olimpia (511)
104	Netherlands II	1648	104	20	0			Den Haag (783)
105	Morocco II	1645	90	16	0			Widad Temara (841)
106	Cameroon I	1645	100	14	8			Colombe (745)
107	Denmark II	1638	126	12	0			Lyngby (915)
108	USA II	1637	112	25	0			Louisville City (911)
109	Panama I	1634	93	12	28			Plaza Amador (741)
110	Malaysia I	1634	232	13	59			Johor DT (130)
111	Venezuela I	1634	108	14	92			Carabobo (985)
112	Ireland I	1632	99	10	60			Shamrock Rovers (830)
113	Armenia I	1628	200	10	56			Noah (594)
114	Norway II	1628	102	16	0			Kongsvinger (926)
115	Australia II	1626	190	16	0			South Melbourne (541)
116	Guatemala I	1625	94	12	41			Municipal (732)
117	Israel II	1620	79	16	0			Maccabi Petah Tikva (977)
118	Albania I	1620	70	10	30			AF Elbasani (1027)
119	Sweden II	1619	93	16	0			Norrkoping (953)
120	Ecuador II	1612	80	12	0			Atletico FC (1006)
121	Georgia I	1606	108	10	26			Iberia 1999 (948)
122	Austria II	1605	90	16	0			Admira (1138)
123	Barbados I	1602	185	10	4			Weymouth Wales (415)
124	Iceland I	1601	131	12	54			Vikingur Reykjavik (498)
125	South Africa II	1595	97	16	0			Kruger United (1066)
126	North Macedonia I	1593	147	12	32			Shkendija (755)
127	Chile II	1591	63	16	0			Cobreloa (1287)
128	Nigeria I	1587	63	20	30			Rangers Int'l (1146)
129	Hungary II	1581	95	16	0			Vasas (1023)
130	Guinea I	1579	104	14	14			Horoya (891)
131	Burkina Faso I	1579	89	16	16			Rahimo (898)

#	League	Rating	SD	n	Int	1500 1750 2000 2250 2500	2016–2025	Best club, rank
132	Congo I	1573	160	22	16			Otoho d'Oyo (1004)
133	Sudan I	1570	186	24	17			Al-Hilal Omdurman II (869)
134	Egypt II	1570	103	18	0			Al Qanah (1118)
135	Ukraine II	1569	149	16	0			Bukovyna (844)
136	Colombia II	1562	140	16	0			Inter Palmira (1309)
137	Luxembourg I	1562	128	16	26			Differdange (1040)
138	Scotland II	1562	99	13	0			St Johnstone (1024)
139	Moldova I	1560	215	8	44			Sheriff Tiraspol (686)
140	Lithuania I	1552	107	10	30			Kauno Zalgiris (1222)
141	Gambia I	1552	74	16	2			Medina United (1295)
142	Niger I	1546	127	16	8			Nigelec (1311)
143	Slovenia II	1546	169	16	0			Grosuplje (981)
144	Togo I	1545	104	14	10			ASC Kara (876)
145	Czech Republic II	1532	91	16	0			Brno (962)
146	Uruguay II	1531	90	14	0			Huracan FC (1510)
147	Mozambique I	1531	155	14	14			UD Songo (860)
148	Latvia I	1531	243	10	44			Riga FC (544)
149	Faroe Islands I	1526	218	10	30			Klaksvik (558)
150	Indonesia II	1522	152	20	0			Garudayaksa (1532)
151	Botswana I	1520	176	16	18			Gaborone Utd (998)
152	Malta I	1518	140	12	34			Floriana (1220)
153	Ethiopia I	1516	64	20	10			Negele Arsi Ketema (1656)
154	Antigua & Barbuda I	1516	263	12	4			All Saints Utd. (723)
155	Benin I	1510	72	18	12			Coton FC (1386)
156	Cameroon II	1510	101	16	2			Union SA (1615)
157	Mauritania I	1506	132	14	10			Nouadhibou (913)
158	Rwanda I	1501	152	18	33			Al Hilal Omdurman (809)
159	El Salvador I	1501	152	12	23			Luis Angel Firpo (1414)
160	Jamaica I	1496	134	14	26			Mount Pleasant (1272)
161	Montenegro I	1495	83	10	28			Mornar Bar (1521)
162	Tunisia II	1495	121	28	0			PS Sakiet Eddaier (1475)
163	Canada I	1495	141	8	26			Forge (1141)
164	Costa Rica II	1492	114	16	0			Inter San Carlos (1237)
165	Haiti I	1490	158	13	18			Violette (1081)
166	Liberia I	1489	139	15	10			Fassell (1505)
167	India I	1487	112	14	15			Mohun Bagan (1538)
168	Bolivia II	1474	175	24	0			Ciudad Nueva SC (1649)
169	Dominican Rep. I	1468	196	10	32			Cibao (1152)
170	Burundi I	1467	190	16	12			Aigle Noir (1409)
171	Serbia II	1465	116	16	0			Zemun (1796)
172	Northern Ireland I	1465	147	12	36			Larne (1498)
173	Cyprus II	1464	151	16	0			Nea Salamis (1086)
174	Turkmenistan I	1463	315	8	31			Arkadag (198)
175	Eswatini I	1461	159	18	14			Nsingizini Hotspurs (1474)
176	Croatia II	1461	79	12	0			Cibalia (1809)
177	Singapore I	1458	231	8	54			Lion City (980)
178	Thailand II	1455	89	18	0			Rasisalai Utd (1466)

#	League	Rating	SD	n	Int	1500 1750 2000 2250 2500	2016–2025	Best club, rank
179	Hong Kong I	1439	203	10	24			Kitchee (1483)
180	Philippines I	1437	296	11	36			Manila Digger (1372)
181	Cambodia I	1430	224	11	28			Svay Rieng (1233)
182	Kenya I	1427	93	18	20			Gor Mahia (1775)
183	Mauritius I	1423	191	10	4			La Cure Waves (1487)
184	Kosovo II	1422	180	18	0			Vushtrria (1624)
185	Peru II	1422	93	18	0			Comerciantes (1891)
186	Nigeria II	1422	107	35	0			Inter Lagos (2133)
187	Estonia I	1418	174	10	34			Levadia (1265)
188	Albania II	1410	150	13	0			Laci (1435)
189	Bulgaria II	1410	111	17	0			Dunav Ruse (1987)
190	Wales I	1408	146	12	30			TNS (1167)
191	Nicaragua I	1400	175	10	32			Diriangen (1461)
192	Gabon I	1394	163	14	4			Mangasport (1325)
193	Lesotho I	1392	200	16	2			Matlama (2172)
194	Venezuela II	1387	106	17	0			Lara (2215)
195	Andorra I	1386	236	10	26			Inter Escaldes (1559)
196	Martinique I	1385	174	14	1			RC Saint Joseph (1496)
197	Slovakia II	1380	91	16	0			Banska Bystrica (1776)
198	UAE II	1377	169	15	0			United FC (2132)
199	Vietnam II	1375	157	12	0			Truong Tuoi Dong Nai (1754)
200	Uzbekistan II	1371	167	14	0			Aral (2134)
201	Georgia II	1369	97	10	2			FC Gareji Sagarejo (1959)
202	Azerbaijan II	1354	152	10	0			Safa Baku (1940)
203	India II	1346	87	10	0			Diamond Harbour (2130)
204	Iceland II	1336	100	12	0			Afturelding (2482)
205	Uganda II	1332	86	16	0			Blacks Power (2462)
206	China II	1331	85	16	0			Guangdong GZ-Power (2207)
207	Trinidad & Tobago I	1329	203	12	20			Defence Force Trinidad And Tobago (1451)
208	Mongolia I	1320	190	10	7			Falcons (1962)
209	Finland II	1319	111	10	0			Haka (2422)
210	Armenia II	1312	221	16	0			Sardarapat (1960)
211	Tajikistan I	1307	163	12	21			Istiqlol Dushanbe (1725)
212	New Zealand I	1298	152	11	7			Auckland City (2365)
213	Kazakhstan II	1286	164	14	0			Shakhter Karagandy (2381)
214	Bangladesh I	1276	187	10	8			Bashundara Kings (2036)
215	Bosnia and Herz. II	1276	91	14	0			Celik Zenica (2350)
216	Belarus II	1276	161	18	0			SKA-1938 (2419)
217	Kyrgyzstan I	1271	210	16	12			Muras United (2441)
218	Somalia I	1267	265	12	10			Heegan (2644)
219	Gibraltar I	1259	306	12	34			Lincoln Red Imps (1199)
220	North Macedonia II	1252	262	16	0			Bregalnica Stip (2555)
221	Taiwan I	1247	184	8	9			Taiwan Steel (2218)
222	Chad I	1243	149	14	4			Foullah Edifice (2413)
223	Qatar II	1243	96	8	0			Al Markhiya (2823)
224	Montenegro II	1228	112	10	0			Otrant (2704)
225	Suriname I	1224	227	10	6			Robinhood (1932)




#	League	Rating	SD	n	Int	1500 1750 2000 2250 2500	2016–2025	Best club, rank
226	Kenya II	1212	117	20	0			Equity Bank (2950)
227	Ireland II	1192	122	10	0			Cork City (2386)
228	Malta II	1189	159	16	0			Balzan (2836)
229	Lithuania II	1183	159	16	0			Babrungas (2927)
230	Kuwait II	1182	217	8	0			Yarmouk (2873)
231	Seychelles I	1179	132	10	6			Cote d'Or (2974)
232	Moldova II	1177	120	12	0			Real Sireti (2770)
233	Myanmar I	1168	234	12	20			Shan Utd (2296)
234	Malawi I	1162	141	16	6			Silver Strikers (2931)
235	Bhutan I	1160	221	10	6			Paro (2280)
236	Sierra Leone I	1154	96	18	8			Bo Rangers (3007)
237	San Marino I	1146	225	16	20			Virtus (2804)
238	Latvia II	1113	183	14	0			Metta (3178)
239	Northern Ireland II	1082	130	12	0			Limavady (3239)
240	Wales II	1055	138	16	0			Cambrian United (3282)
241	Laos I	1046	235	10	10			Young Elephant (3063)
242	Estonia II	1017	121	10	0			Viimsi JK (3367)
243	Fiji I	1005	171	10	2			Rewa (3375)
244	Faroe Islands II	993	142	10	0			Sandur (3365)



Table 13: The 100 strongest clubs after the 2025/2026 season. RD: the rating deviation (darker: less certain); the history since 2016, relative to the world mean of every season

#	Club	Rating	RD	2016–2025
1	Bayern Munich Germany I	2585	54	
2	Arsenal England I	2560	51	
3	Barcelona Spain I	2538	53	
4	Manchester City England I	2521	50	
5	Real Madrid Spain I	2490	53	
6	PSG France I	2482	52	
7	Inter Italy I	2458	53	
8	Liverpool England I	2425	51	
9	Aston Villa England I	2408	50	
10	Manchester Utd England I	2382	53	
11	Atl. Madrid Spain I	2380	50	
12	Bayer Leverkusen Germany I	2361	53	
13	Dortmund Germany I	2357	52	
14	Chelsea England I	2355	49	
15	Napoli Italy I	2341	54	
16	Newcastle England I	2334	49	
17	Benfica Portugal I	2329	54	
18	Sporting CP Portugal I	2329	55	
19	Brighton England I	2325	53	
20	Juventus Italy I	2325	52	
21	Bournemouth England I	2315	54	
22	FC Porto Portugal I	2304	55	
23	AC Milan Italy I	2304	54	
24	AS Roma Italy I	2295	52	
25	RB Leipzig Germany I	2293	56	
26	Atalanta Italy I	2284	51	
27	Brentford England I	2280	53	
28	Lens France I	2279	56	
29	Crystal Palace England I	2274	50	
30	PSV Netherlands I	2274	59	
31	Betis Spain I	2270	50	
32	Villarreal Spain I	2267	53	
33	Al Hilal Saudi Arabia I	2267	58	
34	Tottenham England I	2262	50	
35	Stuttgart Germany I	2258	51	
36	Fulham England I	2256	53	
37	Club Brugge KV Belgium I	2255	51	
38	Galatasaray Turkey I	2253	55	
39	Lyon France I	2253	53	
40	Royale Union SG Belgium I	2247	52	
41	Nottingham England I	2243	50	
42	Como Italy I	2243	54	
43	Everton England I	2239	54	
44	Lazio Italy I	2238	53	
45	Leeds England I	2235	54	
46	Lille France I	2234	53	
47	Bologna Italy I	2234	50	
48	Marseille France I	2232	54	
49	Monaco France I	2227	53	
50	Fenerbahce Turkey I	2223	53	
51	Freiburg Germany I	2215	51	
52	Real Sociedad Spain I	2210	52	
53	Ath Bilbao Spain I	2202	51	
54	Celta Vigo Spain I	2200	51	
55	Al Nassr Saudi Arabia I	2195	56	
56	Sunderland England I	2194	56	
57	Olympiacos Piraeus Greece I	2194	55	
58	West Ham England I	2193	53	
59	Hoffenheim Germany I	2191	56	
60	Palmeiras Brazil I	2183	58	
61	Eintracht Frankfurt Germany I	2182	53	
62	Rayo Vallecano Spain I	2181	51	
63	Braga Portugal I	2177	51	
64	Slavia Prague Czech Republic I	2172	57	
65	Strasbourg France I	2169	52	
66	Rennes France I	2167	56	
67	Valencia Spain I	2167	55	
68	Flamengo RJ Brazil I	2162	56	
69	Al Ahli SC Saudi Arabia I	2146	52	
70	AEK Athens Greece I	2145	54	
71	Fiorentina Italy I	2145	50	
72	Osasuna Spain I	2141	55	
73	Mainz Germany I	2140	53	
74	Midtjylland Denmark I	2134	51	
75	Bodo/Glimt Norway I	2130	63	
76	Shakhtar Donetsk Ukraine I	2130	57	
77	Getafe Spain I	2129	56	
78	Girona Spain I	2126	55	
79	Alaves Spain I	2118	55	
80	Burnley England I	2116	56	
81	Kashima Antlers Japan I	2115	59	
82	Espanyol Spain I	2114	56	
83	Torino Italy I	2113	55	
84	Mallorca Spain I	2111	56	
85	Feyenoord Netherlands I	2109	56	
86	Sassuolo Italy I	2107	57	
87	Augsburg Germany I	2107	57	
88	Wolves England I	2106	54	
89	Elche Spain I	2106	56	
90	B. Monchengladbach Germany I	2105	57	
91	Sevilla Spain I	2104	55	
92	Toulouse France I	2104	56	
93	Brest France I	2104	56	
94	Ipswich England II	2102	59	
95	Union Berlin Germany I	2102	57	
96	Levante Spain I	2101	57	
97	Lorient France I	2099	59	
98	PAOK Greece I	2098	51	
99	Udinese Italy I	2098	56	
100	Southampton England II	2092	55	

Table 14: Ratings of the 216 national teams after the 2026 World Cup. The stripe: the confederation; RD: the rating deviation (darker: less certain); the history since 2010 at the end of every year, relative to the mean of all teams

#	Team	Rating	RD	2010–2026	#	Team	Rating	RD	2010–2026
1	Spain	2415	72		37	Poland	1902	77	
2	Argentina	2335	74		38	Sweden	1900	76	
3	France	2316	73		39	Czech Republic	1886	75	
4	England	2270	73		40	Peru	1885	80	
5	Portugal	2216	76		41	Iran	1883	85	
6	Brazil	2212	80		42	Australia	1878	81	
7	Netherlands	2187	75		43	Venezuela	1874	81	
8	Germany	2182	79		44	Chile	1866	81	
9	Colombia	2147	75		45	Mali	1859	78	
10	Italy	2139	79		46	D.R. Congo	1856	72	
11	Morocco	2128	76		47	Tunisia	1851	77	
12	Belgium	2108	75		48	Canada	1850	76	
13	Croatia	2107	74		49	South Africa	1849	76	
14	Switzerland	2090	72		50	Slovenia	1834	77	
15	Senegal	2067	77		51	Slovakia	1834	77	
16	Uruguay	2065	77		52	Romania	1833	81	
17	Norway	2058	76		53	Ireland	1828	80	
18	Mexico	2036	75		54	South Korea	1826	84	
19	Denmark	2036	76		55	Burkina Faso	1816	79	
20	Ecuador	2017	77		56	Ghana	1812	79	
21	Turkey	2013	75		57	Panama	1802	72	
22	Ukraine	1989	79		58	Cape Verde	1789	79	
23	Egypt	1983	73		59	Costa Rica	1778	76	
24	Nigeria	1982	75		60	Bolivia	1770	80	
25	Paraguay	1973	75		61	Kosovo	1770	79	
26	Ivory Coast	1967	77		62	Israel	1765	82	
27	Japan	1952	86		63	Bosnia & Herzegovina	1761	74	
28	Scotland	1948	75		64	Albania	1757	81	
29	Serbia	1943	79		65	North Macedonia	1749	81	
30	Austria	1939	76		66	Georgia	1740	78	
31	Wales	1937	79		67	Saudi Arabia	1730	80	
32	Algeria	1931	76		68	Gabon	1720	81	
33	USA	1931	74		69	Uzbekistan	1718	86	
34	Greece	1925	81		70	Finland	1717	81	
35	Hungary	1920	79		71	Uganda	1703	82	
36	Cameroon	1911	79		72	Zambia	1702	83	

#	Team	Rating	RD	2010–2026	#	Team	Rating	RD	2010–2026
73	Iceland	1693	79		109	Rwanda	1534	86	
74	Guinea	1690	80		110	Liberia	1523	87	
75	Angola	1688	80		111	Malawi	1519	85	
76	Northern Ireland	1688	80		112	Syria	1513	93	
77	Equatorial Guinea	1685	81		113	Ethiopia	1511	82	
78	Qatar	1676	78		114	Burundi	1504	86	
79	Benin	1673	81		115	Oman	1493	85	
80	Mozambique	1651	80		116	Trinidad & Tobago	1493	78	
81	Iraq	1647	79		117	Curacao	1486	81	
82	Jamaica	1642	73		118	Eritrea	1484	151	
83	Honduras	1640	74		119	Congo	1482	89	
84	Montenegro	1637	81		120	Botswana	1473	85	
85	Jordan	1622	85		121	Faroe Islands	1465	83	
86	Comoros	1622	84		122	Azerbaijan	1461	85	
87	Bulgaria	1621	81		123	Bahrain	1461	90	
88	New Zealand	1606	115		124	Cyprus	1461	81	
89	Gambia	1606	84		125	China	1454	86	
90	Tanzania	1599	81		126	Central Africa	1454	86	
91	Sierra Leone	1597	88		127	Estonia	1453	83	
92	Haiti	1582	80		128	Suriname	1439	80	
93	Kenya	1579	88		129	El Salvador	1434	76	
94	Libya	1577	86		130	Latvia	1429	82	
95	Belarus	1576	82		131	Lesotho	1429	88	
96	Madagascar	1571	83		132	Palestine	1412	90	
97	Sudan	1570	81		133	Moldova	1409	84	
98	Guatemala	1562	79		134	Guadeloupe	1407	89	
99	Niger	1559	89		135	Lithuania	1391	82	
100	United Arab Emirates	1555	80		136	Martinique	1373	88	
101	Armenia	1553	80		137	North Korea	1373	96	
102	Zimbabwe	1550	83		138	Nicaragua	1371	83	
103	Mauritania	1547	83		139	Thailand	1370	93	
104	Luxembourg	1543	80		140	Indonesia	1352	87	
105	Togo	1541	84		141	Kyrgyzstan	1345	91	
106	Kazakhstan	1540	82		142	Tajikistan	1335	96	
107	Guinea Bissau	1539	83		143	Kuwait	1331	93	
108	Namibia	1535	84		144	Lebanon	1331	90	

#	Team	Rating	RD	2010–2026	#	Team	Rating	RD	2010–2026
145	Guyana	1331	83		181	Saint Martin	1064	94	
146	Cuba	1319	81		182	Tahiti	1060	111	
147	Malta	1318	86		183	Fiji	1059	109	
148	Chad	1315	88		184	Vanuatu	1042	130	
149	Dominican Republic	1312	83		185	Afghanistan	1039	95	
150	South Sudan	1305	88		186	Antigua & Barbuda	1031	85	
151	Eswatini	1300	87		187	Papua New Guinea	981	114	
152	Vietnam	1299	92		188	San Marino	981	97	
153	Turkmenistan	1255	99		189	Aruba	976	91	
154	Puerto Rico	1238	93		190	Bangladesh	958	96	
155	Malaysia	1229	95		191	Sri Lanka	956	105	
156	French Guiana	1227	96		192	Barbados	948	83	
157	Sao Tome & Principe	1225	93		193	Brunei	946	115	
158	Yemen	1210	92		194	Cambodia	943	107	
159	Philippines	1203	95		195	Dominica	941	87	
160	Bermuda	1202	81		196	Mongolia	941	116	
161	Mauritius	1199	100		197	Bhutan	936	105	
162	Singapore	1196	92		198	Cayman Islands	934	90	
163	Grenada	1194	91		199	Maldives	927	100	
164	Somalia	1178	108		200	Bonaire	913	100	
165	Andorra	1168	89		201	Laos	912	109	
166	Djibouti	1160	100		202	Nepal	886	98	
167	St Kitts & Nevis	1139	86		203	Pakistan	869	112	
168	New Caledonia	1138	114		204	Guam	868	122	
169	India	1136	92		205	Chinese Taipei	829	97	
170	St Vincent & Grenadines	1134	82		206	British Virgin Is.	809	91	
171	Gibraltar	1129	87		207	Turks & Caicos	803	98	
172	Saint Lucia	1126	89		208	Bahamas	795	88	
173	Hong Kong	1119	92		209	Macau	792	130	
174	Montserrat	1112	90		210	Timor-Leste	756	107	
175	Belize	1109	84		211	Samoa	745	123	
176	Seychelles	1106	109		212	US Virgin Islands	727	96	
177	Myanmar	1088	97		213	Anguilla	709	90	
178	Liechtenstein	1079	89		214	Tonga	700	153	
179	Sint Maarten	1079	93		215	Cook Islands	650	159	
180	Solomon Islands	1074	114		216	American Samoa	628	186	

Acknowledgements Andrei Shelopugin is thankful to Nikita Kozodoi and Viktoria Lokteva for their contributions to the earlier stages of this research, and to Nikita Vasyukhin for consultations on soccer.

References

[1] Bergkamp, T.L., Frencken, W.G., Niessen, A.S.M., Meijer, R.R., Hartigh, R.J.: How soccer scouts identify talented players. European Journal of Sport Science **22**(7), 994–1004 (2022)

[2] Dixon, M.J., Coles, S.G.: Modelling association football scores and inefficiencies in the football betting market. Journal of the Royal Statistical Society: Series C (Applied Statistics) **46**(2), 265–280 (1997)

[3] Elo, A.E.: The proposed uscf rating system, its development, theory, and applications. Chess Life **22**(8), 242–247 (1967)

[4] Glickman, M.E.: Paired comparison models with strength-dependent ties and order effects. Statistical Modelling **26**(5), 476–499 (2026)

[5] Grinsztajn, L., Oyallon, E., Varoquaux, G.: Why do tree-based models still outperform deep learning on typical tabular data? Advances in neural information processing systems **35**, 507–520 (2022)

[6] Ke, G., Meng, Q., Finley, T., Wang, T., Chen, W., Ma, W., Ye, Q., Liu, T.-Y.: Lightgbm: A highly efficient gradient boosting decision tree. Advances in neural information processing systems **30** (2017)

[7] Prokhorenkova, L., Gusev, G., Vorobev, A., Dorogush, A.V., Gulin, A.: Catboost: unbiased boosting with categorical features. Advances in neural information processing systems **31** (2018)

[8] Dixon, M., Robinson, M.: A birth process model for association football matches. Journal of the Royal Statistical Society: Series D (The Statistician) **47**(3), 523–538 (1998)

[9] Glickman, M.E.: Example of the glicko-2 system. Boston University **28** (2012)

[10] Herbrich, R., Minka, T., Graepel, T.: Trueskill™: a bayesian skill rating system. Advances in neural information processing systems **19** (2006)

[11] Shelopugin, A., Sirotkin, A.: Ratings of european and south american football leagues based on glicko-2 with modifications. arXiv preprint arXiv:2310.11459 (2023)

[12] Shelopugin, A., Sirotkin, A.: Constructing football club ratings with league strength awareness using a modified glicko model. In: International Sports Analytics Conference and Exhibition, pp. 38–61 (2026). Springer

[13] Pollard, R.: Home advantage in soccer: a retrospective analysis. Journal of Sports Sciences **4**(3), 237–248 (1986)

[14] Nevill, A.M., Balmer, N.J., Williams, A.M.: The influence of crowd noise and experience upon refereeing decisions in football. Psychology of Sport and Exercise **3**(4), 261–272 (2002)

[15] Pettersson-Lidbom, P., Priks, M.: Behavior under social pressure: Empty italian stadiums and referee bias. Economics Letters **108**(2), 212–214 (2010)

[16] Constantinou, A.C., Fenton, N.E.: Solving the problem of inadequate scoring rules for assessing probabilistic football forecast models. Journal of Quantitative Analysis in Sports **8**(1) (2012)

[17] Davidson, R.R.: On extending the bradley-terry model to accommodate ties in paired comparison experiments. Journal of the American Statistical Association **65**(329), 317–328 (1970)

[18] Dinsdale, D., Gallagher, J.: Transfer portal: Accurately forecasting the impact of a player transfer in soccer. arXiv preprint arXiv:2201.11533 (2022)

[19] Shelopugin, A.: Expected possession value of control and duel actions for soccer player skills estimation. In: International Sports Analytics Conference and Exhibition, pp. 292–314 (2026). Springer

[20] Pollard, R., Reep, C.: Measuring the effectiveness of playing strategies at soccer. Journal of the Royal Statistical Society Series D: The Statistician **46**(4), 541–550 (1997)