HireX — Release, Deployment & Hosting Guide

Document ID: `HXP-HANDOVER-11`
Platform Version: HireX V0 / Production Deployment Architecture
Target Audience: DevOps Engineers, System Administrators, Release Managers
Last Updated: October 2026

---

1. Hosting Architecture & Domain Topology

HireX is deployed across four subdomains on the `zobay.in` domain, sharing a common parent cookie domain:

Component	Repository	Hosted Staging URL	Deployment Environment
Backend REST API	`hirex-Backend`	`https://api.dev.hire.zobay.in`	Node.js Linux Container
Candidate Portal	`hirex-frontend`	`https://dev.candidate.hire.zobay.in`	Next.js Standalone Container
Recruiter Dashboard	`hirex-employer-frontend`	`https://dev.recruiter.hire.zobay.in`	Next.js Standalone Container
Interviewer Workspace	`interviewer`	`https://dev.interviewer.hire.zobay.in`	Next.js Standalone Container

---

2. Pre-Deployment Verification Checklist

Before deploying any release to staging or production, execute the following automated validation pipeline:

```
# 1. Verify TypeScript compiles cleanly across all 4 codebases
cd hirex-Backend && npx tsc --noEmit
cd ../hirex-employer-frontend && npx tsc --noEmit
cd ../hirex-frontend && npx tsc --noEmit
cd ../interviewer && npx tsc --noEmit

# 2. Execute Backend Unit & Integration Tests (Must be 100% pass)
cd ../hirex-Backend
npm test -- --runInBand

# 3. Test Production Bundling
cd ../hirex-employer-frontend && npm run build
cd ../hirex-frontend && npm run build
cd ../interviewer && npm run build
cd ../hirex-Backend && npm run build
```

---

3. Database Migration Deployment Procedure

HireX utilizes Prisma migrations. In staging and production pipelines, migrations must be executed safely:

3.1 Migration Command

```
npx prisma migrate deploy
```

> [!CAUTION] **NEVER execute `npx prisma migrate reset` in deployed environments.** `migrate reset` drops the entire database. `migrate deploy` applies only unapplied migration scripts safely.

---

4. Environment Variables Checklist for Deployed Environments

Variable Name	Required Environment	Description
`NODE_ENV`	All	Set to `production` or `staging`
`DATABASE_URL`	Backend	PostgreSQL connection URI
`COOKIE_DOMAIN`	Backend	Set to `.hire.zobay.in` (leading dot enables cross-subdomain sharing)
`BETTER_AUTH_SECRET`	Backend	32-byte cryptographic secret key
`BETTER_AUTH_URL`	Backend	`https://api.dev.hire.zobay.in`

Variable Name	Required Environment	Description
`FRONTEND_URL`	Backend	`https://dev.candidate.hire.zobay.in`
`RECRUITER_URL`	Backend	`https://dev.recruiter.hire.zobay.in`
`INTERVIEWER_URL`	Backend	`https://dev.interviewer.hire.zobay.in`
`SCHEDULAR_API_BASE_URL`	Backend	`https://api.dev.scheduler.zobay.in/api/v1`
`SCHEDULAR_API_KEY`	Backend	Schedular live meeting provider key
`SCHEDULAR_WEBHOOK_SECRET`	Backend	HMAC webhook secret key
`CLOUDFLARE_ACCOUNT_ID`	Backend	Cloudflare R2 Account ID
`CLOUDFLARE_R2_ACCESS_KEY_ID`	Backend	Cloudflare R2 Access Key
`CLOUDFLARE_R2_SECRET_ACCESS_KEY`	Backend	Cloudflare R2 Secret Access Key
`CLOUDFLARE_R2_BUCKET`	Backend	Cloudflare bucket name
`CLOUDFLARE_R2_PUBLIC_URL`	Backend	R2 public distribution endpoint
`SMTP_HOST`	Backend	Outgoing mail server
`SMTP_USER`	Backend	Mail server username
`SMTP_PASS`	Backend	Mail server password

---

5. Custom CNAME Domain & DNS Configuration

For tenant companies utilizing custom branded domains (e.g. `careers.company.com`):

1. **Tenant DNS Record:** Tenant creates a CNAME DNS record: `careers.company.com` -> `dev.candidate.hire.zobay.in`
2. **SSL Termination:** Managed via Cloudflare for SaaS or reverse proxy termination.
3. **Application Routing:** The candidate reverse proxy (`src/proxy.ts`) automatically intercepts the `Host` header and rewrites internal routes to the company's branded career page.

6. Rollback Procedures

If an unexpected regression or defect is identified post-deployment:

1. **Container Rollback:** Revert container image tags in the container registry to the previous verified release hash.
2. **Database Rollback:** If a migration was applied, execute a forward compensating migration rather than rolling back historical schema files.