

Name: Mustafa Saiffee (msaiffee)

1. reset

The screenshot shows the API Network client interface. The top bar includes navigation links (Home, Workspaces, API Network) and a search icon. The left sidebar contains icons for Collections, Environments, History, and a grid icon. The main area displays a POST request to `http://127.0.0.1:8080/reset`. The request is saved and has a 'Send' button. Below the URL bar, there are tabs for Params, Authorization, Headers (7), Body, Scripts, Tests, and Settings. The 'Query Params' section is empty. The 'Body' tab is selected, showing a 200 OK response with a status of 6 ms and 246 B. The response body is displayed in a code editor with syntax highlighting, showing an HTML structure with a pre-tag containing the message 'Database has been reset successfully'.

POST reset

python-mongo-lms / reset

POST http://127.0.0.1:8080/reset

Params Authorization Headers (7) Body Scripts Tests Settings

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (5) Test Results

200 OK • 6 ms • 246 B

Pretty Raw Preview Visualize XML

```
1 <html>
2   <body>
3     <pre>Database has been reset successfully</pre>
4   </body>
5 </html>
```

2. books

The screenshot shows the API Network client interface. The top bar includes navigation links (Home, Workspaces, API Network) and a search icon. The left sidebar contains icons for Collections, Environments, History, and a grid icon. The main area displays a GET request to `http://127.0.0.1:8080/books`. The request is saved and has a 'Send' button. Below the URL bar, there are tabs for Params, Authorization, Headers (6), Body, Scripts, Tests, and Settings. The 'Query Params' section is empty. The 'Body' tab is selected, showing a 200 OK response with a status of 5 ms and 871 B. The response body is displayed in a code editor with syntax highlighting, showing an HTML structure with a pre-tag containing a list of book records with fields like book_id, title, author, checked_out, borrower_id, and borrower_name.

POST reset GET books POST checkout POST return

python-mongo-lms / books

GET http://127.0.0.1:8080/books

Params Authorization Headers (6) Body Scripts Tests Settings

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (5) Test Results

200 OK • 5 ms • 871 B

Pretty Raw Preview Visualize XML

```
1 <html>
2   <body>
3     <pre>book_id,title,author,checked_out,borrower_id,borrower_name</pre>
4     <pre>A234,"The 101 Dalmations","Dodie Smith","N","",""</pre>
5     <pre>A675,"The Adventures of Huckleberry Finn","Mark Twain","N","",""</pre>
6     <pre>A212,"Bag of Bones","Stephen King","N","",""</pre>
7     <pre>B671,"Charlie and the Chocolate Factory","Roald Dahl","N","",""</pre>
8     <pre>B534,"Charlotte's Web","E.B.White","N","",""</pre>
9     <pre>B777,"A Christmas Carol","Charles Dickens","N","",""</pre>
10    <pre>B778,"Dracula","Bram Stoker","N","",""</pre>
11    <pre>B812,"A Farewell to Arms","Ernest Hemingway","N","",""</pre>
12    <pre>C101,"The Firm","John Grisham","N","",""</pre>
13    <pre>C102,"War and Peace","Leo Tolstoy","N","",""</pre>
14  </body>
```

3. checkout: borrower_id: L34, book_id: A234

The screenshot shows the API Network client interface. The selected request is a **POST** to `python-mongo-lms / checkout` with the URL `http://127.0.0.1:8080/checkout?borrowerId=L34&bookId=A234`. The response is a **200 OK** with a status of 6 ms and 263 B. The response body is displayed in HTML format:

```

1 <html>
2
3 <body>
4   <pre>'Andrea Selleck' has checked out 'The 101 Dalmations'</pre>
5 </body>
6
7 </html>

```

4. books


The screenshot shows the API Network client interface. The selected request is a **GET** to `python-mongo-lms / books` with the URL `http://127.0.0.1:8080/books`. The response is a **200 OK** with a status of 4 ms and 888 B. The response body is displayed in XML format:

```

1 <html>
2   <body>
3     <pre>book_id,title,author,checked_out,borrower_id,borrower_name</pre>
4     <pre>A234,"The 101 Dalmations","Dodie Smith","Y","L34","Andrea Selleck"</pre>
5     <pre>A675,"The Adventures of Huckleberry Finn","Mark Twain","N","",""</pre>
6     <pre>A212,"Bag of Bones","Stephen King","N","",""</pre>
7     <pre>B671,"Charlie and the Chocolate Factory","Roald Dahl","N","",""</pre>
8     <pre>B534,"Charlotte's Web","E.B.White","N","",""</pre>
9     <pre>B777,"A Christmas Carol","Charles Dickens","N","",""</pre>
10    <pre>B778,"Dracula","Bram Stoker","N","",""</pre>
11    <pre>B812,"A Farewell to Arms","Ernest Hemingway","N","",""</pre>
12    <pre>C101,"The Firm","John Grisham","N","",""</pre>
13    <pre>C102,"War and Peace","Leo Tolstoy","N","",""</pre>
14  </body>

```


5. return: borrower_id: L19, book_id: Z111



The screenshot shows the Postman interface for a POST request to the endpoint `http://127.0.0.1:8080/return?borrowerId=L19&bookId=Z111`. The request is successful, returning a 200 OK status with a response time of 7 ms and a body size of 243 B. The response body is displayed in HTML format:

```
1 <html>
2   <body>
3     <pre>Book with ID Z111 does not exist.</pre>
4   </body>
5 </html>
```


6. return: borrower_id: L34, book_id: A234



The screenshot shows the Postman interface for a POST request to the endpoint `http://127.0.0.1:8080/return?borrowerId=L34&bookId=A234`. The request is successful, returning a 200 OK status with a response time of 5 ms and a body size of 260 B. The response body is displayed in HTML format:

```
1 <html>
2   <body>
3     <pre>'Andrea Selleck' has returned 'The 101 Dalmations'</pre>
4   </body>
5 </html>
```

7. books



python-mongo-lms / **books**

GET Send

Params Authorization Headers (6) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit

Body Cookies Headers (5) Test Results 200 OK • 4 ms • 871 B


Pretty Raw Preview Visualize HTML

```

1 <html>
2
3 <body>
4   <pre>book_id,title,author,checked_out,borrower_id,borrower_name</pre>
5   <pre>A234,"The 101 Dalmations","Dodie Smith","N","",""</pre>
6   <pre>A675,"The Adventures of Huckleberry Finn","Mark Twain","N","",""</pre>
7   <pre>A212,"Bag of Bones","Stephen King","N","",""</pre>
8   <pre>B671,"Charlie and the Chocolate Factory","Roald Dahl","N","",""</pre>
9   <pre>B534,"Charlotte's Web","E.B.White","N","",""</pre>
10  <pre>B777,"A Christmas Carol","Charles Dickens","N","",""</pre>
11  <pre>B778,"Dracula","Bram Stoker","N","",""</pre>
12  <pre>B812,"A Farewell to Arms","Ernest Hemingway","N","",""</pre>
13  <pre>C101,"The Firm","John Grisham","N","",""</pre>
14  <pre>C102,"War and Peace","Leo Tolstoy","N","",""</pre>

```

8. reset



python-mongo-lms / **reset**

POST Send

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (5) Test Results 200 OK • 7 ms • 246 B


Pretty Raw Preview Visualize XML

```

1 <html>
2   <body>
3     <pre>Database has been reset successfully</pre>
4   </body>
5 </html>

```

9. books



The screenshot shows the Postman API client interface. The top bar indicates the current workspace is 'API Network'. The left sidebar shows the 'Collections' and 'Environments' sections. The main area displays a GET request to the endpoint 'http://127.0.0.1:8080/books'. The response is a 200 OK status with a 4ms response time and 871 B of data. The response body is displayed in HTML format, showing a list of books with their IDs, titles, authors, and checked-out status.

Key	Value	Description
book_id	title	author
checked_out	borrower_id	borrower_name
A234	"The 101 Dalmations"	"Dodie Smith", "N", "", ""
A675	"The Adventures of Huckleberry Finn"	"Mark Twain", "N", "", ""
A212	"Bag of Bones"	"Stephen King", "N", "", ""
B671	"Charlie and the Chocolate Factory"	"Roald Dahl", "N", "", ""
B534	"Charlotte's Web"	"E.B.White", "N", "", ""
B777	"A Christmas Carol"	"Charles Dickens", "N", "", ""
B778	"Dracula"	"Bram Stoker", "N", "", ""
B812	"A Farewell to Arms"	"Ernest Hemingway", "N", "", ""
C101	"The Firm"	"John Grisham", "N", "", ""
C102	"War and Peace"	"Leo Tolstoy", "N", "", ""