

Home

kali-linux-2025.1c-vmware-...

*eth0

File

Edit

View

Go

Capture

Analyze

Statistics

Telephony

Wireless

Tools

Help

Wireshark · Packet 5 · eth0

▶ Frame 5: 71 bytes on wire (568 bits), 71 bytes captured (568 bits) on interface eth0, id 0

▶ Ethernet II, Src: VMware_50:f9:47 (00:0c:29:50:f9:47), Dst: VMware_f4:15:d2 (00:50:56:f4:15:d2)

▶ Internet Protocol Version 4, Src: 192.168.52.128, Dst: 192.168.52.2

▶ User Datagram Protocol, Src Port: 50372, Dst Port: 53

▶ Domain Name System (query)

0000	00 50 56 f4 15 d2 00 0c	29 50 f9 47 08 00 45 00	.PV)P.G.E.
0010	00 39 9d 79 00 00 40 11	f3 67 c0 a8 34 80 c0 a8	.9.y-@-g-4...
0020	34 02 c4 c4 00 35 00 25	ea 09 07 e2 01 00 00 01	4....5.%
0030	00 00 00 00 00 00 07 65	78 61 6d 70 6c 65 03 63	e xample.c
0040	6f 6d 00 00 01 00 01		om.....

No.: 5 · Time: 7.115308350 · Source: 192.168.52.128 · Destination: 192.168.52.2 · Protocol: DNS · Length: 71 · Info: Standard query 0x07c2 A example.com

✓ Show packet bytes

Layout: Vertical (Stacked)

× Close

Help

Wireshark · Packet 6 · eth0

▶ Frame 6: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface eth0, id 0

▶ Ethernet II, Src: VMware_f4:15:d2 (00:50:56:f4:15:d2), Dst: VMware_50:f9:47 (00:0c:29:50:f9:47)

▶ Internet Protocol Version 4, Src: 192.168.52.2, Dst: 192.168.52.128

▶ User Datagram Protocol, Src Port: 53, Dst Port: 50372

▶ Domain Name System (response)

0000	00	0c	29	50	f9	47	00	50	56	f4	15	d2	08	00	45	00	..	)	P	.	G	.	P	V	..	..	E	.
0010	00	59	fe	f0	00	00	80	11	51	d0	c0	a8	34	02	c0	a8	..	Y	..	..	..	..	Q	..	..	4	..	
0020	34	80	00	35	c4	c4	00	45	e4	84	07	e2	81	80	00	01	4	..	5	..	..	..	E	..	..	..	..	
0030	00	02	00	00	00	00	00	07	65	78	61	6d	70	6c	65	03	63	..	..	..	..	..	..	..	..	e	xample.c	
0040	6f	6d	00	00	01	00	01	c0	0c	00	01	00	01	00	00	00	om	..	..	..	..	..	..	..	..	..	..	
0050	05	00	04	ac	42	93	f3	c0	0c	00	01	00	01	00	00	00	..	..	B	..	..	..	..	..	..	..	..	
0060	05	00	04	68	14	17	9a										..	..	h	..	..	..	..	..	..	..	..	

No.: 6 · Time: 7.202523048 · Source: 192.168.52.2 · Destination: 192.168.52.128 · Protoc...03 · Info: Standard query response 0x07e2 A example.com A 172.66.147.243 A 104.20.23.154

✓ Show packet bytes

Layout: Vertical (Stacked)

× Close

ⓘ Help