

kali-linux-2025.1c-vmware...

kali@kali: ~

File Actions Edit View Help

kali@kali: ~

C:\home\kali> curl http://neverssl.com

<html>

<head>

<title>NeverSSL - Connecting ... </title>

<style>

body {

font-family: Montserrat, helvetica, arial, sans-serif;
font-size: 16px;
color: #444444;
margin: 0;

h2 {

font-weight: 700;
font-size: 1.6em;
margin-top: 30px;

}

p {

line-height: 1.6em;

}

.container {

max-width: 650px;
margin: 20px auto 20px auto;
padding-left: 15px;
padding-right: 15px

}

.header {

background-color: #42C0FD;
color: #FFFFFF;
padding: 10px 0 10px 0;
font-size: 2.2em;

}

.notice {

background-color: red;
color: white;
padding: 10px 0 10px 0;
font-size: 1.25em;
animation: flash 4s infinite;

}

@keyframes flash {

0% {

background-color: red;

```

kali@kali: ~
File Actions Edit View Help
kali@kali: ~
50% {
    background-color: #AA0000;
}
0% {
    background-color: red;
}
}
}
CSS from Mark Webster https://gist.github.com/markcwebster/9bdf30655cdd5279bad13993ac87c85d
</style>

<script>
var adjectives = [ 'cool', 'calm', 'relaxed', 'soothing', 'serene', 'slow',
    'beautiful', 'wonderful', 'wonderous', 'fun', 'good',
    'glowing', 'inner', 'grand', 'majestic', 'astounding',
    'fine', 'splendid', 'transcendent', 'sublime', 'whole',
    'unique', 'old', 'young', 'fresh', 'clear', 'shiny',
    'shining', 'lush', 'quiet', 'bright', 'silver' ];

var nouns =
    [ 'day', 'dawn', 'smile', 'love', 'zen', 'laugh',
    'yawn', 'poem', 'song', 'joke', 'verse', 'kiss', 'sunrise',
    'sunset', 'eclipse', 'moon', 'rainbow', 'rain', 'plan',
    'play', 'chart', 'birds', 'stars', 'pathway', 'secret',
    'treasure', 'melody', 'magic', 'spell', 'light', 'morning' ];

var prefix =
    // Choose 3 zen adjectives
    adjectives.sort(function(){return 0.5-Math.random()}).slice(-3).join('')
    +
    // Coupled with a zen noun
    nouns.sort(function(){return 0.5-Math.random()}).slice(-1).join('');
window.location.href = 'http://' + prefix + '.neverssl.com/online';
</script>
</head>
<body>
<noscript>
    <div class="notice">
        <div class="container">
            JavaScript for <code>neverssl.com</code>
            A JavaScript appears to be disabled. NeverSSL's cache-busting works better if you enable JavaScript for <code>neverssl.com</code>.
        </div>
    </div>
</noscript>
</body>
</html>

```


File Actions Edit View Help

kali@kali: ~

kali@kali: ~

<p>Normally, that's a bad idea. You should always use SSL and secure encryption when possible. In fact, it's such a bad idea that most websites are now using https by default.</p>

<p>And that's great, but it also means that if you're relying on poorly-behaved wifi networks, it can be hard to get online. Secure browsers and websites using https make it impossible for those wifi networks to send you to a login or payment page. Basically, those networks can't tap into your connection just like attackers can't. Modern browsers are so good that they can remember when a website supports encryption and even if you type in the website name, they'll use https.</p>

<p>And if the network never redirects you to this page, well as you can see, you're not missing much.</p>

Follow @neverssl

</noscript>

</div>

</div>

</body>

</html>

C:\home\kali>

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

| No. | Time | Source | Destination | Protocol | Length | Info |
|-----|---------------|-----------------|-----------------|----------|--------|--|
| 19 | 32.250242423 | 192.168.52.128 | 192.46.215.60 | NTP | 90 | NTP Version 4, client |
| 20 | 32.320025487 | 192.46.215.60 | 192.168.52.128 | NTP | 90 | NTP Version 4, server |
| 21 | 37.309838712 | VMware_50:f9:47 | VMware_f4:15:d2 | ARP | 42 | Who has 192.168.52.2? Tell 192.168.52.128 |
| 22 | 37.310073285 | VMware_f4:15:d2 | VMware_50:f9:47 | ARP | 60 | 192.168.52.2 is at 00:50:56:f4:15:d2 |
| 23 | 46.170098437 | 192.168.52.128 | 192.168.52.2 | DNS | 72 | Standard query 0x9425 A neverssl.com |
| 24 | 46.170270311 | 192.168.52.128 | 192.168.52.2 | DNS | 72 | Standard query 0x5cc8 AAAA neverssl.com |
| 25 | 46.267867219 | 192.168.52.2 | 192.168.52.128 | DNS | 225 | Standard query response 0x9425 A neverssl.com A 34.223.124.45. |
| 26 | 46.270737216 | 192.168.52.2 | 192.168.52.128 | DNS | 237 | Standard query response 0x5cc8 AAAA neverssl.com AAAA 2600:1f... |
| 27 | 46.280969421 | 192.168.52.128 | 34.223.124.45 | TCP | 74 | 50748 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSv... |
| 28 | 47.294553884 | 192.168.52.128 | 34.223.124.45 | TCP | 74 | [TCP Retransmission] 50748 → 80 [SYN] Seq=0 Win=64240 Len=0 M... |
| 29 | 48.317810967 | 192.168.52.128 | 34.223.124.45 | TCP | 74 | [TCP Retransmission] 50748 → 80 [SYN] Seq=0 Win=64240 Len=0 M... |
| 30 | 49.341949190 | 192.168.52.128 | 34.223.124.45 | TCP | 74 | [TCP Retransmission] 50748 → 80 [SYN] Seq=0 Win=64240 Len=0 M... |
| 31 | 50.365940365 | 192.168.52.128 | 34.223.124.45 | TCP | 74 | [TCP Retransmission] 50748 → 80 [SYN] Seq=0 Win=64240 Len=0 M... |
| 32 | 51.390184905 | 192.168.52.128 | 34.223.124.45 | TCP | 74 | [TCP Retransmission] 50748 → 80 [SYN] Seq=0 Win=64240 Len=0 M... |
| 33 | 53.406013181 | 192.168.52.128 | 34.223.124.45 | TCP | 74 | [TCP Retransmission] 50748 → 80 [SYN] Seq=0 Win=64240 Len=0 M... |
| 34 | 53.623078959 | 34.223.124.45 | 192.168.52.128 | TCP | 60 | 80 → 50748 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460 |
| 35 | 53.629064689 | 192.168.52.128 | 34.223.124.45 | TCP | 54 | 50748 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0 |
| 36 | 53.631718856 | 192.168.52.128 | 34.223.124.45 | HTTP | 130 | GET / HTTP/1.1 |
| 37 | 53.632794600 | 34.223.124.45 | 192.168.52.128 | TCP | 60 | 80 → 50748 [ACK] Seq=1 Ack=77 Win=64240 Len=0 |
| 38 | 54.0205066733 | 34.223.124.45 | 192.168.52.128 | TCP | 1354 | 80 → 50748 [PSH, ACK] Seq=1 Ack=77 Win=64240 Len=1300 [TCP PD... |
| 39 | 54.020708102 | 192.168.52.128 | 34.223.124.45 | TCP | 54 | 50748 → 80 [ACK] Seq=77 Ack=1301 Win=65535 Len=0 |
| 40 | 54.022514753 | 34.223.124.45 | 192.168.52.128 | TCP | 1354 | 80 → 50748 [PSH, ACK] Seq=1301 Ack=77 Win=64240 Len=1300 [TCP... |
| 41 | 54.022529928 | 34.223.124.45 | 192.168.52.128 | TCP | 1354 | 80 → 50748 [PSH, ACK] Seq=2601 Ack=77 Win=64240 Len=1300 [TCP... |
| 42 | 54.022579647 | 192.168.52.128 | 34.223.124.45 | TCP | 54 | 50748 → 80 [ACK] Seq=77 Ack=2601 Win=65535 Len=0 |
| 43 | 54.022655423 | 192.168.52.128 | 34.223.124.45 | TCP | 54 | 50748 → 80 [ACK] Seq=77 Ack=3901 Win=65535 Len=0 |
| 44 | 54.022854898 | 34.223.124.45 | 192.168.52.128 | HTTP | 415 | HTTP/1.1 200 OK (text/html) |
| 45 | 54.022881454 | 192.168.52.128 | 34.223.124.45 | TCP | 54 | 50748 → 80 [ACK] Seq=77 Ack=4262 Win=65535 Len=0 |
| 46 | 54.024323600 | 192.168.52.128 | 34.223.124.45 | TCP | 54 | 50748 → 80 [FIN, ACK] Seq=77 Ack=4262 Win=65535 Len=0 |
| 47 | 54.024709870 | 34.223.124.45 | 192.168.52.128 | TCP | 60 | 80 → 50748 [ACK] Seq=4262 Ack=78 Win=64239 Len=0 |

Frame 1: 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: VMware_50:f9:47 (00:0c:29:50:f9:47), Dst: VMware_...

Internet Protocol Version 4, Src: 192.168.52.128, Dst: 192.46.215.6

User Datagram Protocol, Src Port: 44791, Dst Port: 123

eth0: <live capture in progress>

Packets: 183

Profile: Default

5:52 AM
24/09/2026

Wireshark interface showing network traffic capture from eth0. The interface includes a menu bar (File, Edit, View, Go, Capture, Analyze, Statistics, Telephony, Wireless, Tools, Help), a toolbar, and a packet list pane.

The packet list pane displays the following captured packets:

| No. | Time | Source | Destination | Protocol | Length | Info |
|-----|---------------|----------------|----------------|----------|--------|-----------------------------|
| 36 | 53.631718856 | 192.168.52.128 | 34.223.124.45 | HTTP | 130 | GET / HTTP/1.1 |
| 44 | 54.022854898 | 34.223.124.45 | 192.168.52.128 | HTTP | 415 | HTTP/1.1 200 OK (text/html) |
| 64 | 100.661135485 | 192.168.52.128 | 34.223.124.45 | HTTP | 130 | GET / HTTP/1.1 |
| 68 | 101.027419572 | 34.223.124.45 | 192.168.52.128 | HTTP | 1715 | HTTP/1.1 200 OK (text/html) |

The bottom pane shows the details of the selected packet (Frame 36):

- Frame 36: 130 bytes on wire (1040 bits), 130 bytes captured (1040 b)
- Ethernet II, Src: VMware_50:f9:47 (00:0c:29:50:f9:47), Dst: VMware_50:f9:47 (00:0c:29:50:f9:47)
- Internet Protocol Version 4, Src: 192.168.52.128, Dst: 34.223.124.45
- Transmission Control Protocol, Src Port: 50748, Dst Port: 80, Seq: 30000
- Hypertext Transfer Protocol: Protocol

Packet details summary: Packets: 187 - Displayed: 4 (2.1%) Profile: Default

Wireshark · Packet 44 · eth0

▶ Frame 44: 415 bytes on wire (3320 bits), 415 bytes captured (3320 bits) on interface eth0, id 0

▶ Ethernet II, Src: VMware_f4:15:d2 (00:50:56:f4:15:d2), Dst: VMware_50:f9:47 (00:0c:29:50:f9:47)

▶ Internet Protocol Version 4, Src: 34.223.124.45, Dst: 192.168.52.128

▶ Transmission Control Protocol, Src Port: 80, Dst Port: 50748, Seq: 3901, Ack: 77, Len: 361

▶ [4 Reassembled TCP Segments (4261 bytes): #38(1300), #40(1300), #41(1300), #44(361)]

▶ Hypertext Transfer Protocol

▶ Line-based text data: text/html (131 lines)

| | | | |
|------|-------------------------|-------------------------|----------------------|
| 0000 | 00 0c 29 50 f9 47 00 50 | 56 f4 15 d2 08 00 45 00 |)P.G.P.V.....E. |
| 0010 | 01 91 ff 99 00 00 80 06 | a5 98 22 df 7c 2d c0 a8 | |
| 0020 | 34 80 00 50 c6 3c 6d c5 | 5c 33 46 36 95 2e 50 18 | 4..P.<m. \3F6..P. |
| 0030 | fa f0 7b 7c 00 00 6f 20 | 67 6f 6f 64 20 74 68 61 | --{[...o good tha |
| 0040 | 74 20 74 68 65 79 20 63 | 61 6e 20 72 65 6d 65 6d | t they c an remem |
| 0050 | 62 65 72 20 77 68 65 6e | 20 61 20 77 65 62 73 69 | ber when a websi |
| 0060 | 74 65 20 73 75 70 70 6f | 72 74 73 20 65 6e 63 72 | te suppo rts encr |
| 0070 | 79 70 74 69 6f 6e 20 61 | 6e 64 0a 09 09 65 76 65 | yption a nd...eve |
| 0080 | 6e 20 69 66 20 79 6f 75 | 20 74 79 70 65 20 69 6e | n if you type in |
| 0090 | 20 74 68 65 20 77 65 62 | 73 69 74 65 20 6e 61 6d | the web site nam |
| 00a0 | 65 2c 20 74 68 65 79 27 | 6c 6c 20 75 73 65 20 68 | e, they' ll use h |
| 00b0 | 74 74 70 73 2e 3c 2f 70 | 3e 0a 0a 09 09 3c 70 3e | ttps.</p >...<p> |

Frame (415 bytes)Reassembled TCP (4261 bytes)

No.: 44 · Time: 54.022854898 · Source: 34.223.124.45 · Destination: 192.168.52.128 · Protocol: HTTP · Length: 415 · Info: HTTP/1.1 200 OK (text/html)

✓ Show packet bytes

Layout: Vertical (Stacked)

× Close

Help



