UAply: the record, October 12 to 17, 2026

The cloud session of October 17 as a transcript, the handoff, the changelog and every commit

What this document is

Compiled on October 17, 2026 from the cloud Claude Code session that worked on UAply that day. It holds four things:

1. **The October 17 session as a transcript**: every request the owner sent, in his own words, and what was done in reply, in order.
2. **The handoff** (`HANDOFF.md` in the repository): the owner's standing rules, every instance and where it runs, the owner-only steps, the two weeks of work in plain words, and what is still open.
3. **The changelog** (`CHANGELOG.md`): the unreleased work on sandbox and dev, as written for users.
4. **Every commit** on the sandbox branch since the repository began on October 12 (178 commits, by day).

The chat text of the sessions before October 17 is not in the cloud session and so is not reproduced here; their work is recorded in parts 2 to 4. Links: the live site https://uaply.onrender.com; the launch board https://claude.ai/artifact/EEEa9pfxBa1z4zjPJWDdP3; the apply research plan https://claude.ai/artifact/WwkzTD3ZE9aYeVRRKa5iRP; the code https://github.com/saifsiddiqueep-sketch/uaply.

Part 1. The October 17 cloud session, as a transcript

Times are UTC. The session continued from an earlier one whose handoff said: PR #34 (sandbox to dev) was open and un-mergeable; Render service “uaply” was live from branch dev on a temporary data folder; the owner’s new task was deep research on making a swipe right truly apply, a tiered plan published as a page, and the top tier built in sandbox by the Opus bots.

07:36. Start of the session

Claude: Checked the repository and PR #34. The PR’s checks were green but dev had moved on (PR #33, the bottom bar 50 px higher on phones), so the PR had a merge conflict in `dev/index.html` and `shared/uaply-nav.js`. Read the existing apply code (`ats_api.py`, `autofill.py`, `uaply_api.py`, `EMPLOYERS.md`) and ran the first round of web research on Greenhouse, Lever, Ashby, SmartRecruiters, Workable, Indeed Apply, LinkedIn Apply Connect, ZipRecruiter, Handshake, Workday, iCIMS and USAJOBS.

07:39. Three messages from the owner

> *I want the link to the UAply website through render displayed.*

> *I want to know, when I leave the cloud session, will it take me back to the other version of Claude that I just saw? With everything that I’ve worked on for like the last two weeks, displayed.*

> *I want to do that displayed.*

Claude: Gave the link https://uaply.onrender.com (health check /healthz) and confirmed through Render’s tools that the service was live (deploy of 07:28, log line: dev, public, temporary data folder, email off, owner pages off, payments off). Explained that leaving the cloud session loses nothing: the session stays listed at claude.ai/code, earlier chats stay in the history, and the work lives in GitHub, on Render and on the GitHub Pages previews. Began a status page showing everything from the last two weeks in one place.

07:41. A screenshot of the Account screen on the live site

> *I want to fix that displayed.*

The screenshot showed the Account screen on uaply.onrender.com for the signed-in owner: “email not verified yet”, “This server cannot send email yet”, and a note saying “no real email is connected here yet, so it is saved in the test inbox; connect Gmail to send real ones”, with links to owner-only pages a visitor cannot open.

Claude: Resolved PR #34’s conflict by merging dev into sandbox and keeping both sides (dev’s simpleTabs and navLift, sandbox’s consent at first open, learning from swipes and the Stripe test links; dev’s 80 px lift cap). Fixed the three Account messages so that on a hosted server with email off they say “Email is not switched on for this site yet; your account works and you can swipe; the code button appears once it is”, keeping the test-inbox wording only on the owner’s own computer (commit b8bf634). Ran `node check.js`, ruff, `test-pages` 16/16 and `audit-files` (0 errors), pushed sandbox, and updated PR #34’s description. Explained that the real fix for the site is the email login in Render’s `UAPLY_CONFIG_JSON`, which only the owner can paste. Spawned Bot 2 (apply-ready Profile fields) and Bot 3 (Ashby and SmartRecruiters connectors) as Opus agents in their own worktrees.

07:47. The owner widens the task

> *I want you to look through the website and application for things that did not work and I want you to be able to fix the gmail connector and the stripe to allow people to login through gmail connection and pay through stripe with real cards and I want you to test the live account through opus bots to make that work displayed.*

Claude: Read the environment’s network documentation: this cloud container’s network policy blocks uaply.onrender.com, so bots cannot reach the live site until the owner allows that host in the environment’s settings (steps given). Spawned Bot 1 (site audit: make `tools/cdp.js` find the cloud’s Chromium, run the whole suite, walk the site as a new person, fix small things). Noted what Google sign-in and real Stripe payments need from the owner: a Google client ID and secret, Stripe live keys, the Brevo SMTP key.

07:50. The owner’s full statement of what he wants

> *I want you to act as a senior engineer and a senior consultant and basically use the Opus bots to be able to look through the live site right now and make sure that anything that’s not working in terms of functionality for user friendliness, I want that to work. I want the options like the Gmail connector and stuff. I want the I want you to research online*

> *how to make that work perfectly without any issues. And I need that to work. And I want the start function to work too. And now that we have the live site, I want you to use real job postings that are able to autofill through the swipe function. If someone swipes right on a job, that it automatically applies to them to that job. I want you to do a lot of research, a lot of research to make sure that this works. I want, I don't want there to be any problems. And if you weren't any issues, then fix it. For the Gmail connector, if you weren't any issues, then fix it. You can take control on my Claude extend. You can take care, take control, whatever. You have every connector that you need. I need to make sure that the Gmail connector, if someone wants to sign in through Google to make an account for UAPLY, U-A-P-L-Y, that it works. I don't want there to be any issues. And if you need to get past CAPTCHAs, then do that too. Whatever you need to do to make the Gmail connector function work today and the Stripe function to make sure that you can't get scammed and people putting fake card information, I want you to make sure that, that works too. I don't want there to be absolutely any problems with this. And I, once you figure out the solution, I want you to use the Opus bots to test the solutions like as much as you need to, to make sure it's effectively going to be able to be integrated into the application. Then do it. No. Just make sure that if someone, like, let's say, inputs their resume, you're able to parse it. If someone puts the information in the profile section, you're able to, like, parse it and go through it and just automatically fill out the application. I want you to do research to make this possible as much as you need to. I just want to make sure that this is possible in any system. I, I don't I don't want you to say no. I don't want you to come back to me and give me, like, an explanation why it's not possible. I just want you to do a lot of deep research and make sure that you're able to do that displayed.*

> *I want to do that displayed.*

Claude: Checked whether the cloud session had any way to drive the owner's computer or browser (it has none; no remote-control link exists in this session; the Google Cloud command-line tool is installed but not signed in and cannot create a sign-in client anyway). Sent Bot 1 two additions (check every Start control and the first open; record what a visitor sees for Continue with Google when no client ID is set). Spawned Bot 4 (Google sign-in and Stripe checked against Google's and Stripe's current rules, webhook hardening, the owner's checklists) and Bot 5 (read an uploaded resume and fill Profile setup from it, sandbox first). Published the research page "Swipe Right Apply Plan" (the short answer, three tiers, a site-by-site table, what is forbidden, legal requirements, how screening questions are answered, what Profile setup must collect, what is being built, sources). Merged PR #34 into dev (commit 522f2e5) once GitHub's check was green, triggered the Render deploy by hand because auto-deploy did not fire, and verified the live log line at 07:57. Tried to push the tag v1.0.0-rc.9; GitHub refused tag pushes from this environment (HTTP 403 through the proxy), so the tag is left for a laptop session. Published the "UAply Launch Board" page (live links, the server's own

status line, the four pastes only the owner can do with exact values, the bots at work, decisions waiting, the two-week record).

The research answer, in one paragraph: every hiring system that accepts applications over an API (Greenhouse, Lever, Ashby, SmartRecruiters, Workable) accepts them only with a key the employer's own administrator creates; Indeed Apply, LinkedIn Apply Connect and ZipApply are employer-side products with no job-seeker API, and their terms forbid bots; Handshake has no public API and blocks accounts past 300 applications a day; USAJOBS' terms require sending people to USAJOBS to apply; Workday and iCIMS are partner-gated. So the three tiers: straight into a connected employer's system; email or signed webhook to an employer who agreed; save, receipt with every answer ready, open the employer's page.

07:58. Accounts must not be temporary

> *I don't want the accounts to be temporary. I want that once the accounts are made, they're able to be saved in some sort of repository, not on my computer, whether it be cloud-based or another system. I want that. I need people's accounts to be saved online in a system. And for the email, I need the verification codes and receipts. I need to be like that where someone is able to try to connect through Gmail and then they receive some sort of email code. I need to do some research on that to make sure that works, whether it be through Google sign-in or whatever it is, or the Google client ID, whatever, make sure that works. I need this working. I want that to be turned on as well as payments. I need payments to be turned on too. Whatever you need from Stripe, you can take control of my computer or use my Claude extension or whatever else you need to in terms of connector. Let me know what you need. And we're going to give you that access. I want you to do anything possible, everything to make sure that this app is fully functioning. I need it to be fully functioning displayed.*

> *I want you to do that displayed.*

Claude: Listed exactly what only the owner can do, with the launch board carrying the exact values: (1) permanent accounts need a Render disk at /var/data, which only the account owner can add in the dashboard (Render's tools can change settings but not add disks); (2) email codes and receipts need the Brevo SMTP key pasted into `UAPLY_CONFIG_JSON` together with `OWNER_PASSWORD` (the Brevo account was checked through its connector: relay on, host smtp-relay.brevo.com, port 587, login be5bc2001@smtp-brevo.com, verified sender uaplytechnologies@uaply.net); (3) Google sign-in needs a Web client made in the Google Auth Platform console with the three origins and three redirect URIs; (4) real cards need the Stripe account activated, two prices, the webhook endpoint and four keys in Render; (5) the cloud environment must allow uaply.onrender.com for bots to test the live site. Offered to set values

through the Render tool if sent in chat, with the warning that they would then sit in the chat history, so pasting them into Render is safer.

08:01. Bot 2 reports; PR #35

Bot 2 delivered Profile setup fields for willing to relocate, expected pay, country, job title and dates at the most recent employer; autofill rules that use them; Greenhouse's hidden fields (country_short_name, location with latitude and longitude always together, one employments entry); expected pay sent and listed in the receipt only where a form requires it; the receipt, employer email, webhook, Privacy Policy and EMPLOYERS.md updated; `test-autofill` 67/67 and seven other suites green. Claude added the attribution footer to the commit, pushed the branch, opened PR #35 with a full description, and merged it into sandbox when GitHub's check was green.

08:03. Full permission to the laptop

> *want I want you to do everything that you you are I want to give you full permission to this computer and laptop to be able to do everything you need to in terms of storing the accounts on a disk, the owner can add. I, I want to give me I want to give you full access in terms of whatever you need. In terms of email codes and recipients, in terms of the barbecue, whatever you need to get from the SMTP key, uh, the sign-in, I want to give you full access to my Claude extension, app that I already have downloaded, which is control of my laptop. And my startup account is already activated. Um, I want you to do everything um, uh, that you need to in order to make the app functional every possible way. Um, whatever you need to do with the live testing by the bots, I want you to do that too. Just make sure the Google sign-in works. Take control of my computer and then just do everything you need to. I give you full permission to scroll*

Claude: Checked for a remote-control link to the laptop (none in this session; the only agents listed were the four bots). Explained that a cloud session cannot reach the owner's computer, and that the Claude desktop app with the Chrome extension can do every click with his sign-ins. Wrote a runbook for that session onto the launch board (Render disk, Brevo key, Google client, the one-line settings to paste, Stripe prices, webhook and keys, the live tests with Stripe's test cards, then live keys) with a Copy button.

08:07. Bot 3 reports; PR #36

Bot 3 delivered the Ashby and SmartRecruiters connectors (Ashby: jobPosting.info and applicationForm.submit, multipart, Basic auth, needs Candidates write and Jobs read; SmartRecruiters: the posting's configuration and candidates endpoints, x-smarttoken, resume as a base64 object, answers as records of fields), one shared answer function for every hiring system, stand-ins and 58 new checks, the Connect box offering four systems, SmartRecruiters

postings recording their uuid. Its branch conflicted with Bot 2's merged work in four files; Claude merged them so that the shared answer function honours Bot 2's rule (expected pay only where a form requires it, reported as salary_sent for every system), re-ran the suites (autofill 67/67, ATS 24/24, Ashby 29/29, SmartRecruiters 29/29, flow 29/29, setup 46/46, delivery 55/55, emails 56/56), opened PR #36 and merged it into sandbox when the check was green.

08:10. Back to the regular project

> *You are on a cloud version right now. I want you to go back to the regular project version. I want to give you permission to go back to the regular project version that you were at before. Before I moved you to the cloud version display.*

> *I want to do that displayed.*

> *I want to continue through my regular computer as in like as a regular project. I don't want you to continue through cloud anymore. Can you can you um go back to a local session instead of*

> *And I want that to include all the previous history too.*

Claude: A session cannot move itself from the cloud to the laptop. Added a "start the local session with this" block to the launch board, then wrote `HANDOFF.md` into the repository (the owner's rules, every instance and where it runs, the owner-only steps, the two weeks in plain words, what the October 17 bots did, what is still open) and pushed it to sandbox (commit 540b5c7), so a session on the laptop reads it first.

08:12. A screenshot of the Claude desktop app's sidebar

The screenshot showed the UAply project with this cloud session (cloud icon), two pinned sessions and "YouApply marketing".

Claude: Explained which entry is the cloud session and how to start a local one in the same project (the plus next to UAply, on this computer, the UAply folder open), then paste the handoff and the runbook from the launch board.

08:14. "I don't see anything about a HANDOFF.md"

Claude: Confirmed through GitHub that the file is on the sandbox branch (https://github.com/saifsiddiqueep-sketch/uaply/blob/sandbox/HANDOFF.md); it appears on the laptop after `git checkout sandbox && git pull`, which the handoff message does first; it is not on dev yet by design.

08:15. Bot 5 reports; PR #37

Bot 5 delivered `resume_parse.py` (PDF through pypdf in a separate limited process, Word through the zip's XML, text), `POST /api/profile/resume` (no account needed, rate-limited, nothing kept, one log line), the sandbox experiment "Fill from your resume" in Profile setup (fills empty fields only, Replace per differing field, source line per answer, "Check this" for unsure ones), pypdf in requirements.txt, Privacy Policy and help text, 250 parser checks (six made-up resumes, 88 of 88 fields found, none invented) and 22 browser checks at phone size. Claude merged the current sandbox into it (the Privacy Policy keeps both bots' rows), re-ran the checks, opened PR #37 and merged it into sandbox when the check was green.

08:18. This document

> *I want everything from this cloud put into a transcript from the last few weeks into a pdf displayed.*

Claude: Compiled this PDF from the session record, the handoff, the changelog and the commit history. Bots 1 (site audit) and 4 (Google sign-in and Stripe readiness) were still running when it was written; their pull requests arrive on GitHub against sandbox.

What the October 17 session changed, in one list

- Live site: PR #34 merged into dev and deployed (release candidate 9): agreement at first open, learns from swipes, Plan and billing decided by the server, support page, honest hosted previews, and the Account screen no longer pointing visitors at owner-only pages.
- Sandbox: PR #35 (apply-ready Profile fields), PR #36 (Ashby and SmartRecruiters apply), PR #37 (fill Profile setup from a resume), HANDOFF.md.
- Pages: the Swipe Right Apply Plan and the UAply Launch Board.
- Still with the owner: the Render disk, the Brevo key, the Google client, the Stripe keys, the environment's network setting, the domain, the rc.9 tag.

Part 2. The handoff (HANDOFF.md)

Read this first when continuing the work in a new session. It carries what the earlier sessions knew: the owner's rules, the state of every instance, the last two weeks of work, what the bots did on October 17, and what is still open. The live record of links and owner to-dos is the launch board (https://claude.ai/artifact/EEEa9pfxBa1z4zjPJWDdP3); the research behind "truly apply" is the apply plan (https://claude.ai/artifact/WwkzTD3ZE9aYeVRRKa5iRP).

The owner's rules (standing)

- Ask before any purchase. Say so before anything above the $7.50 a month already authorized on Render (the 1 GB disk, about $0.25 a month more, is already flagged and approved in principle).
- Never type the owner's secrets (keys, passwords) into chat, commits or files. The owner pastes them into Render's Environment page himself, or a session on his own laptop does it with his sign-ins.
- No more than the nine bots (Bot 1 code audit, Bot 2 swipe/buttons/profile, Bot 3 apply and email, Bot 4 sign-in and payments, Bot 5 hosting / resume, Bot 6 phone apps, Bot 7 launch readiness, Bot 8 swipe learning, Bot 9 job feeds and keys).
- Detailed pull requests in the CONTRIBUTING.md shape (what changed, why, how tested, what could go wrong, what is not done, where it is going). Show proof: test counts, log lines, screenshots.
- Work moves sandbox, then dev (the release build), then main, always through a pull request. Hiring mode (employer side) stays sandbox-only until the owner says otherwise.
- After a merge to dev: add the CHANGELOG entry and tag `v1.0.0-rc.N`.
- Never automate a job board's apply flow (LinkedIn, Indeed, ZipRecruiter, Handshake). Never submit into a hiring system without a key the employer created. Never answer a question the profile cannot. Never send voluntary self-identification.

Instances and where they run

Instance	Branch	Where	Notes
Live site	`dev`	https://uaply.onrender.com (Render service `srv-db9i3i6q1p3s738b5b4g`, workspace `tea-db9duku1egvs73et93k0`, Starter plan, Virginia)	Runs release candidate 9 (commit 522f2e5, PR #34 merged 07:54 UTC Oct 17, deployed 07:57). `UAPLY_DATA_DIR` points at a temporary folder because no disk is attached yet: accounts vanish at each deploy. Email, owner pages, AI answers and payments

Instance	Branch	Where	Notes
			are off (no secrets set). Job feeds on: ashby, greenhouse, jobicy, lever, muse, smartrecruiters, usajobs.
Hosted previews	`dev`, `sandbox`	https://saifsiddiqueep-sketch.github.io/uaply/dev/ and /sandbox/	GitHub Pages copies with no server; they say so (preview wording).
Owner's computer	all three	8765 prod (`main`), 8766 sandbox, 8767 dev	`start-uaply.bat`. The full test suite (`bash tools/run-all-tests.sh`, 48+ groups) runs there; the cloud ran everything that needs no Chrome.
Domain		uaply.net (Cloudflare)	Not connected yet: Render Custom Domains + CNAME `@` and `www` to uaply.onrender.com, DNS only, SSL Full. Each DNS save only after the owner's "yes".

Tags: `v1.0.0-rc.8` is the last tag on GitHub. `v1.0.0-rc.9` should point at 522f2e5; the cloud session could not push tags (its proxy allows branch pushes only), so add it from a laptop session or GitHub Releases.

What the owner must do himself (nobody else can)

All with exact values on the launch board. 1) Render → Disks: add `uaply-data` at `/var/data`, 1 GB; then set `UAPLY_DATA_DIR=/var/data` and confirm the startup log says `data: /var/data (persistent disk)`. 2) Render → Environment: `OWNER_PASSWORD` and `UAPLY_CONFIG_JSON` (one line; Brevo relay is already set up: host smtp-relay.brevo.com, port 587, login be5bc2001@smtp-brevo.com, verified sender uaplytechnologies@uaply.net; only the SMTP key from Brevo → SMTP & API is missing). The log must then say `email: on` and `UAPLY_CONFIG_JSON: valid`. 3) Google Auth Platform: a Web client "UAply web" with origins https://uaply.onrender.com, https://uaply.net, https://www.uaply.net and the same three + `/api/auth/google/callback` as redirect URIs; client ID and secret go in the `google` block of `UAPLY_CONFIG_JSON`. 4) Stripe: activate the account, prices Plus $9.99 and Pro $19.99 a month, webhook https://uaply.onrender.com/api/billing/webhook (events checkout.session.completed, customer.subscription.created/updated/deleted), then `STRIPE_SECRET_KEY`, `STRIPE_WEBHOOK_SECRET`, `STRIPE_PRICE_PLUS`, `STRIPE_PRICE_PRO` in Render. Test keys first, then live. 5) Allow `uaply.onrender.com` in the cloud environment's network settings if bots in the cloud should test the live site. 6) The domain (above). 7) Decide the branch rename (`dev` → `release`/`prod`), accept the Android SDK licences on the laptop, get the attorney review of the legal pages and of the public boards' terms.

The last two weeks, in plain words (October 3 to 17)

About 160 commits on sandbox. Earlier sessions' summary plus the CHANGELOG:

Code quality and safety. Email codes deleted after sending (not kept readable in logs); the fake test sign-in removed; crashes from hostile input (null bytes, empty requests, malformed job data) fixed; script injection and connection bursts blocked; a legal-pages file-read hole closed; Reply-To that a profile name could hijack fixed; a file audit (control characters, tracked backups, secrets) added; `check.js` compiles every module, reads every JSON file and checks how the files fit together; 25 audit fixes by Bot 1; stress and fuzz runs (4,500+ requests).

Accounts and sign-in. Password accounts with a 6-digit email code; a per-account lock-out that faked addresses cannot dodge; reset links; delete account; Continue with Google (Google's button on computers and Android, full-page sign-in on iPhone, no account pre-hijack through an unconfirmed email, Google returns people to the address they started on); the Google Cloud guide on `/setup#google`; the agreement asked once before the first swipe with "You agreed on " and Show it again.

Email. Verification codes and receipts through SMTP (Gmail App Password or Brevo); help tickets emailed to uaplytechnologies@gmail.com with the person as reply address; receipts that say where the resume and the application really went; the owner's copy of every application; "Applied on" formatting; a retry path for failed sends.

Applying. Swipe right with honest outcomes (sent, saved, finish on their site, failed), retries when the server is down, two quick swipes both count, links on a card open only on a tap, undo window; employer email with the resume as a real attachment and the signed webhook (the Indeed way, EMPLOYERS.md); straight into Greenhouse and Lever for employers who connect (ats_api.py, autofill.py reads the posting's own form and answers it from the profile; a required question the profile cannot answer is asked once and remembered; never a guess); the instant-apply filter; the Applied list; a browser replay of every apply path.

Jobs. Real postings from Greenhouse, Lever, Ashby, SmartRecruiters (City of Philadelphia), USAJOBS (needs the free key), The Muse (key), Jobicy, Remotive (owner to decide); "via …" credit on every card; `feeds_off`; Jobs near you (location prompt, commute slider, nearby first); the job list reads about five times faster; learns from your swipes (naive-Bayes per attribute, capped at ±1.5), on in the release build.

Plan and billing. Free, Plus $9.99, Pro $19.99 with weekly limits (50, 250, unlimited); Stripe Checkout, portal and signed webhooks; the plan changes only from a verified webhook; three states decided on the server (real buttons with keys, "free during early access" on a public server without keys, test Payment Links on the owner's computer); the "Checkout canceled" message bug fixed.

Hosting and phone apps. Render: clean stop on SIGTERM, one startup line that says what is on, broken records survive, disk and port checks, `render.yaml` and DEPLOY.md proven by `tools/test-render.py`; the service created and made live on Oct 17. Android targets Android 16 (Google Play's rule since Aug 31, 2026), the offline screen wired in, apps open uaply.net,

Google hidden inside the apps' web views, a signed release build script, the iPhone-only project, the Codemagic workflow, store listing docs.

Pages and help. Terms, Privacy (covers Google sign-in, codes, resume files, ZIP codes, form answers, plans, the AI chat, data deletion), AI and matching, Copyright, Support page; legal pages still say "draft, not reviewed by a lawyer"; the help assistant names the real screens and "Take me there" opens the right Profile setup step; hosted previews say what they are; the Account screen on the live site no longer points visitors at owner-only pages (fixed Oct 17).

Hiring mode (sandbox only, with Mohammed's work). Employers post a job in four steps or from a link or pasted text; one-word bottom tabs on phones. Company verification and application management are the next build. Marketing demos recorded (autofill, phone swipe, two real-apply recordings) under `marketing/`.

Research (Oct 17, apply plan page). Only hiring systems with an employer-created key accept third-party applications (Greenhouse, Lever, Ashby, SmartRecruiters, Workable). Indeed Apply, LinkedIn Apply Connect and ZipApply are employer-side products with no job-seeker API and terms that forbid bots; Handshake has no public API and blocks accounts past 300 applications a day; USAJOBS' terms require sending people to USAJOBS to apply; Workday and iCIMS are partner-gated. So the three tiers: 1) straight into the connected employer's system, 2) email or signed webhook to an employer who agreed, 3) save, receipt with every answer ready, open the employer's page.

October 17 in the cloud session (this handoff's author)

- Resolved PR #34's conflict with dev (dev/index.html options and the nav lift cap), added the hosted Account wording fix, merged PR #34 into dev, triggered the Render deploy (auto-deploy did not fire), verified the live log line.
- Published the apply plan and the launch board pages.
- Bot 2 → PR #35 merged into sandbox: Profile setup asks relocate, expected pay, country, job title and dates; autofill rules for them; Greenhouse hidden fields (`country_short_name`, location + latitude + longitude together, `employments[0][...]`); expected pay sent and listed only where a form requires it; receipt, employer email, webhook, Privacy Policy and EMPLOYERS.md updated; test-autofill 67/67.
- Bot 3 → PR #36 merged into sandbox: Ashby (`jobPosting.info` + `applicationForm.submit`, multipart, Basic auth, needs Candidates write and Jobs read) and SmartRecruiters (`/postings/{uuid}/configuration` + `/postings/{uuid}/candidates`, `x-smarttoken`, resume as base64 object, answers as `[{id, records:[{fields}]}]`) connectors; one shared answer function (`autofill._answer`) for every system; stand-ins and 58 new checks; the Connect box offers four systems; SmartRecruiters postings record their uuid. Not yet tried with a real key.
- Bots still running when this was written (their branches arrive as PRs into sandbox; merge each when GitHub's check is green): `bot1-audit-oct17` (makes `tools/cdp.js` find Chrome through `UAPLY_CHROME`, runs the suite in the cloud, walks the site as a new person, checks the Start controls and first open, fixes small things), `bot4-google-stripe-ready` (Google sign-in and Stripe checked against current Google Identity Services and Stripe rules,

PKCE/FedCM/cert caching if missing, webhook hardening and tests for forged, replayed, old, declined and cancelled events, the owner's two checklists in DEPLOY.md), `bot5-resume-parse` (`resume_parse.py`, `POST /api/profile/resume`, `shared/uaply-resume.js` "Fill from your resume" in Profile setup, sandbox only, adds `pypdf` to requirements.txt, `tools/test-resume.py`).

What is still open

1. Owner steps above (disk, email, Google, Stripe, domain). Until then: accounts temporary, no codes, no Google, no payments.
2. Finish and merge the three bot PRs; run the full suite with Chrome on the laptop on the merged sandbox; check the new Profile setup screens and the Connect box in a browser.
3. A PR sandbox → dev with the above once the suite is green (hiring mode stays out), then tag rc.10 and verify the live site.
4. The one-time question box for a required field the profile cannot answer, on screen (today the swipe becomes "finish on their site" when the app cannot ask it); Workable connector; the employer outreach kit (how to connect each hiring system + the consent letter); Hiring mode as a small ATS for employers who post on UAply directly.
5. Phone apps: Android SDK licences, Apple Developer Program, store listings; Sign in with Apple once native Google sign-in is added.
6. Attorney review; trademark clearance (APLY filing overlaps "UAply", see LEGAL-REVIEW.md).

Part 3. The changelog (CHANGELOG.md)

How versions move: work happens in `sandbox`, is tested there, and goes to `dev` through a pull request. `dev` is the release build: it is what the hosted site and the phone apps run. Each version is tagged on GitHub (Releases). `main` is the original production page and only changes when the owner decides.

Unreleased (sandbox and dev)

Swipe right applies straight into Ashby and SmartRecruiters, for employers who connect

- **Employers on Ashby or SmartRecruiters can now connect** the same way as Greenhouse and Lever: they create a key in their own system (Ashby: Admin, Integrations, API Keys, with Candidates write and Jobs read; SmartRecruiters: Settings, Admin, Credential Manager, an Application API key) and the owner pastes it into the Connect box on the setup page, or into the host's settings. Their real postings then say **Apply instantly**, and a swipe right puts the application into their pipeline with the resume attached.
- **The posting's own questions are answered from the profile**, with the same rules Greenhouse uses (work authorization, sponsorship, LinkedIn, how they heard, why this company, and the rest). A required question the profile cannot answer is asked once and remembered; one the app cannot ask (a file other than the resume, or a kind of field UAply does not know) means nothing is sent and the person finishes on the employer's page. UAply never guesses.
- **Voluntary questions stay unanswered**: SmartRecruiters' diversity questions and any gender, race, veteran or disability question on an Ashby form are skipped. A privacy consent the employer requires is given only when the person switched on "Acknowledge employers' notices for me" or answered it themselves, and optional consents (talent pool, text messages) are never given.
- **Test mode never uses an employer's key**: their form is read only for a live send.
- The real City of Philadelphia and Ashby feeds already record where each posting lives, so a connected employer's listed jobs work without extra setup; SmartRecruiters postings now remember the id its application service needs.
- New tests: `tools/test-ats-ashby.py` (29 checks) and `tools/test-ats-smartrecruiters.py` (29 checks) against a stand-in that checks every request against the two systems' published documentation, plus new end-to-end checks in `tools/test-ats-flow.py` and `tools/test-setup.py`. A real key has not been tried yet: the first connected employer should start with a test posting.

Profile setup asks what employers' forms require, so more swipes apply without a question

- **New answers in Profile setup, all optional:** Willing to relocate for the right job (Yes or No; the Willing to relocate box under Work style is the same answer, so changing one changes the other), Expected yearly pay in US dollars, Country you live in (United States, Canada, United Kingdom or Other, asked right after your ZIP code), and, under your most recent employer, your job title there and the months you started and ended (leave the end blank if you still work there; an end before the start is pointed out).
- **Fewer questions after a swipe right:** “Are you willing to relocate?”, “What are your salary expectations?”, “Which country do you live in?”, “What is your current job title?”, “Dates of employment” and “Are you currently employed?” are now answered from your profile on employers’ Greenhouse forms. Your title at your most recent employer is used for “current title”; the title you are looking for is used only when that is blank.
- **Expected pay goes only where a form requires it.** An optional pay box is left blank, a yes or no question about a pay range is never given a number, and anywhere else your expected pay is not sent, not kept in the application record and not listed in your receipt. Leave it blank and a form that requires it asks you each time.
- **Greenhouse gets the fields its own careers page fills in without asking:** your country as a two-letter code, your location (“Philadelphia, Pennsylvania, United States”) with its map position from your ZIP code (all three together or none, since Greenhouse ignores a location without the map position), and your most recent job (company, title, start month, and end month or “current”).
- **Your receipt, the employer’s email and the webhook** now list your country, willingness to relocate, your job title and dates at your most recent employer, and expected pay only when that employer’s form required it, so the receipt still lists exactly what was shared. The Privacy Policy and `EMPLOYERS.md` list the new fields.
- The stand-in Greenhouse (`tools/mock-ats.py`) has a job (1006) with these questions and the location box, and refuses a location without its map position or a half-filled job entry. `tools/test-autofill.py` has 31 new checks (67 in all).

Sign-in ready for the live site (uaply.net), iPhones and Google

- **Continue with Google on iPhone and iPad** now uses Google’s full-page sign-in (a white “Continue with Google” button with Google’s G), because Google says its pop-up button needs that on iPhone (Safari’s tracking protection breaks the pop-up). Computers and Android phones keep Google’s own button. The full-page sign-in needs the client secret on the server.
- **The phone apps hide Google** on Android too, not only iPhone: Google refuses to sign anyone in inside an app’s built-in web view. Password sign-up works there.
- **Someone can no longer sign up first with another person’s Gmail** and keep a way in: when Google proves a Gmail (or Google Workspace) address and links it to a password account that never confirmed its email, that password is removed and every other session of the account is signed out. The person is told and can add a password with Forgot password. Likewise, using an emailed reset link on an account whose email was never confirmed unlinks a Google login Google did not vouch for.

- **Password guessing is stopped even when the attacker fakes a new address for every try**: on top of 5 wrong passwords per connection, one account takes at most 20 wrong passwords in 15 minutes from all connections together. Forgot password and Google still work during that time. Old rate-limit entries are forgotten after an hour, so the server's memory cannot grow without end.
- **Google returns people to the address they started on** (uaply.net, www.uaply.net or the onrender.com address) instead of always the configured public address, where the sign-in cookie did not exist and every full-page Google sign-in failed as "expired".
- After coming back from Google, the "Signed in with Google" message (or the reason it failed) no longer vanishes when the page's other start-up answers arrive a moment later.
- New tests: `tools/test-public-auth.py` (71 checks, the server as Render runs it: cookies, the same-site check for every real address, good and forged Google tokens, linking, a restart, password rules, lock-out, codes) and `tools/ui-google-ios.js` (21 checks in a real browser as an iPhone, through a stand-in Google). The /setup page's Google steps use Google's current console pages (Google Auth Platform).

Ready for Render: proven start, stop and restart

- **Deploys no longer cut a swipe off half-way.** Render stops the server (SIGTERM) at every deploy. The server now stops taking new requests, finishes the ones in progress (a sign-up, a swipe sending its email), writes `[uaply] stopped` in the log and exits normally. Before, it died at once and the request in progress was lost.
- **One line in Render's log says what the server will do:** public or not, where records are kept and whether that folder is really Render's persistent disk, which job feeds, email, owner pages, AI answers and payments are on, and whether `UAPLY_CONFIG_JSON` is valid JSON. Never a secret, only on or off. A data folder that is not a disk gets a WARNING line (everything there vanishes at the next deploy).
- **A data folder that cannot be written** (the disk is not attached) stops the server with a plain reason instead of a traceback; a blank port number does the same.
- **A record cut short** (a full disk, a forced stop) no longer hides every application after it at the next start, and the next record is never glued onto it. The log names any broken line it skipped.
- **The job list is read about 5 times faster** (25.6 to 5.1 CPU seconds for the 24 boards): only the postings that can be shown are worked through. The list is identical (checked on the same 5,632 postings). The first start on an empty disk went from 33 to 24 seconds, which matters on Render's half-CPU Starter plan.
- `render.yaml`: the start command uses `${PORT:-10000}`, both services run in Virginia (nearest to Philadelphia; cannot change later), the sandbox gets the same job feeds as dev, and the comments say what the free plan lacks and that secrets are asked for only once.
- `DEPLOY.md`: the full Render steps checked against the code: the settings line with `public_url`, why `feeds` stays out of it, the log line to check after deploying, the Cloudflare records, and what a deploy does.
- New test `tools/test-render.py` (74 checks, about 10 seconds, also in GitHub's checks on Render's Python 3.12): starts the server exactly as Render does, stops it with SIGTERM

mid-request, restarts it on the same disk and checks everything above.

Phone apps ready for the stores

- The apps now open **https://uaply.net** (was the Render dev address).
- **Google Play's new rule:** since August 31, 2026 new apps must target Android 16 (API 36). The Android project targeted API 35 and would have been refused; it now targets API 36 (Android Gradle Plugin 8.10.1, which API 36 needs).
- **Offline screen really shows now:** the "can't connect" page existed but was never wired up, so a phone without internet saw a blank error. It now appears whenever the site does not load, and Try again (or reconnecting) goes back to the site.
- Android 15 and 16 draw apps edge to edge; the app now keeps the page between the status bar and the navigation bar.
- **"Continue with Google" is hidden inside the phone apps** (Android too, not only iPhone): Google refuses its sign-in inside an app's built-in web view, so the button could only fail there. The website keeps it.
- iPhone project: iPhone-only (no iPad screenshots or iPad review), and it declares standard encryption only, so App Store Connect stops asking the export question on every build.
- New `mobile/build-android.ps1`: one command builds the Android test app or the signed Play bundle on Windows (downloads the free tools with checksum checks; you accept Google's SDK license yourself; the upload key and its password never go in git).
- New `codemagic.yaml`: builds, signs and uploads the iPhone app to TestFlight on Codemagic's free cloud Mac (manual start only).

Swipe right always ends in the right place, and says so (sandbox and dev)

- Every swipe-right path was tested end to end against local servers with a stand-in mail server and a stand-in Greenhouse/Lever (`python tools/ui-apply-paths.py` replays them in a browser). Fixes:
- The employer's Reply always goes to the applicant's verified email (a name written like an address could take it over), and every UAply email shows the sender as UAply.
- Test mode now says exactly where the live app would send the application (an employer's hiring system, not a made-up email address); a job that left the employer's board is a hand-off in test mode too.
- The Applied list shows every outcome: a failed delivery says "Not sent" with Try again; a second swipe on a job already applied to shows what happened the first time; an application waiting for a connection is retried every 30 seconds when UAply's server, not the device, was the problem. Undo or Withdraw after an application went out says the employer still has it, and the Undo button during the live countdown cancels it cleanly.
- Receipts and owner copies say where the resume really went (no receipt carries the file), the test banner follows the real channel, the owner copy is labelled [TEST] in test mode, education reads "graduation June 2027", accented resume file names are kept, and receipts link back to the site even when `public_url` is not set.

Post a job from an existing job post (sandbox) — Mohammed

- **Post a job** shows two options on one page. Option 1, at the top: “Start from your existing job post”: paste a link, or paste the job text, and UAply fills in the form (title, job type, work style, place, pay, years, education, skills, majors, GPA, graduation dates, sponsorship, who can apply, benefits, relocation, summary, description). Option 2, right below: the form to fill in yourself. Filled fields are marked “From your post”, and anything the post did not say is listed as still needed. Career pages that show a Greenhouse job (?gh_jid=) are read too, and a slow site gives up after 12 seconds.
- Links are read from the standard job-posting block career sites carry for Google Jobs, and from the public Greenhouse, Lever, Ashby and SmartRecruiters feeds. LinkedIn, Indeed, ZipRecruiter, Glassdoor, Handshake, Monster and Hiring Cafe are never read (their terms forbid it or they need a login); the screen asks for the pasted text instead.
- The server reads only public web pages (never this computer, private networks or cloud metadata addresses), one page per request, at most 3 MB, and a few a minute per account.
- No lookbehind patterns in the scripts any more, so iPhones before iOS 16.4 can run them.

Paying for Plus and Pro in the sandbox (Stripe, test mode) — Mohammed

- On the hosted sandbox (no server), **Choose Plus** and **Choose Pro** open Stripe’s own secure checkout through Stripe Payment Links in the “UAply sandbox” Stripe account (test mode: card 4242 4242 4242 4242, no real money). After paying, Stripe sends the person back to the sandbox and the plan is switched on, with the payment listed as “Stripe test”.
- On a UAply server the existing Stripe Checkout, webhook and billing portal are used instead. The sandbox Render service now names the two Stripe prices; the secret key and webhook secret are typed into Render, never stored in GitHub.

Hiring mode for employers (sandbox only for now) — Mohammed

- A **Switch to hiring** pill in the header (next to the account button) opens the employer hub; **Switch to job search** goes back. Same UAply account for both.
- **Company profile** once: name, logo upload (PNG, JPEG or WebP, resized for you), industry and number of employees (both dropdowns, required), United States or Canada, state or province, city, website and About the company.
- **Post a job** on one page with a live preview of the swipe card. Each section says which job seeker fields it is matched to: title, job type, work style, city, relocation help, yearly pay range, commission only, minimum experience and education, skills, preferred majors, minimum GPA, graduation window, who can apply (work authorization), visa sponsorship, start date, benefits, a one-line summary and a full description. **Meet the hiring team**: name, title, email and LinkedIn; the name and title can show on the card, the email and LinkedIn stay on the server for the Plus/Pro “message the hiring manager” option.
- **Hub**: Overview (open jobs, applicants, new this week, average match), Jobs (edit, pause, close, reopen, delete), Applicants (best match first, must-haves checked, “only people who

meet every must-have”, stage New to Hired, private notes), Company, Billing. Prices are **TBD**; posting is free while testing.
- **Job seekers** see employer jobs in the same deck with the logo, “What the company asks for” checked against their own answers, “Meet the hiring team”, and About the job and company. A new filter hides jobs they are not eligible for. Paused and closed jobs leave the deck at once and refuse new applications.
- Applications go to the employer’s **verified account email**, never to an address typed into a form; browsers never receive it.
- The consent screen now shows **once, before the first swipe**; after that every swipe is just a swipe (sandbox only).
- Removed coding-tool credits from the app, docs and legal pages; the AI disclosure page now credits the founders, Mohammed and Saif.

Profile setup, and what really changes your matches

- **Profile setup** is now one guided flow, five short steps (About you, Jobs you want, Where and pay, Background and links, Eligibility and extras), saved as you go, the same on phone and desktop. The old Settings, Resume and links, and Preferences screens are folded into it, so the Profile menu has five items instead of seven. On desktop (960px and wider) a live “What employers see” card sits beside the questions.
- Deleting an account is tucked under “More account options”, with a short skippable exit survey (anonymous).
- **Your answers now do more work.** Your headline, About you and major count as skills a job asks for. Work style: tick nothing and every style scores full points; the new “Hide work styles I did not pick” filter hides the rest. The opportunity types you pick open first in Services. State and ZIP code help find where you live for the distance filter. One completeness score is used everywhere. Optional EEO answers, work authorization and GPA are never used to score, rank or hide jobs.
- dev now includes the Application profile (phone, links, school, work authorization, opportunity types) so those details reach employers; before, dev sent none of them.
- Fixed: errors on the Account screen were off-screen; a new profile was pre-filled with a stranger’s email; restoring a backup dropped the Application profile answers; the Account screen showed fake Google/Apple/phone sign-in previews next to the real form; the desktop form was capped at half width; password, file and month inputs were unstyled; tap targets under 44px.

Jobs near you (sandbox only for now)

- On first open the browser’s own “share your location?” prompt appears, with a card above the jobs saying why. If location is blocked in the browser, the card says so once and how to turn it on. The position is rounded to about a mile, kept only on the device and never sent to the server.
- Nearby in-person jobs score higher (full location points within 25 miles, partial to 60), and cards say “In your area” or “About N miles from you”.

- Filters has a **Commute distance** slider: Remote only, 5 to 100 miles, Any distance. dev keeps the old distance choice.
- Fixed: in the sandbox, Bottom navigation stopped part-way with “Cannot read properties of undefined (reading ‘up’)” (the auto-message check read the sign-in state before it existed), which also left out everything that loads after it.

Swipe right fills in the real application form, swipes that work on phones, email from uaply.net

Swipe right fills in the employer’s real application form, asks only what the person alone can answer (once), and says honestly what happened.

- **Autofill engine** (`autofill.py`). Greenhouse publishes every job’s application form (questions, field types, options) through its public Job Board API, with no key. UAply reads that form and answers each question from the profile: name, email, phone, resume file, LinkedIn, website, location, US state (by full name or two-letter code), ZIP code, the hidden map position behind the location box (from the ZIP code, using the Census Bureau’s public ZIP data in `autofill_zip3.json`), school, degree, major, graduation date, GPA, current employer, work authorization and sponsorship (including forms whose options are whole sentences), OPT, 18 or older, former employee, government official, office work, relocation, “how did you hear”, and the person’s own “why this company” text. Voluntary self-identification (gender, race, veteran, disability) is never answered. Privacy and AI-use acknowledgments are ticked only if the person chose that in Profile.
- **Asked once, then remembered.** A required question the profile cannot answer is asked in a short sheet after the swipe (“2 questions from Dropbox”); the answer is saved on the device and used for every later form that asks the same thing, at any company. On 59 real forms from today’s feed: 9 were complete from the profile alone, the typical form left 2 questions, and after answering each new question once, 58 of 59 were complete.
- **Where it applies by itself.** Employers that connected their Greenhouse: the filled form goes straight in. Every other employer: nothing is sent, the job is kept as “Not sent yet” with a Finish on their site button. In the sandbox (test mode), every Greenhouse posting is filled in the same way and delivered to the test inbox, which now shows the employer’s form exactly as UAply filled it in. Nothing reaches an employer.
- **Profile, Preferences, “Questions employers ask”**: office work, former employee, government official, PhD, pronouns, notices, “why” text. Relocation comes from the existing “Willing to relocate”.
- **The Applied list tells the truth.** It said “Application sent to the company” for jobs where nothing was sent (the employer’s own page was needed). Now: sent, sent to the test inbox, not sent yet (finish on their site), or waiting to send.
- **A swipe that sends nothing goes back to the deck** (missing name or email, the weekly limit, unverified email, too fast) instead of sitting in Applied. Offline swipes are kept as “waiting to send” and sent when the connection returns. Undo takes back that exact job, never just “the last one”.

- **Server**: at most 40 applications and 150 swipes per minute per visitor (a script can no longer fill the disk); the weekly plan limit counts only real applications, not hand-offs.
- **Fixed earlier in this round**: the first-application agreement reappearing on every swipe; the browser test runner always reporting success (now it fails on any failed check, and each check has a 10-minute limit); three stale test expectations that the old runner had hidden.
- **Email from your own domain.** The Connect email box on `/setup` now takes Brevo (sends from an address such as uaplytechnologies@uaply.net with Brevo's SMTP login and key) as well as a Gmail App Password, and says what to check in Brevo when it refuses the login (including blocked IP addresses).
- `tools/shot-real-apply.js`: one complete application in the sandbox, signed in as a real address, to an employer that receives applications by email.
- **Swiping on phones** (new "Phone swipe" feature, on in sandbox and dev). On a phone a thumb curves; the card left vertical moves to the browser, which then treated curved swipes as scrolls and cancelled them, so swipes "worked here and there". Touch now uses a direction lock: the first few pixels decide sideways (a swipe; the browser may no longer scroll) or up and down (scroll the card, never a swipe). A swipe counts at 18% of the card's width (at most 80px) or as a quick flick, instead of a fixed 110px. Mouse and pen are unchanged.
- **Nothing covers a button.** The round help button sat on the corner of Profile in the bottom menu on big phones, and the message after a swipe covered the menu (or Pass, Undo and Apply on a small phone) for up to 12 seconds. Both now sit just above the menu on every screen size, and taps pass through the message except on its own button.
- `tools/ui-phone.js` (in the full run at 440x956 and 375x667): every menu item tapped by a real touch, no control covered at its center or corners on 18 screens, and 7 kinds of swipe (straight, a quick flick, curved thumb swipes, a slow drag, plus a scroll, a nudge and a tap that must not swipe). Before the fix, 0 of the 6 real swipes worked at phone size.
- **The test run can no longer use the owner's real settings.** It set its own settings on top of uaply-config.json instead of replacing it, so once real email was connected, two runs sent a few real emails (two test emails to the owner and some codes to made-up example.com addresses, which bounced). `UAPLY_CONFIG_FILE=none` now makes every server skip the owner's file; the full run sets it.
- New tests: `test-autofill.py` (34, real forms saved in `tools/fixtures/`), more in `test-ats-flow.py` (20); `tools/shot-autofill.js` shows the whole flow in the sandbox at phone size.
- **Squarespace and Block jobs are back (28 more jobs).** Both list their job links as http:// instead of https://, and UAply dropped every such job. Those links now open securely (https://, which both sites serve); a link that is not a web address is still dropped. The feed-health bot found both boards "empty"; all 30 boards now answer with jobs.
- **Webflow's jobs are back.** Webflow moved its job board from Greenhouse (404 since October 2026) to Ashby; UAply now reads it there (9 US jobs on October 16).
- **A refused request always gets its answer.** When the server refuses a request without reading what was sent (a garbled length, too large, cross-site, unknown address), it now says "Connection: close" and reads away the rest before hanging up. Before, Windows

could reset the connection first, so about 1 in 200 such requests lost the “bad request” answer (found by the hostile-input test).
- `tools/feed-health.py` and `tools/daily-checks.py`: the read-only reports behind the scheduled “feed health” and “code checks” bots.

Combining Mohammed’s and Saif’s sandbox work

- Both fixed swiping on iPhones. **Phone swipe** (touch direction lock) decides every swipe in sandbox and dev; Easy swipe and Axis lock, with Mohammed’s iPhone fixes, stay on in the sandbox as the fallback when Phone swipe is switched off. dev uses Phone swipe instead of Axis lock, and now also includes Profile setup.
- The consent screen keeps both fixes: shown once before the first swipe (sandbox), and never shown again because of a problem while applying.
- A swipe made while that first consent screen is open (the keyboard can still reach the cards) now waits for the answer and then goes on, or back to the deck, instead of being lost. Only one waits, so a double tap still applies once.
- Messages and the privacy policy pointed to screens that no longer exist (“Profile, Settings”, “Profile, Resume and links”). They now name the Profile setup step: About you, Jobs you want, Where and pay, Background and links, or Eligibility and extras.
- Five browser tests still opened the old Settings, Resume and Preferences screens; they now fill in Profile setup step by step.
- **A removed employer connection is really removed.** The server remembered employer connections until the file’s time changed; two quick writes on a busy computer could share a time, so a removed connection kept being used. It now also compares the size and a finer time.

1.0.0-rc.8 (release candidate)

Swipe right can now apply by itself: straight into the employer’s own hiring system, for employers who connect.

- **Researched first.** Greenhouse and Lever each document a call that submits an application, but both need a key created by the employer’s own administrator (Lever’s API also cannot carry a posting’s custom questions). None of Greenhouse, Lever or Ashby documents opening an application page pre-filled from a link. So no site can apply for a person on an employer that never agreed; Indeed and LinkedIn work the same way, through employers’ connected systems. See EMPLOYERS.md.
- **Greenhouse and Lever delivery** (`ats_api.py`): name, email, phone, links, the resume file, and answers to the posting’s own questions where the profile has them (LinkedIn, website, current employer, work authorization, sponsorship, how they heard). A required question the profile cannot answer means nothing is sent and the person finishes on the employer’s page; it never guesses. Keys are never shown, logged or put in a message.
- **Apply instantly badge.** Cards for connected employers say “Apply instantly”; every other real job says “Opens employer site”, so people know before they swipe. Instant jobs get the same 5-second Undo window.

- **Connecting an employer**: the new box on `/setup` (this computer), `UAPLY_ATS_JSON` (a host), or `ats` and `ats_job_id` in the employer list.
- Ashby is not built: its request format could not be verified from public documentation.
- New tests: `test-ats.py` (24, against `tools/mock-ats.py`), `test-ats-flow.py` (19, end to end), more in setup (34) and the public server.

1.0.0-rc.7 (release candidate)

Sign-in and email that behave like the real thing, and a help chat whose requests go somewhere. Found by using the app the way a new user does.

- **No more accidental test accounts.** On the sandbox Account screen, below the real sign-up form, a “Preview of other ways to sign in” block had a simulated “Continue with Google” button that signed the browser into a fake account. It is gone whenever a real server is running; the simulated sign-ins remain only on the hosted preview, which has no server.
- **“Continue with Google” is always visible on your own computer.** When no Google client ID is set yet, the button opens the setup page instead of vanishing (visitors of a live site never see it). The setup page is now a guide: clickable steps to Google’s own pages, the exact addresses to give Google with Copy buttons (Google needs both `http://localhost:8767` and `http://localhost`), and an explanation of why a test inbox is still showing.
- **Google sign-in follows Google’s own guidance on email trust.** Google is the authority on an address only for Gmail and Workspace accounts. Any other “verified” address can still sign in by its Google account number, but it can no longer be merged into an existing UAply account with that address (that was a takeover risk) and a new account made with it must pass the emailed code check.
- **The verification code email is now a proper email** (a big readable code, how long it works, “ignore this if it was not you”), and the screen says what really happened: emailed to the address, could not be sent, or (this computer, no Gmail connected) in the test inbox. The Connect Gmail link sits right there.
- **Your swipe now produces a confirmation even for an unverified account when no real email is connected** (it is saved in the test inbox). Before, an unverified account got nothing at all, and nothing said why. With a real mail login the verified-only rule still applies.
- **Help requests are emailed to the team.** “Talk to a person” and problem reports from the assistant are emailed to `support_email` (or the owner address) with the person’s own address as the Reply-To, so answering is pressing Reply. A short acknowledgement goes to the person only if that address is a verified account address (nobody can make UAply email a stranger). The chat now says what happened: “Sent to the UAply team”, “saved, but the email did not go through”, or on your own computer “saved, not emailed” with buttons for the Feedback inbox and Connect Gmail. The Feedback page marks each request emailed or not. At most 60 help emails an hour reach the inbox; the rest are still saved.
- **Visitors never see raw error text on a hosted server.** Server errors, job-feed network errors and mail-server errors now show a plain sentence; the real reason goes to the server

log. Your own computer still shows details where useful.

- **Crashes fixed** found by a new fuzz test (4,525 odd requests): an application whose `skills`, or feedback whose `articles`, arrived as a number, a boolean or a dictionary caused a server error.
- `start-uaply.bat`: double-click to start prod, sandbox and dev after the computer restarts (a restart stops them, and the app then says “Could not reach the server”).
- **Privacy Policy** now covers help requests being emailed to the support inbox.
- New tests: `test-support.py` (31), `fuzz-api.py`, `ui-errors.js` (the app when the server fails), `ui-inject.js` (hostile text in every form, and the owner’s inbox), `ui-effects.js`, `ui-checklist.js`; setup 27, Google 26 and 33, verification 36, delivery 43, jobs 48.

1.0.0-rc.6 (release candidate)

A sweep of the whole site and app (every file, every screen at iPhone size, the server with bad input), and what it found.

- **Privacy fix: the emailed verification code is no longer kept.** The saved copy of the email (subject and body) held the 6-digit code even after the email was really sent, which contradicted “only a hash of the code is stored”. Now, once a real email was attempted, the saved copy says only that a code was emailed. The test inbox on the owner’s own computer still shows it (that is its purpose). Covered by new tests, including a failed send.
- **Privacy Policy updated to match the product:** Google sign-in (what Google tells us and what we keep), the emailed code, Google’s button loading from Google when the sign-in screen opens (and its own cookie), and that deleting an account also removes the linked Google number and any pending code. Still a draft for an attorney to review. Tests now prove that deleting an account removes its code, sessions, saved email and Google link.
- **A new profile no longer starts with a made-up email.** The Settings form was pre-filled with a sample person’s address while the name and skills were blank; a person who typed only a name would have kept it as their reply address.
- **Job cards:** “Hiring” is listed as a skill only on recruiting and people roles (company boilerplate about “recruiting” put it on a firmware co-op). A remote job’s place no longer repeats the word (“Remote - USA Remote” is now “USA Remote”). A “100%” score now fits inside its ring.
- **Server:** an address with a null byte (`%00`) now gets a clean 400 instead of a dropped connection, and an empty POST gets 400 instead of “too large”. A burst of visitors no longer gets connections refused: Python’s default waiting line of 5 overflowed when 300 requests arrived at once, so it is now 128. A new test (`tools/stress.py`, part of the full run) fires 300 simultaneous reads three times, 24 simultaneous sign-ups and a 24-guess password attack: no server errors, no locked database, and the lock-out holds.
- **Repository hygiene:** a local-only copy of the partner list (`uaply-partners.json.bak`) had been committed; it is untracked and `.gitignore` now covers backups. The file audit now fails on any tracked backup, temporary or log file and on stray control characters (the sign of a mangled backslash). The pull-request check now also runs the five behavior tests that need no browser (jobs, codes, delivery, setup form, emails). The test runner prints each

test's real count. The README clone address is the real repository. Help wording says "Coop" like the menu.

- New tools: `tools/ui-effects.js` (skill chips, empty Add, the three file downloads), `tools/ui-checklist.js` (every profile checklist item lands on its field), `tools/ui-polish.js` (measures the ring, place line, blank email, assistant answer), `tools/shot-all.js` (a screenshot of every screen). More tests: jobs 46, verification 34, public server 46.
- **Not code, but needed before launch:** the phone app is set to load `https://uaply-dev.onrender.com`, which does not exist yet (deploy with `render.yaml`, see DEPLOY.md); the legal pages are drafts that say a lawyer has not reviewed them.

1.0.0-rc.5 (release candidate)

Sign-in the way the big job sites do it: Google's own button, and an email code that proves an email is real.

- **Continue with Google** now uses Google's own button (Google Identity Services, as on LinkedIn and Indeed). It shows the Google accounts already signed in on the person's browser; one tap signs them in. UAply never sees their Google password. It needs only the **public client ID**, no secret. The server checks Google's signed token itself (`jwt_rs256.py`, standard library only): the signature against Google's published keys, that it was issued for UAply's own client ID, the issuer, the expiry, that Google says the email is verified, and it only accepts the RS256 algorithm (forged, expired, wrong-app, tampered, "none" and shared-secret tokens are all refused). People are identified by Google's permanent id, not their email. The older redirect sign-in is kept as a fallback.
- **Email verification code for password accounts:** sign-up emails a 6-digit code (10 minutes, 5 tries, one use, stored only as a hash, at most 3 new codes an hour). Until verified, a person can still swipe but gets no confirmation emails and cannot apply directly to an employer. Accounts made with Google, or confirmed through an emailed reset link, are verified automatically.
- **Direct applications to employers need a verified account** whose email is the one on the application, so replies go to an address proven theirs.
- **Bug fixed:** Google's button sets its own cookie (`g_state`), and the server's cookie parser threw away the whole header, signing people out. The server now reads cookies tolerantly. Found by running the real browser flow; covered by a test.
- **Setup page:** a "Connect Google sign-in" box (paste the public client ID) next to Connect Gmail. Both only work on the owner's own computer.
- **iPhone note:** Google blocks its sign-in inside an app's built-in browser, so the iPhone app keeps the Google button hidden until a native Google sign-in plugin (and Sign in with Apple) is added. Email and password sign-up works there.
- New tests: `tools/test-google-token.py` (27), `tools/test-verify.py` (24), `tools/ui-verify.js`, more in the delivery, setup and public suites.

1.0.0-rc.4 (release candidate)

- **The swipe message now says where the test confirmation is.** With no real email connected, a signed-in swipe saves the confirmation in the test inbox page of the owner's own server, and the message gives its address (for example `http://localhost:8767/outbox`). Before, it only said "in the test inbox". A hosted server has no such page, so real users are told nothing about it. `tools/ui-swipes.js` checks both.

1.0.0-rc.3 (release candidate)

Applications now reach employers who connect, with the person's resume, and swiping is covered by tests of every gesture.

- **Employers can connect two ways** (`EMPLOYERS.md`): an email address, and/or a signed webhook (the model Indeed Apply uses: an HTTPS address per employer that receives each application as JSON, retried up to three times, never followed through a redirect). Employers who did not connect are never sent anything, so those jobs stay a hand-off to the employer's own page.
- **The resume file is sent.** The file uploaded under Preferences travels with the application: attached to the employer's email and inside the webhook. It is checked by content (a real PDF, Word or text file under 1 MB) and never stored on the server.
- **LinkedIn, phone, portfolio and the short summary now reach the employer in the release build.** They were saved under Resume and links but never sent, because only the optional profile form's fields were. The LinkedIn box says it is sent, and only real linkedin.com links are accepted.
- **Swipe-right messages are short:** "Applied to X." or "Saved. Finish applying at X.", plus one short line about the confirmation email. No more "A copy was emailed to you" or sign-in instructions beyond one sentence.
- **One swipe, one email** when the signed-in account is the owner address (the owner copy is skipped).
- **Job descriptions in emails start at the role** ("What you'll do"), not the company's introduction, and end on a whole sentence.
- **Connect Gmail form on the setup page:** paste the Gmail address and App Password into a local page (never into chat); it saves them in the git-ignored config and sends a test email. Hosted servers refuse it (their secrets live in the host's dashboard).
- **Menu wording:** Services now says "Coop" (was "Co-ops").
- New tests: `tools/test-delivery.py` (32), `tools/test-setup.py` (17), `tools/ui-swipes.js` (every gesture: buttons, keyboard, finger drags in both directions, undo, double tap, reload), and more in the email and job suites.

1.0.0-rc.2 (release candidate)

Found by running dev the way a real host runs it (public, behind HTTPS, cold start, no test data), and fixed.

- **Cold start:** for ~20-40 seconds after a restart a visitor saw a made-up example job. The release build now shows "Finding jobs for you…", and "Could not load jobs" if the feed fails;

it never shows example jobs.

- **Restarts are instant:** the last good postings are saved on disk (`jobs-cache.json` in the data folder), so a restart or a new deploy shows jobs at once and refreshes in the background. Feed fetches now run 16 at a time.
- **Honest scores:** a new visitor now sees “Matches below use an example profile. Enter your details” (it was hidden in dev, so the card claimed a 100% match for a person with no profile). The “N jobs left” counters stay off.
- **Forgot password on a server without email** now says reset by email is not available and points to Help, instead of promising a link that goes to a private test inbox.
- **Right swipe emails rewritten** (`emails.py`): every swipe right now sends the applicant a clear receipt and the owner a copy. Each one says what happened in a plain headline, shows the job (company, title, place, type, work style, pay, match, date and time), the job description, what was shared, what a swipe right means, what happens next and where to track it. A swipe that sends nothing (the employer takes applications on its own site) says so and gives a “Finish your application” button. In test mode the subject starts with [TEST] and a banner explains that nothing went to the employer. Plain text plus HTML; all text from people and job feeds is escaped. The design follows what Handshake and Indeed document about their confirmations; LinkedIn and ZipRecruiter do not publish theirs. With an email login set up, receipts are really sent in test mode too (to the applicant’s own address only).
- **Foreign jobs removed from the US feed:** “Toronto, ON, CA” was read as California, and roles titled ANZ or LATAM passed because their location said “Remote”. Locations are now checked part by part; the saved job cache is versioned so old results are dropped.
- **Test emails to the owner:** the owner copy address and the setup page’s test email can be pointed at any address. The setup page now says “no App Password yet” instead of a mail-server error.
- **Old name leftovers fixed:** the backup file, the applications CSV and calendar reminders still used “aply”; old backups still import.
- **Deep file audit** (`tools/audit-files.py`, also run in CI): every file by type, links, secrets, line endings, git hygiene.
- **The test suite no longer touches your servers:** `tools/run-all-tests.sh` uses its own ports (18766 and up).
- A pull request template and `CONTRIBUTING.md` set the standard: every PR gets a plain-words title and a full description.
- New tests: `tools/test-emails.py` (41), `tools/test-jobs.py` (23), `tools/test-public.py` (cookies, headers, owner pages, path traversal, limits: 33), `tools/test-smtp.py` with `tools/fake-smtp.py` (real SMTP end to end: 12), `tools/ui-widths.js` (nothing cut off from 320 to 430 px) and `tools/run-all-tests.sh`, which runs everything with one command on throwaway data.

1.0.0-rc.1 (release candidate)

The first release build. Everything below is in `dev`.

What a user gets

- Swipe through **real postings** from employers' own public career pages (Greenhouse, Lever, Ashby), with internships, part-time roles and co-ops under Services. Swiping right on a real job opens the employer's own application page; UAply never emails an employer that has not agreed to receive applications.
- **Accounts** with email and password: sign up (18+ and Terms), log in, **forgot password** by emailed one-hour link, change password, delete account. **Sign in with Google** is built and switches on when Google keys are added.
- Dashboard (Applied, Accepted, Rejected, Interviews), Profile (Settings, Resume and links, Preferences, Filters), Data and privacy (backup, restore, delete, and the legal pages).
- UAply Assistant: help answers from written articles (AI answers when an AI provider key is set), plus feedback.

What is different from sandbox (the release build)

- No developer bar, no "SANDBOX / TEST MODE" labels, no simulated Google/Apple/email-link/phone sign-in.
- No made-up example companies; only real postings.
- No paid plans or test payments (Apple requires its own in-app purchase for those; left out of version 1).
- A new profile starts **blank** (it used to be pre-filled with a sample person, which hid every real job).
- The assistant's answers use the release wording and do not mention plans.
- Inside the iPhone app, the Google button stays hidden until Sign in with Apple exists (App Store guideline 4.8).

Fixed on the way

- Hosted pages broke on phones when `$` sequences in the navigation script were mangled by the page builder.
- A board with hundreds of senior roles used to push its internships out of the feed.
- The documentation example employer ("Example Partner Co") was served as a real job when no partner file existed.
- An email login with no password used to count as "email is set up".

Checks that guard this release

`node check.js` (syntax of every script, Python lint, JSON, legal pages, release flags, hosted builds) runs on every push and pull request. Browser tests in `tools/`: `ui-release.js` (no test or developer content on any screen), `ui-sweep.js`, `ui-audit.js` (every button at iPhone size), `ui-reset.js`; Python tests `test-reset.py` and `test-google.py`.

Not done yet (the owner's steps)

See `DEPLOY.md`: host the server, add the Google and Gmail keys, fill the blanks in the legal pages and have an attorney review them, enroll in the Apple Developer Program, and build the iPhone app. Not built: email verification at sign-up, Sign in with Apple.

Part 4. Every commit on sandbox, October 12 to 17, 2026

178 commits, newest day first. Author in brackets.

2026-10-17 (47 commits)

- HANDOFF.md: where UAply stands and how we work, for the next session on the owner’s laptop [Claude]
- Merge pull request #36 from saifsiddiqueep-sketch/bot3-ats-ashby-smartrecruiters [saifsiddiqueep-sketch]
- Merge sandbox (Bot 2’s apply-ready profile) into the Ashby and SmartRecruiters work: one answer function for every hiring system, expected pay only where a form requires it [Claude]
- ATS: swipe right applies straight into Ashby and SmartRecruiters for employers who connect [Claude]
- Merge pull request #35 from saifsiddiqueep-sketch/bot2-profile-apply-ready [saifsiddiqueep-sketch]
- Profile setup: the answers employers’ forms require (relocation, expected pay, country, job title and dates), sent only when a form asks [Claude]
- Account screen on a hosted site: say email is not switched on yet instead of pointing at the owner-only test inbox and Connect Gmail [Claude]
- Merge dev (bottom bar 50px higher on phones) into sandbox: keep consent at first open, learn, and the Stripe links alongside simpleTabs/navLift; the lift cap stays 80px [Claude]
- Marketing demos from the Oct 17 session (autofill, phone swipe, two real-apply recordings) and the session summary PDF; ignore the bots’ local worktrees [Ali Siddique]
- Merge Bot 7 (launch readiness) with Bot 1 (preview wording): consent at first open, learn from swipes and buy buttons in dev, support page; hosted previews say they have no server [Ali Siddique]
- Release build (dev): ask for the agreement at first open, learn from swipes, buy buttons by the server’s rule [Ali Siddique]
- Plan and billing: the owner’s rule for the buy buttons, decided on the server [Ali Siddique]
- Support page (legal/support.html), linked from Help, the legal footer and the sandbox Hiring hub [Ali Siddique]
- Hosted preview copies: say “this is a preview with no server” instead of “Cannot reach UAply, check your internet” [Ali Siddique]
- Merge pull request #33 from saifsiddiqueep-sketch/nav-height-dev-5 [mrhphiladelphia-code]
- Dev: bottom bar a little higher on phones (50px) [Mohammed Rumman Hussain]

- Merge pull request #32 from saifsiddiqueep-sketch/nav-height-dev-4 [mrhphiladelphia-code]
- Dev: bottom bar a little higher on phones (40px) [Mohammed Rumman Hussain]
- Merge pull request #31 from saifsiddiqueep-sketch/nav-height-dev-3 [mrhphiladelphia-code]
- Dev: bottom bar a little higher on phones [Mohammed Rumman Hussain]
- Merge pull request #30 from saifsiddiqueep-sketch/nav-height-dev-2 [mrhphiladelphia-code]
- Dev: bottom bar a little higher on phones [Mohammed Rumman Hussain]
- Merge pull request #29 from saifsiddiqueep-sketch/nav-height-dev [mrhphiladelphia-code]
- Merge pull request #28 from saifsiddiqueep-sketch/nav-height-sandbox [mrhphiladelphia-code]
- Dev: bottom bar slightly higher on phones [Mohammed Rumman Hussain]
- Sandbox: bottom bar slightly lower on phones [Mohammed Rumman Hussain]
- Release build: no paid plans to choose until real Stripe keys are set; free during early access [Ali Siddique]
- Learns from your swipes: a few passes can no longer bury a whole kind of job [Ali Siddique]
- Merge pull request #27 from saifsiddiqueep-sketch/dev-bottom-tabs-postjob [mrhphiladelphia-code]
- Dev: turn on the one-word bottom tabs (Jobs, Dashboard, Profile) [Mohammed Rumman Hussain]
- Sandbox: bottom bar a little lower on phones, keyboard hint removed from Jobs [Mohammed Rumman Hussain]
- Merge pull request #26 from saifsiddiqueep-sketch/sandbox-nav-lower [mrhphiladelphia-code]
- Sandbox: bottom bar a little lower on phones, keyboard hint removed from Jobs [Mohammed Rumman Hussain]
- Merge Mohammed’s newest sandbox work: one-word bottom tabs sitting lower on phones, and Post a job in four steps [Ali Siddique]
- Merge Bot 8 follow-up: the swipe-learning browser test asserts what the design promises and is steady with or without real feeds [Ali Siddique]
- Sandbox into dev: security fixes, guided Profile setup, phone swiping, honest apply paths, jobs near you, 30+ working job boards, Render-ready server (#24) [saifsiddiqueep-sketch]
- Swipe learning browser test: check what the design promises, and run the same way with or without real job feeds [Ali Siddique]
- Merge Mohammed’s sandbox work: one-word bottom tabs and Post a job in four steps [mrhphiladelphia-code]
- Sandbox: one-word bottom tabs sitting lower on phones, and Post a job in four steps [Mohammed Rumman Hussain]
- Release build: Jobs near you is promoted into dev (location prompt, commute slider, nearby jobs first); the via browser check runs only inside the feeds test [Ali Siddique]

- Full test run: include the bots' new tests (job feeds, swipe learning, the Render start/stop test, the browser replay of every apply path, the learn and via browser checks) [Ali Siddique]
- Merge Bot 2 (swipe and buttons): two quick swipes both count, links on the card open only on a tap, keys no longer reach jobs behind an open box, the after-swipe message clears Pass/Undo/Apply, a saved employer answer always matches, new press-everything and swipe-kinds tests [Ali Siddique]
- Merge Bot 3 (apply and email): Reply-To can no longer be hijacked by a profile name, honest outcomes on every swipe path, retries when the server is down, receipts that say where the resume went, a browser replay of every path [Ali Siddique]
- Hiring mode keeps the arrow keys; location Try again shows it tried; a test that presses every control [Ali Siddique]
- check.js: the wiring check also loads uaply-learn.js, so the learn feature can be checked like the others [Ali Siddique]
- Merge Bot 8 (swipe learning): sandbox-only feature that learns each person's taste from their own swipes, with the replay test and a browser test [Ali Siddique]
- Merge Bot 6 (phone apps): Android 16 target, offline screen wired in, apps open uaply.net, Google hidden inside the apps, signed release build script, iPhone-only project, Codemagic workflow, store docs [Ali Siddique]

2026-10-16 (68 commits)

- Job reader: the early stop honours the bigger limit for the City of Philadelphia and USAJOBS (Bot 5's stop met Bot 9's 120-posting cap) [Ali Siddique]
- Restore the email pattern jobs_api's feed keys use (Bot 1 removed the old one as unused while Bot 9 began using it) [Ali Siddique]
- Merge Bot 9 (job feeds and keys): USAJOBS and City of Philadelphia sources, The Muse key, the Job feed keys box on /setup, a feeds_off switch, and a via credit on every card [Ali Siddique]
- Merge Bot 5 (hosting): clean stop on redeploy, broken records survive, disk and port checks with one clear startup line, cheaper first job load, render.yaml and DEPLOY.md proven against the code [Ali Siddique]
- Fix the resume help article broken while resolving the merge (escaped quotes in its go field) [Ali Siddique]
- Merge Bot 1 (code audit): 25 fixes across the server, pages and help, and check.js now checks how the files fit together [Ali Siddique]
- Merge Bot 4 (sign-in and Google): unconfirmed password sign-ups can no longer keep access to an account later claimed through Google; a per-account lock-out that cannot be dodged by faking addresses; Google's full-page sign-in on iPhone; the Google Cloud guide [Ali Siddique]
- Merge Bot 7 (launch readiness): close the /legal/ file-read hole, correct legal and app wording, hosted legal links [Ali Siddique]

- The message after a swipe no longer covers the Pass, Undo and Apply buttons [Ali Siddique]
- CHANGELOG: swipe right paths, emails and the Applied list (bot 3 fixes) [Ali Siddique]
- Receipts link back to the site even when public_url is not set [Ali Siddique]
- Resume attachments keep accented file names [Ali Siddique]
- New browser test: what the person is told after every kind of swipe right [Ali Siddique]
- ui-checklist test checks the profile checklist again (it was checking nothing) [Ali Siddique]
- The rating question goes away when you keep swiping [Ali Siddique]
- Arrow keys and Z no longer act on the job hidden behind an open box [Ali Siddique]
- Swipes: a second quick swipe is no longer lost, and a swipe that starts on the posting link is a swipe [Ali Siddique]
- Employer questions no longer come back forever after you answer them [Ali Siddique]
- Swipe right on screen: every outcome now shows in the toast and in the Applied list [Ali Siddique]
- Tests for the new job sources, keys and credits (tools/test-feeds.py, tools/ui-via.js); feed health shows keyless feeds as skipped [Ali Siddique]
- Release wording that misled people, help answers from an old version, and legal links on the hosted copy [Ali Siddique]
- Ready for Render: clean stop at each deploy, a startup check line, safer records, faster job list [Ali Siddique]
- Legal pages: say what the app really does with resume files, ZIP codes, form answers, plans and the AI chat [Ali Siddique]
- Sign-in ready for uaply.net: iPhone Google sign-in, no account pre-hijack, lock-out that a faked address cannot dodge [Ali Siddique]
- Phone apps ready for the stores: uaply.net, Android 16 target, working offline screen, build scripts [Ali Siddique]
- Tests for swipe learning: the math, the design’s worked example, a replay test and 30 real swipes in a browser [Ali Siddique]
- Sandbox only: UAply learns each person’s taste from their own swipes and reorders the deck [Ali Siddique]
- check.js: compile every server module and read every JSON file, not a hand-kept list [Ali Siddique]
- Employer list: with UAPLY_DATA_DIR set, only that folder is used (the test suite was writing a test key into the owner’s real list) [Ali Siddique]
- Switch any job source off by name (“feeds_off”); Remotive stays in place for the owner to decide [Ali Siddique]
- Credit every job’s source: “via …” on the card, and the source named in the application record and receipt [Ali Siddique]
- Setup page: a “Job feed keys” box where the owner pastes the USAJOBS and The Muse keys himself [Ali Siddique]
- Clean-up: comments that describe screens that are gone, code nothing uses, and a name that hid the screen router [Ali Siddique]

- The Muse: send UAply’s registered API key when the owner has added one [Ali Siddique]
- City of Philadelphia jobs from its public SmartRecruiters postings (no key needed) [Ali Siddique]
- Federal jobs from USAJOBS (needs the free key; skipped until it is added) [Ali Siddique]
- App text: name the screens that exist, open the right Profile setup step, and stop calling a server error “You’re offline” [Ali Siddique]
- Receipts and owner copies: say where the resume and the application really went [Ali Siddique]
- Setup page: a test run no longer writes the owner’s uaply-config.json, and three messages name the right place [Ali Siddique]
- Swipe right: test mode, duplicates, vanished jobs and failures now say what really happened [Ali Siddique]
- Emails: “Applied on” no longer shows a leading zero on the hour (Oct 5, 2026 at 09:05 AM) [Ali Siddique]
- Server: a failed payment event is retried properly, a crash while sending never blocks a retry, and quiet errors reach the log [Ali Siddique]
- Employer emails: a name can no longer redirect the employer’s reply, and the sender shows as UAply [Ali Siddique]
- Help: “Take me there” opens the right Profile setup step, and check.js now checks how the files fit together [Ali Siddique]
- Security: the legal pages address could read any file on the server [Ali Siddique]
- Squarespace and Block jobs are back: open http:// careers links securely instead of dropping the job [Ali Siddique]
- Merge Mohammed’s newest sandbox work: post a job from a link or pasted text (Hiring mode) [Ali Siddique]
- Employer list and connections: notice every change to the file, not only a new modification time [Ali Siddique]
- After the merge: consent box keeps a waiting swipe, messages name Profile setup steps, tests follow the new Profile menu [Ali Siddique]
- Merge PR #19 (Mohammed): syntax check passes, last coding-tool credit removed [Ali Siddique]
- Combine Mohammed’s sandbox work with Saif’s: Hiring mode, Stripe test, profile setup, nearby jobs, autofill, Brevo, phone swipes [Ali Siddique]
- Sandbox: post a job from a link or pasted text [mrhphiladelphia-code]
- Sandbox: post a job from a link or pasted text, above the manual form [Mohammed Rumman Hussain]
- Merge remote-tracking branch ‘origin/sandbox’ into sandbox-job-import [Mohammed Rumman Hussain]
- Sandbox: post a job from a link or pasted text (work in progress) [Mohammed Rumman Hussain]
- Sandbox: Hiring hub layout fixed, sidebar and logo clickable [mrhphiladelphia-code]

- Sandbox: Hiring hub layout fixed, sidebar and UAply logo clickable [Mohammed Rumman Hussain]
- Two read-only bot scripts: job board health and daily code checks [Ali Siddique]
- Swipes and buttons that work on phones, and a test run that never uses the owner's real settings [Ali Siddique]
- Sandbox: menu buttons work on iPhone, swipes don't snap back [mrhphiladelphia-code]
- Sandbox: menu buttons work on iPhone, swipes no longer snap back [Mohammed Rumman Hussain]
- Sandbox on phones: full screen, working buttons, swipes that go through [mrhphiladelphia-code]
- Sandbox on phones: full-screen app mode, menus that fit, swipes that go through [Mohammed Rumman Hussain]
- Sandbox: syntax check passes everywhere; remove the last coding-tool credit [Mohammed Rumman Hussain]
- Sandbox: pay for Plus and Pro with Stripe (test mode) [mrhphiladelphia-code]
- Sandbox: pay for Plus and Pro with Stripe (test mode) [Mohammed Rumman Hussain]
- Sandbox: Hiring mode for employers, and seamless swiping [mrhphiladelphia-code]
- Sandbox: Hiring mode for employers, consent before the first swipe, no confirm question [Mohammed Rumman Hussain]

2026-10-15 (8 commits)

- Catch run-time page mistakes and silent JavaScript line joins before they ship [Ali Siddique]
- Connect email from your own domain with Brevo, and a one-application check signed in as a real address [Ali Siddique]
- Early-access emails and reply tracker for the UAply Gmail (Google Apps Script) [Ali Siddique]
- Swipe right fills in the employer's real application form and asks only what the person alone can answer [Ali Siddique]
- Merge pull request #16 from saifsiddiqueep-sketch/sandbox-near [mrhphiladelphia-code]
- Sandbox: show the browser's location prompt on open, and fix Bottom navigation stopping part-way [rumma]
- Sandbox: ask for location on open, commute slider in Filters, nearby jobs first [rumma]
- Hosted pages show the UAply icon instead of a plain globe [rumma]

2026-10-13 (32 commits)

- Guided Profile setup, and make profile answers really drive matching [rumma]
- Make Delete account harder to reach and add a skippable exit survey [rumma]
- Sweep fixes: verification code no longer kept, privacy policy updated, card and form polish, repo clean-up (rc.6) [Ali Siddique]
- Merge pull request #12 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]

- Sign-in: Continue with Google button, email code check, verified-only confirmations (rc.5) [Ali Siddique]
- Merge pull request #11 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Swipe message says where the test confirmation is [Ali Siddique]
- Merge pull request #10 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Release rc.3: applications reach connected employers with the resume, LinkedIn is sent, swipes fully tested [Ali Siddique]
- Merge pull request #9 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Release rc.2: clear right-swipe emails, honest loading and notices, US-only real jobs, full file audit [Ali Siddique]
- Merge pull request #7 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Release build: dev is now what users get (1.0.0-rc.1) [Ali Siddique]
- Keep internships, co-ops and part-time roles first per employer; add intern-hiring boards; phone-size audit tools [Ali Siddique]
- Pin the workflows to Ubuntu 24.04 ahead of GitHub moving ubuntu-latest to 26 on Oct 19 [Ali Siddique]
- Merge pull request #5 from saifsiddiqueep-sketch/dev [saifsiddiqueep-sketch]
- Password reset by email, change password, owner setup page and a key-entry helper [Ali Siddique]
- Sign in with Google, legal pages in Data & privacy, and UI/back-end test tools [Ali Siddique]
- Merge pull request #4 from mrhphiladelphia-code/uaply-features [saifsiddiqueep-sketch]
- Merge remote-tracking branch ‘origin/dev’ into release [Ali Siddique]
- Fix hosted pages: inlined scripts were mangled by $ sequences, breaking the phone/static version [Ali Siddique]
- Merge pull request #3 from mrhphiladelphia-code/uaply-features-dev [saifsiddiqueep-sketch]
- Merge pull request #2 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Merge remote-tracking branch ‘origin/sandbox’ into uaply-features [rumma]
- Use the UAply U logo for the app icon, splash screens and website favicon [rumma]
- DEPLOY.md: app projects are generated; remaining store steps [rumma]
- App Store and Google Play projects with UAply icon and splash [rumma]
- Decided plans and phone-app features [rumma]
- Ready to host: Render blueprint, production server settings, app-store shell [rumma]
- UAply Assistant: support chat and feedback in sandbox and dev [rumma]
- Add UAply marketing and fundraising plan, Kickstarter draft and store cover [Ali Siddique]
- Voluntary questions and hiring-manager message in sandbox and dev [rumma]

2026-10-14 (7 commits)

- Real Plus and Pro plans with Stripe, an instant-apply filter, and plan limits on the server (sandbox) [Ali Siddique]

- Merge pull request #15 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Swipe right applies by itself into connected employers’ hiring systems (rc.8) [Ali Siddique]
- Merge pull request #14 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Sign-in and email like the real thing, help requests that reach the team, no raw errors (rc.7) [Ali Siddique]
- Merge pull request #13 from saifsiddiqueep-sketch/sandbox [saifsiddiqueep-sketch]
- Server takes a burst of visitors: connection queue 5 to 128, plus a stress test in the full run [Ali Siddique]

2026-10-12 (16 commits)

- Accounts, receipts, new filters and profile upgrades, merged onto UAply [rumma]
- Rename apply_api.py to uaply_api.py; swipe right sends in test mode for example listings; optional owner copy email [Ali Siddique]
- Tidy two files so the repository page shows the UAply name [Ali Siddique]
- Rename the app to UAply (one p) everywhere [Ali Siddique]
- Rename the app from Aply to UApply [Ali Siddique]
- Add a PDF of the legal risk review and the script that makes it [Ali Siddique]
- Legal compliance pass: authorized job sources only, consent, and draft legal pages [Ali Siddique]
- Swipe right submits the application and nothing else [Ali Siddique]
- Sandbox: application-ready profile, and keep unsaved input when switching Profile sections [Ali Siddique]
- Dev: add bigger tap targets, applied dates and the swipe hint to match sandbox [Ali Siddique]
- Swipe right applies automatically; live sends wait a few seconds so Undo can cancel [Ali Siddique]
- Merge main into sandbox [Ali Siddique]
- Add edit-in-browser links to the hosted landing page and README [Ali Siddique]
- Document the Pages deployment-branch rule [Ali Siddique]
- Test that a push to sandbox republishes the hosted pages [Ali Siddique]
- Set up Aply with prod, dev and sandbox instances [Ali Siddique]