



CSS Combinators

[< Previous](#)[Next >](#)

CSS Combinators

A combinator is something that explains the relationship between the selectors.

A CSS selector can contain more than one simple selector. Between the simple selectors, we can include a combinator.

There are four different combinators in CSS:

- descendant selector (space)
- child selector (>)
- adjacent sibling selector (+)
- general sibling selector (~)

Descendant Selector

The descendant selector matches all elements that are descendants of a specified element.

The following example selects all <p> elements inside <div> elements:

Example

[Dark mode](#)



}

[Try it Yourself »](#)

Child Selector (>)

The child selector selects all elements that are the children of a specified element.

The following example selects all <p> elements that are children of a <div> element:

Example

```
div > p {  
  background-color: yellow;  
}
```

[Try it Yourself »](#)

Adjacent Sibling Selector (+)

The adjacent sibling selector is used to select an element that is directly after another specific element.

Sibling elements must have the same parent element, and "adjacent" means "immediately following".

The following example selects the first <p> element that are placed immediately after <div> elements:

Example

[Dark mode](#)



}

[Try it Yourself »](#)

General Sibling Selector (~)

The general sibling selector selects all elements that are next siblings of a specified element.

The following example selects all <p> elements that are next siblings of <div> elements:

Example

```
div ~ p {  
  background-color: yellow;  
}
```

[Try it Yourself »](#)

Test Yourself With Exercises

Exercise:

Change the color of all <p> elements, that are descendants of <div> elements, to "red".

```
<style>  
{
```

[Dark mode](#)



```
</style>
```

```
<body>
```

```
<div>
```

```
  <p>This is a paragraph.</p>
```

```
  <p>This is a paragraph.</p>
```

```
</div>
```

```
<p>This is a paragraph.</p>
```

```
<p>This is a paragraph.</p>
```

```
</body>
```

[Submit Answer »](#)[Start the Exercise](#)

All CSS Combinator Selectors

Selector	Example	Example description
<u><i>element element</i></u>	div p	Selects all <p> elements inside <div> elements
<u><i>element>element</i></u>	div > p	Selects all <p> elements where the parent is a <div> element
<u><i>element+element</i></u>	div + p	Selects the first <p> element that are placed immediately after <div> elements
<u><i>element1~element2</i></u>	p ~ ul	Selects every element that are preceded by a <p> element

[Dark mode](#)

Previous

Next



COLOR PICKER



Get certified
by completing
a CSS
course today!



Dark mode

W³
schools

Launch Your Web Development
Career in Just 6 Months with
W3Schools Bootcamps
Learn fullstack development from expert
instructors. All for **\$2995**. Apply now!

Learn more

- Report Error
- Spaces
- Upgrade
- Newsletter
- Get Certified

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Dark mode

[HTML](#)[CSS](#)[HTML Reference](#)[CSS Reference](#)[JavaScript Reference](#)[SQL Reference](#)[Python Reference](#)[W3.CSS Reference](#)[Bootstrap Reference](#)[PHP Reference](#)[HTML Colors](#)[Java Reference](#)[Angular Reference](#)[jQuery Reference](#)

Top Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)

Get Certified

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[Front End Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[jQuery Certificate](#)[Java Certificate](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

[Dark mode](#)

