Home PHP MySQL Laravel WordPress Magento 2 CodeIgniter

Swapping two numbers



Two numbers can be swapped or interchanged. It means first number will become second and second number will become first.

For example

```
a = 20, b = 30
After swapping,
a = 30, b = 20
```

There are two methods for swapping:

- By using third variable.
- Without using third variable.

Swapping Using Third Variable

Swap two numbers 45 and 78 using a third variable.

Example:

```
<?php
$a = 45;
$b = 78;
// Swapping Logic
$third = $a;
$a = $b;
$b = $third;
echo "After swapping:<br>";
echo "a = ".$a." b=".$b;
?>
```

Output:



After swapping:

$$a = 78 b = 45$$

Swapping Without using Third Variable

Swap two numbers without using a third variable is done in two ways:


- Using arithmetic operation + and?
- Using arithmetic operation * and /



Example for (+ and -):

```
<?php
$a=234;
$b=345;
//using arithmetic operation
$a=$a+$b;
$b=$a-$b;
$a=$a-$b;
echo "Value of a: $a</br>";
echo "Value of b: $b</br>";
?>
```

Output:




Value of a: 345 Value of b: 234

Example for (* and /):

```
<?php
$a=234;
$b=345;
// using arithmetic operation
$a=$a*$b;
$b=$a/$b;
$a=$a/$b;
echo "Value of a: $a</br>";
echo "Value of b: $b</br>";
?>
```

Output:



Value of a: 345 Value of b: 234



 $Next \rightarrow$



Syoutube For Videos Join Our Youtube Channel: Join Now

Feedback

• Send your Feedback to feedback@javatpoint.com


Help Others, Please Share







Learn Latest Tutorials






Preparation



Trending Technologies



B.Tech / MCA



AD