



CSS-Properties CSS-Selectors CSS-Functions CSS-Examples CSS-Questions CSS-Quiz 1 CSS-

CSS | @supports Rule

Last Updated: 23 Aug, 2022

Read Discuss Courses Practice Video

The **CSS** @supports rule specifies a support condition for feature support on a browser, i.e. a specific CSS style property can be specified as a condition to check for its support on the browser and if the condition is true then the block of code is executed else not. It is a **CSS** conditional rule and comes under **CSS** at-rule.

Syntax:

```
@supports (condition) {
    // Style you want to apply
}
```

Example:

html

```
<!DOCTYPE html>
<html>
<head>
    <title>Supports</title>
    <style>
        @supports (display: flex) {
            div h1 {
                display: flex;
                justify-content: flex-start;
                color: green;
                border: 3px solid green;
                padding: 20px;
                font-size: 40px;
    </style>
</head>
<body>
```


We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our <u>Cookie Policy</u> & <u>Privacy Policy</u>

Got It!

</body>

Output:

ΑD



GeeksforGeeks

In the above example, the display flex is supported by browsers, so the styling is applied. There are 3 keywords that can be used with @supports. These are:

- not
- and
- 01

not keyword: The '**not**' keyword can be used to check the opposite of the condition specifies. To explain that keyword, below is an example to apply the styling if there is no support for display being flex.


Example:

html

<!DOCTYPE html>

```
<title>Supports</title>
    <style>
        @supports not (display: flex) {
            div h1 {
                display: flex;
                justify-content: flex-start;
                color: green;
                border: 3px solid green;
                padding: 20px;
                font-size: 40px;
    </style>
</head>
<body>
    <div>
        <h1>GeeksforGeeks</h1>
    </div>
</body>
</html>
```

Output:



GeeksforGeeks

In the above example, the styling is not applied because the browser supports display as flex. **and keyword:** The '**and**' keyword is used to check two conditions and if both are true then the block of style is executed.


Example:

html

```
<!DOCTYPE html> <html>
```

```
@supports (display: flex) and (display: -webkit-flex) {
            div h1 {
                display: flex;
                justify-content: flex-start;
                color: green;
                border: 8px solid green;
                padding: 20px;
                font-size: 35px;
    </style>
</head>
<body>
    <div>
        <h1>GeeksforGeeks</h1>
    </div>
</body>
</html>
```

Output:




GeeksforGeeks

or keyword: The '**or**' keyword is used when we want to execute the block of style when even one of the multiple conditions specified is true.

Example:

html

Output:



GeeksforGeeks

Supported Browsers: The browsers supported by **CSS @supports rule** property are listed below:

- Google Chrome 28 and above
- Microsoft Edge 12 and above
- Firefox 22 and above
- Safari 9 and above
- Opera 12.1 and above

Related Articles

CSS | column-rule-width Property
 CSS | column-rule Property
 CSS | column-rule-style Property
 CSS | column-rule-color Property
 CSS | @import rule
 CSS | @charset Rule
 CSS @media Rule
 CSS @keyframes Rule

10. What does the CSS rule "clear: both" do?

Like 0

Previous

Article Contributed By:



Vote for difficulty

Easy Normal Medium Hard Expert

Improved By: kumargaurav97520

Article Tags: CSS-Properties, CSS, Technical Scripter, Web Technologies

Improve Article

Report Issue



A-143, 9th Floor, Sovereign Corporate Tower, Sector-136, Noida, Uttar Pradesh - 201305

feedback@geeksforgeeks.org

Company	Languages
---------	-----------

About Us Python

Careers

In Media C++

Contact Us GoLang

Privacy Policy SQL

Copyright Policy R Language

Advertise with us Android Tutorial

Data Structures Algorithms

Array Data Structure Sorting

String Data Structure Searching

Linked List Data Structure Greedy

Stack Data Structure Dynamic Programming

Queue Data Structure Pattern Searching

Tree Recursion

Graph Backtracking

Web Development Write & Earn

JavaScript Pick Topics to Write

Bootstrap Write Interview Experience

ReactJS Internships

AngularJS Video Internship

NodeJS

Computer Science

Operating Systems

Computer Network

Database Management System

Software Engineering

Digital Logic Design

Computer Graphics

Engineering Maths

Interview Corner

Company Preparation

Preparation for SDE

Company Interview Corner

Experienced Interview

Internship Interview

Competitive Programming

School [Class 6-12]

CBSE Notes for Class 8

CBSE Notes for Class 9

CBSE Notes for Class 10

CBSE Notes for Class 11

CBSE Notes for Class 12

English Grammar

Data Science & ML

Data Science With Python

Data Science For Beginner

Machine Learning Tutorial

Maths For Machine Learning

Pandas Tutorial

NumPy Tutorial

OpenCV Python Tutorial

Python

Python Tutorial

Python Programming Examples

Django Tutorial

Python Projects

Python Tkinter

OpenCV Python Tutorial

UPSC/SSC/BANKING

SSC CGL Syllabus

SBI PO Syllabus

IBPS PO Syllabus

UPSC Ethics Notes

UPSC Economics Notes

UPSC History Notes

@geeksforgeeks, Some rights reserved