



HTML Table Colspan & Rowspan

[< Previous](#)[Next >](#)

HTML tables can have cells that span over multiple rows and/or columns.

NAME		

APRIL		

2022		
FIESTA		

HTML Table - Colspan

To make a cell span over multiple columns, use the `colspan` attribute:

Example

```
<table>
  <tr>
    <th colspan="2">Name</th>
    <th>Age</th>
  </tr>
  <tr>
    <td>Jill</td>
    <td>Smith</td>
    <td>43</td>
  </tr>
```

```
<tr>
  <td>Eve</td>
  <td>Jackson</td>
  <td>57</td>
</tr>
</table>
```

Try it Yourself »

Note: The value of the `colspan` attribute represents the number of columns to span.

HTML Table - Rowspan

To make a cell span over multiple rows, use the `rowspan` attribute:

Example

```
<table>
  <tr>
    <th>Name</th>
    <td>Jill</td>
  </tr>
  <tr>
    <th rowspan="2">Phone</th>
    <td>555-1234</td>
  </tr>
  <tr>
    <td>555-8745</td>
  </tr>
</table>
```

Try it Yourself »

Note: The value of the `rowspan` attribute represents the number of rows to span.

HTML Exercises


Test Yourself With Exercises

Exercise:

Use the correct HTML attribute to make the first TH element span two columns.

```
<table>
  <tr>
    <th                >Name</th>
    <th>Age</th>
  </tr>
  <tr>
    <td>Jill</td>
    <td>Smith</td>
    <td>50</td>
  </tr>
  <tr>
    <td>Eve</td>
    <td>Jackson</td>
    <td>94</td>
  </tr>
</table>
```

[Submit Answer »](#)

[Start the Exercise](#)[< Previous](#)[Next >](#)

COLOR PICKER



Get certified
by completing
a HTML
course today!



Get started

Start
DEVELOPING
Without Installations

Try Now



BACKEND
Support Included



Report Error

Spaces

Upgrade

Newsletter

Get Certified

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

