

PHP Multidimensional Arrays



Next 🔪

In the previous pages, we have described arrays that are a single list of key/value pairs.

However, sometimes you want to store values with more than one key. For this, we have multidimensional arrays.

PHP - Multidimensional Arrays

A multidimensional array is an array containing one or more arrays.

PHP supports multidimensional arrays that are two, three, four, five, or more levels deep. However, arrays more than three levels deep are hard to manage for most people.

The dimension of an array indicates the number of indices you need to select an element.

- For a two-dimensional array you need two indices to select an element
- For a three-dimensional array you need three indices to select an element

PHP - Two-dimensional Arrays

A two-dimensional array is an array of arrays (a three-dimensional array is an array of arrays of arrays).

First, take a look at the following table:

| Name | Stock | Sold |
|------------|-------|------|
| Volvo | 22 | 18 |
| BMW | 15 | 13 |
| Saab | 5 | 2 |
| Land Rover | 17 | 15 |

We can store the data from the table above in a two-dimensional array, like this:

```
$cars = array (
   array("Volvo",22,18),
   array("BMW",15,13),
   array("Saab",5,2),
   array("Land Rover",17,15)
);
```

Now the two-dimensional \$cars array contains four arrays, and it has two indices: row and column.

To get access to the elements of the \$cars array we must point to the two indices (row and column):

Example

Get your own PHP Server

Try it Yourself »

We can also put a for loop inside another for loop to get the elements of the \$cars array (we still have to point to the two indices):

Example

Get your own PHP Server

```
<?php
for ($row = 0; $row < 4; $row++) {
    echo "<p><b>Row number $row</b>";
    echo "";
    for ($col = 0; $col < 3; $col++) {
        echo "<li>".$cars[$row][$col]."";
    }
    echo "";
}
```

Try it Yourself »

Complete PHP Array Reference

For a complete reference of all array functions, go to our complete <u>PHP Array</u> <u>Reference</u>.

The reference contains a brief description, and examples of use, for each function!



Next >



Learn more

COLOR PICKER






Get certified by completing a PHP course today!



Get started



Report Error

Spaces

Upgrade

Newsletter

Get Certified

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
c++ Tutorial
jQuery Tutorial

Top References

HTML Reference CSS Reference

JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM | ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2023 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

