

1) Creating the repository

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

Owner *

Repository name *

saifulbjit

 /

BranchBros

BranchBros is available.

Great repository names are short and memorable. Need inspiration? How about **bookish-doodle** ?

Description (optional)

The task completed by BranchBros

☒ Public

Anyone on the internet can see this repository. You choose who can commit.

☐ Private

You choose who can see and commit to this repository.

Initialize this repository with:

☒ Add a README file

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: MIT License

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

This will set `main` as the default branch. Change the default name in your [settings](#).

2) Adding collaborator

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security

Deploy keys

Secrets and variables

Integrations

Who has access

Add a collaborator to BranchBros


Search by username, full name, or email

Select a collaborator above


You haven't invited any collaborators yet

Add people


3) Adding the collaborators and the teacher



4) Making the development branch as the default branch



5) Team leader committing the initial update texts



6) Enforcing branch protection rules

