

FSAD Experiment 7:



REST API -



Id:2400031125

Name: D.M Saifulla

Section : 68

SCREENSHOTS





GIT REPO: <https://github.com/saifulladm007/FSAD-Skill-Experiments-Sec-68>

ExpApplication.java

```
package com.klu;
```

```
import org.springframework.boot.SpringApplication;
```

```

import
org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication
public class Skill7ExpApplication {

    public static void main(String[] args) {
        SpringApplication.run(Skill7ExpApplication.class,
args);
    }

}

```

Course.java

```

package com.klu.entity;

import jakarta.persistence.*;

@Entity
@Table(name = "course_s5")
public class Course
{
    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
    @Column(name = "courseid")
    private Long courseId;

    @Column(name = "coursetitle")
    private String title;

    @Column(name = "courseduration")
    private String duration;

    @Column(name = "coursefee")
    private double fee;

    public Long getCourseId()
    {
        return courseId;
    }

    public void setCourseId(Long courseId)
    {
        this.courseId = courseId;
    }

    public String getTitle()

```

```
{  
    return title;  
}
```

```
public void setTitle(String title)  
{  
    this.title = title;  
}
```

```
public String getDuration()  
{  
    return duration;  
}
```

```
public void setDuration(String duration)  
{  
    this.duration = duration;  
}
```

```
public double getFee()  
{  
    return fee;  
}
```

```
public void setFee(double fee)  
{  
    this.fee = fee;  
}
```

```
@Override  
public String toString()  
{  
    return "Course [courseId=" + courseId + ", title=" +  
title + ", duration=" + duration + ", fee=" + fee + "];"  
}  
}
```

CourseController.java

```
package com.klu.controller;
```

```
import java.util.List;
```

```
import org.springframework.beans.factory.annotation.Autowired;  
import org.springframework.web.bind.annotation.*;
```

```
import com.klu.entity.*;  
import com.klu.service.CourseManager;
```

```

@RestController
@RequestMapping("/courses")
@ResponseBody
public class CourseController
{
    @Autowired
    CourseManager cm;

    // Insert
    @PostMapping("/insert")
    public String insert(@RequestBody Course c1)
    {
        return cm.insertData(c1);
    }

    // Get All
    @GetMapping("/getall")
    public List<Course> getAll()
    {
        return cm.getAllData();
    }

    // Get By Id
    @GetMapping("/getbyid/{id}")
    public Course getById(@PathVariable Long id)
    {
        return cm.getDataById(id);
    }

    // Update
    @PutMapping("/update/{id}")
    public String update(@PathVariable Long id, @RequestBody
Course c2)
    {
        return cm.updateAllData(id, c2);
    }

    // Delete
    @DeleteMapping("/delete/{id}")
    public String delete(@PathVariable Long id)
    {
        return cm.deleteData(id);
    }

    // Search
    @GetMapping("/search/{title}")
    public List<Course> search(@PathVariable String title)
    {
        return cm.searchByTitle(title);
    }
}

```

}