


FSAD Experiment : 9

Name: D.M Saifulla


Id:2400031125

@RestController

SCREENSHOTS :



```
1 package com.university.studentapi.exception;
2
3 import java.time.LocalDateTime;
4
5 public record ErrorResponse(LocalDateTime timestamp, String message, int statusCode) {
6 }
7
```



```
1 package com.university.studentapi.exception;
2
3 import org.springframework.http.HttpStatus;
4
5 @ControllerAdvice
6 public class GlobalExceptionHandler {
7
8     @ExceptionHandler(StudentNotFoundException.class)
9     public ResponseEntity<ErrorResponse> handleStudentNotFound(StudentNotFoundException ex) {
10         ErrorResponse errorResponse = new ErrorResponse(
11             LocalDateTime.now(),
12             ex.getMessage(),
13             HttpStatus.NOT_FOUND.value()
14         );
15         return ResponseEntity.status(HttpStatus.NOT_FOUND).body(errorResponse);
16     }
17
18     @ExceptionHandler(InvalidInputException.class)
19     public ResponseEntity<ErrorResponse> handleInvalidInput(InvalidInputException ex) {
20         ErrorResponse errorResponse = new ErrorResponse(
21             LocalDateTime.now(),
22             ex.getMessage(),
23             HttpStatus.BAD_REQUEST.value()
24         );
25         return ResponseEntity.status(HttpStatus.BAD_REQUEST).body(errorResponse);
26     }
27
28     @ExceptionHandler(Exception.class)
29     public ResponseEntity<ErrorResponse> handleGeneralException(Exception ex) {
30         ErrorResponse errorResponse = new ErrorResponse(
31             LocalDateTime.now(),
32             "An unexpected error occurred.",
33             HttpStatus.INTERNAL_SERVER_ERROR.value()
34         );
35         return ResponseEntity.status(HttpStatus.INTERNAL_SERVER_ERROR).body(errorResponse);
36     }
37 }
38
```

POST Get data • GET http://localhost:8080/st • GET http://localhost:8080/st • GET http://localhost:8080/st • + No environment

http://localhost:8080/student/1 Save Share

GET http://localhost:8080/student/1 Send

Docs Params Authorization Headers (8) Body Scripts Settings Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body Cookies Headers (5) Test Results 200 OK • 15 ms • 227 B •

{ } JSON Preview Visualize

```
1 {
2   "id": 1,
3   "name": "Vamsi Krishna",
4   "department": "Computer Science"
5 }
```

POST Get data • GET http://localhost:8080/st • GET http://localhost:8080/st • GET http://localhost:8080/st • + No environment

http://localhost:8080/student/99 Save Share

GET http://localhost:8080/student/99 Send

Docs Params Authorization Headers (6) Body Scripts Settings Cookies


Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body Cookies Headers (5) Test Results 404 Not Found • 8 ms • 272 B •

{ } JSON Preview Debug with AI

```
1 {
2   "timestamp": "2026-03-15T15:32:16.086688",
3   "message": "Student with ID 99 not found.",
4   "statusCode": 404
5 }
```



GIT REPO : <https://github.com/saifulladm007/FSAD-Skill-Experiments> - s e c - 68

Application.java

```
package klu.Spring_Boot_Demo;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication
public class Skill9Application {

    public static void main(String[] args) {
        SpringApplication.run(Skill9Application.class, args);
    }

}
```

StudentController.java

```

package klu.Spring_Boot_Demo;

import org.springframework.web.bind.annotation.*;

import java.util.*;

@RestController
@RequestMapping("/student")
public class StudentController {

    private static final List<Student> students = new
    ArrayList<>();

    static {
        students.add(new Student(1, "Saifulla", "CSE"));
        students.add(new Student(2, "Ravi", "ECE"));
        students.add(new Student(3, "Sita", "IT"));
    }

    @GetMapping("/{id}")
    public Student getStudent(@PathVariable int id) {

        if (id <= 0) {
            throw new InvalidInputException("ID must be
            positive");
        }

        return students.stream()
            .filter(s -> s.getId() == id)
            .findFirst()
            .orElseThrow(() ->
                new StudentNotFoundException("Student
                not found with ID: " + id));
    }
}

```