


SKILL-11

NAME: D.M Saifulla ID:2400031125

Project structure:



The screenshot shows the VS Code interface with the project structure on the left and the package.json file open in the editor. The project structure includes a public directory with users.json and vite.svg, a src directory with assets, components, App.css, App.jsx, index.css, main.jsx, .gitignore, eslint.config.js, index.html, package-lock.json, package.json, README.md, vite.config.js, and another package-lock.json. The package.json file is configured with the name 'skill_11', private: true, version: '0.0.0', type: 'module', and scripts for dev, build, and preview. Dependencies include axios, react, and react-dom, while devDependencies include @vitejs/plugin-react and vite.

```

1  {
2    "name": "skill_11",
3    "private": true,
4    "version": "0.0.0",
5    "type": "module",
6    "scripts": {
7      "dev": "vite",
8      "build": "vite build",
9      "preview": "vite preview"
10   },
11   "dependencies": {
12     "axios": "^1.6.0",
13     "react": "^18.2.0",
14     "react-dom": "^18.2.0"
15   },
16   "devDependencies": {
17     "@vitejs/plugin-react": "^4.0.0",
18     "vite": "^5.0.0"
19   }
20 }

```

Below the editor, the terminal shows the command prompt: PS C:\Users\LAASYA\Desktop\Skill_11>

Users.json



The screenshot shows the Users.json file in the VS Code editor. It contains an array of five user objects, each with id, name, email, and phone properties.

```

1  [
2    { "id": 1, "name": "Deep", "email": "deep@gmail.com", "phone": "9876543210" },
3    { "id": 2, "name": "Rahul", "email": "rahul@gmail.com", "phone": "9876543211" },
4    { "id": 3, "name": "Anil", "email": "anil@gmail.com", "phone": "9876543212" },
5    { "id": 4, "name": "Sneha", "email": "sneha@gmail.com", "phone": "9876543213" },
6    { "id": 5, "name": "Kiran", "email": "kiran@gmail.com", "phone": "9876543214" }
7  ]

```

LocalUsersList.jsx

SKILL-11

NAME: D.M Saifulla ID:2400031125

```
1  import { useEffect, useState } from "react";
2
3  function LocalUserList() {
4
5      const [users,setUsers] = useState([]);
6
7      useEffect(()=>{
8          fetch("/users.json")
9              .then(res => res.json())
10             .then(data => setUsers(data));
11      },[]);
12
13      return (
14          <div>
15              <h2>Local Users</h2>
16
17              {users.map(u => (
18                  <div key={u.id}>
19                      <p>Name: {u.name}</p>
20                      <p>Email: {u.email}</p>
21                      <p>Phone: {u.phone}</p>
22                      <hr/>
23                  </div>
```

UserList.jsx

```
import { useEffect, useState } from "react";
function UserList(){
    const [users,setUsers] = useState([]);
    useEffect(()=>{
        fetch("https://jsonplaceholder.typicode.com/users")
            .then(res => res.json())
            .then(data => setUsers(data));
    },[]);
    return(
        <div>
            <h2>Users API</h2>
            {users.map(u => (
                <div key={u.id}>
                    <p>Name: {u.name}</p>
                    <p>Email: {u.email}</p>
                    <p>Phone: {u.phone}</p>
                    <hr/>
                </div>
```

FakePostList.jsx

SKILL-11

NAME: D.M Saifulla ID:2400031125

```
import { useEffect, useState } from "react";
import axios from "axios";

function FakePostList(){

  const [posts,setPosts] = useState([]);

  const loadPosts = () =>{
    axios.get("https://dummyjson.com/posts")
      .then(res => setPosts(res.data.posts));
  };

  useEffect(()=>{
    loadPosts();
  },[]);

  return(
    <div>
      <h2>Fake API Posts</h2>
      <button onClick={loadPosts}>Refresh</button>
    </div>
  );
}
```

Dashboard.jsx

```
import { useState } from "react";
// Add LocalUsersList
import LocalUsersList from "../LocalUsersList";
import UserList from "../UserList";
import FakePostList from "../FakePostList";

function Dashboard() {
  const [page, setPage] = useState("");

  return (
    <div>
      <h1>Dashboard</h1>
      <button onClick={() => setPage("local")}>Local Users</button>
      <button onClick={() => setPage("api")}>Users API</button>
      <button onClick={() => setPage("fake")}>Fake API Posts</button>

      <hr />

      {/* Make sure the component name here also matches the import above */}
      {page === "local" && <LocalUsersList />}
      {page === "api" && <UserList />}
      {page === "fake" && <FakePostList />}
    </div>
  );
}
```

App.jsx

SKILL-11

NAME: D.M Saifulla ID:2400031125

```
import Dashboard from "../components/Dashboard";

function App() {
  return (
    <div>
      <Dashboard />
    </div>
  );
}

export default App;
```

Package.json:

```
{
  "name": "skill_11",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  >Debug
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "axios": "^1.6.0",
    "react": "^18.2.0",
    "react-dom": "^18.2.0"
  },
  "devDependencies": {
    "@vitejs/plugin-react": "^4.0.0",
    "vite": "^5.0.0"
  }
}
```

SKILL-11

NAME: D.M Saifulla ID:2400031125

OUTPUT:

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\LAASYA\Desktop\Skill_11> cd vite-project
PS C:\Users\LAASYA\Desktop\Skill_11\vite-project> npm run dev

> skill_11@0.0.0 dev
> vite

Port 5173 is in use, trying another one...

VITE v5.4.21 ready in 917 ms

→ Local: http://localhost:5174/
→ Network: use --host to expose
→ press h + enter to show help
```

