	R				) <sub>F</sub>	- \								
Y Y							V							
							<u>L</u>	E		# :	10			
							1	SA	IF!	 	1 /	H	K	H
	ut	219												
-68M			_	Use	. 16	<u> </u>	1)ec	l	)	da	d			
	 lesm	>		<u> </u>	forn	<u>~~</u>								
		15	<u></u>	. \ {	10		tak	P	dat	a 1	700	\ (	J	/
input	(1				I				-	_			_	

			1,2,79.		
How 10	concil la	DR To	- INFO		
			Il chacha	> Name	2 lable>
	- I ah	te for	That a	"  >	
	jr	to tout	"Chacha		
	insut				
Input type	attribule:				
			password		
			tel Lox	) By 6	e fault
		<u> </u>	tel number -> text	7 154 0	
		+			
mgm	<u> </u>				
name otherb					
	=> ba	cland o	data Ko get	Kmy K	liyar
- mp		adio inp	र्ज		
				4 1	ho jarzega
value att.	71 bull =	Bullon =	ye btu	ILa text	ho Jarzega
			ei dussa	input	70
		J		no jayesi	
		+ + +			+ + + + -

							I			1	
place holde	AHribu	e						1			
Place (1810)			Hint	Λ	,		fie	le °			
			Hint	01	1 \						
Foom El	em en c										
	-	> 120	put ble elect optims								
		> 1a	pp /								
		ے S	ele t								
			ostilus	ı							
			1. Han	\							
		-	buttor text	ar	ષ ૦/						
		-	texi Tiel	1	7						
			-) tiel	161 2	\						
			> 10	gen	0						
	4/7										
HTML Forms	HTML Forms										
Username:	] > Imput										
Password:	Jank 2										
	] /										
Submit	$(\nu)$										

Colorton	
Use to	create drop down in HTML
0.31	
C Note	
11000	Login
11 18 18 8 4041	
LINE FROM	
wastivi,	1 Acadmic
use to group mattiple form planents.	
Canady	to tield set
· · · · · · · · · · · · · · · · · · · ·	gives caption to tieber
	gives call
Home works	
Plent was	1 Select an option-
	Input type = "tel" 15
input atl.	ribute. De Horr
	-> Pattern
	-> Pattern -> maxlength -> minlength -> Sigl
	and ength
	718