ACADEMIC PROJECT DOCUMENTATION

Student Enrollment & Course Management System

Phase 4: Data Migration, Testing & Security

Platform: Salesforce Developer Edition
(Lightning Experience)

PROJECT TEAM

Team Leader

I Saif Ali

Team Members

T Mohammed Razi · S Mohammed Zabiullah

Document scope: Phase 4 only. Version 1.0, prepared September 2026.

Table of Contents

2. Phase 4 Overview 2

Status of Phase 4 work . . . 2

3. Data Migration Planning 2

3.1 Identifying the Required Data . . . 2

3.2 Preparing Records and Organising CSV Files . . . 3

3.3 Checking Accuracy and Completeness . . . 3

3.4 Identifying Duplicate Records . . . 3

3.5 Mapping Source Columns to Salesforce Fields . . . 3

4. Salesforce Data Import 4

4.1 Choosing a Tool . . . 4

4.2 General Process . . . 5

5. Data Integrity and Validation 5

Observations on the existing rules . . . 6

6. Functional Testing 6

7. Integration and Automation Testing 8

7.1 Instructor Assignment by Course Category . . . 8

7.2 Integration Test Cases . . . 10

7.3 How to Test Flows . . . 10

8. Salesforce Security 11

9. Security Testing 12

10. Error Handling and Troubleshooting 13

11. Testing Results and Evidence 13

11.1 Available Evidence . . . 13

11.2 Issue Log . . . 15

12. Phase 4 Deliverables 15

13. Phase 4 Conclusion 16

Open items before Phase 5 . . . 16

References 16

Note. Section 1 is the cover page. **Status key. Configured** = shown in the supplied project screenshots. **Documented** = described in the project guide without a screenshot. **Proposed / Planned** = not evidenced. **Not executed** = a test that has not been run. **Requires confirmation** = missing or inconsistent information. No migration result, test result or completion date is recorded in this document.

2. Phase 4 Overview

The Student Enrollment & Course Management System (SECMS) stores student, course, instructor and enrollment data in four custom objects. Earlier phases created the objects, relationships, interface, validation rules, flows, approval process, reports and dashboard. Phase 4 prepares the application for real use by planning how data is loaded, checking that the application behaves correctly, and protecting student information.

Activity	Purpose in SECMS
Data migration	Move existing student, course, instructor and enrollment data into Salesforce accurately and in the correct order so that relationships are preserved.
Application testing	Confirm that records can be created, linked, updated and retrieved, that validation rules and flows behave as designed, and that reports show correct data.
Security configuration	Ensure administrators, enrollment officers and instructors can see and change only the data their role requires.

Status of Phase 4 work

Area	Status	Basis
Data migration	Planned. No completed import is evidenced	No CSV files, import wizard screens or import logs were supplied
Existing records	Present in the org; creation method requires confirmation	Reports show 4 student records and 2 enrollment records
Validation rules, flows, approval process	Configured in earlier work (used here as test targets)	Screenshots in Sections 5, 7 and 11
Functional, integration and security tests	Prepared, not executed	Sections 6, 7, 9 and 11
Security configuration	App access evidenced for two profiles; remaining settings documented only	Figure 5 and the project guide

3. Data Migration Planning

Status: Planned. This section describes how migration should be carried out. It does not report a completed migration.

3.1 Identifying the Required Data

Object	Data to migrate	Depends on
Instructor	Name, code, expertise, phone, email	None (load first)
Course	Name, category, duration, fee, description	None (load first)
Student	Name, email, phone, date of birth, status, address	None
Enrollment	Student, course, instructor, date, status, fees paid, total amount, comments	Student, Course and Instructor records must already exist

3.2 Preparing Records and Organising CSV Files

- Use one CSV file per object (four files), with one header row and one record per row.
- Use UTF-8 encoding and plain text column headers that are easy to match to field labels.
- Write dates in a single consistent format (for example YYYY-MM-DD) and phone numbers in one consistent style.
- Use only the picklist values that exist in Salesforce (for example the Enrollment Status values Requested, Approved and Rejected shown in the project configuration).
- In the Enrollment file, identify the Student, Course and Instructor by a value that can be matched (record name, Salesforce ID or a planned external ID).

3.3 Checking Accuracy and Completeness

Check	What to verify	Related rule or field
Completeness	Required fields are filled in every row	Instructor, Enrollment Status and Enrolement Name are marked required on the Enrollment layouts
Email format	Student email ends with the institutional domain	Validation rule on Email (uses the domain @student.edu in the project guide)
Fee status	No row has Approved status with Fees Paid unchecked	Validation rule "Fees must be paid before approving an enrollment"
Reference values	Every course, student and instructor named in Enrollment exists in its own file	Lookup fields
Numeric values	Course fees are valid currency amounts, not blank or zero unless intended	See issue I-03 in Section 11

3.4 Identifying Duplicate Records

- **Student:** same email address, or same name with the same date of birth.
- **Course:** same course name.
- **Instructor:** same instructor code or email.
- **Enrollment:** same student and course pair (the requirements state that duplicate course registration must not occur).

Duplicates can be found by sorting the CSV, by using spreadsheet conditional formatting, or by checking existing Salesforce records through a report before import.

3.5 Mapping Source Columns to Salesforce Fields

The mapping below is proposed. API names shown are those that appear in the project guide; all others require confirmation in Object Manager.

Object	Proposed CSV column	Salesforce field (label)	API name	Type
Student	Student_Name	Student Name	Name (standard)	Text
Student	Email	Email	Email__c	Email
Student	Phone	Phone	Confirm	Phone
Student	Date_of_Birth	Date of Birth	Confirm	Date

Object	Proposed CSV column	Salesforce field (label)	API name	Type
Student	Status	Student Status / Status	Status__c (guide); confirm label	Picklist
Student	Address	Address	Confirm	Text area
Course	Course_Name	Course Name	Name (standard)	Text
Course	Category	Category	Category__c	Picklist
Course	Duration	Duration	Confirm	Number / Text
Course	Course_Fee	Course Fee	Course_Fee__c	Currency
Instructor	Instructor_Name / Code	Instructor Name / Instructor Code	Name (standard) / confirm	Text
Instructor	Expertise, Phone, Email	Expertise, Phone, Email	Confirm	Picklist, Phone, Email
Enrollment	Student	Student (lookup)	Student__c	Lookup
Enrollment	Course	Course (lookup)	Course__c	Lookup
Enrollment	Instructor	Instructor (lookup)	Instructor__c	Lookup
Enrollment	Enrollment_Date	Enrollment_Date	Enrollment_Date__c	Date
Enrollment	Status	Enrollment Status	Enrollment_Status__c	Picklist
Enrollment	Fees_Paid	Fees Paid	Fees_Paid__c	Checkbox
Enrollment	Total_Amount, Comments	Total Amount, Comments	Confirm	Currency, Text area

Requires confirmation. The Student status field is called "Student Status" in the data model table but is referred to as Status__c in the reports and flows. Confirm the exact label and API name before mapping. The flow that sets Enrollment Date on creation means the Enrollment_Date column may be left out of the import file, but this should be confirmed with the team.

4. Salesforce Data Import

Status: Planned. No import job has been evidenced. The steps describe the intended procedure only.

4.1 Choosing a Tool

Tool	Use in SECMS	Points to note
Data Import Wizard	Suitable for the small volumes expected in a college project. Runs in the browser from Setup and supports custom objects.	Commonly documented limit of 50,000 records per import. It can insert and update but does not delete.
Data Loader	Appropriate if larger volumes, upsert operations or detailed success and error log files are required.	A desktop application. Documentation gives differing maximum volumes, so confirm the current limit before relying on it.




Diagram 1. *Planned import process and load order. Parent records are loaded before Enrollment so that lookups can be matched.*

4.2 General Process

Step	Action	Check before moving on
1	Prepare the CSV file for one object	Headers, format, no blank required values, no duplicates
2	Select the Salesforce object (Instructor, Course, Student or Enrollment)	Correct object chosen; order follows Diagram 1
3	Map CSV columns to Salesforce fields	Use the mapping table in Section 3.5; no unmapped required fields
4	Validate the data	Confirm picklist values, email domain rule, fee rule and that lookups can be matched
5	Import the records	Start with a small test file before the full file
6	Review success and error results	Download the error file and record the counts (created, updated, failed)
7	Verify imported records	Open records, compare counts with the source file and check related lists and reports

Because the flows and approval process from earlier work are active, the team should decide before importing whether they should run during the load. For example, the instructor assignment flow runs when an enrollment is created or updated, and the follow-up task flow runs for enrollments with the status Requested. This decision is **requires confirmation**.

5. Data Integrity and Validation

Data integrity means that stored data is accurate, complete and correctly linked. The controls below apply to SECMS.

Control	How it protects data	SECMS example	Status
Required fields	The record cannot be saved without a value	Instructor, Enrollment Status and Enrolement Name carry required markers on the Enrollment layouts. The lookups for Student, Course and Instructor were set to require a value in the relationship setup screens seen.	Configured
Validation rules	Block invalid combinations at save time	Student email must contain the institutional domain; Enrollment cannot be Approved unless Fees Paid is checked	Configured
Field formats	Field data types enforce format	Email, Phone, Date, Currency, Checkbox and Picklist fields	Configured (data model)

Control	How it protects data	SECMS example	Status
Relationship integrity	Lookups link an enrollment to real records; deletion of a linked parent is blocked	The lookup screens select "Don't allow deletion of the lookup record that's part of a lookup relationship"	Configured (screens seen for Student and Instructor lookups)
Duplicate checking	Prevents the same student or enrollment being stored twice	Manual checks before import; duplicate rules are not evidenced	Proposed
Error handling	Users and administrators see clear messages and can correct the data	Field-level and page-level error messages; import error files	Configured / planned




Figure 1. *Validation rule message on the Student Email field: "Email must be a valid student institution email" (Error Location: Field).*




Figure 2. *Validation rule message on Enrollment: "Fees must be paid before approving an enrollment" (Error Location: Top of Page).*

Observations on the existing rules

- The email rule as documented, *NOT(CONTAINS(Email__c, "@student.edu"))*, also rejects a blank email and would accept an address that merely contains the text elsewhere. Whether this is acceptable requires confirmation.
- The approval process final-approval action sets the status to Approved. If Fees Paid is unchecked at that moment, the fees rule may block the update. This interaction should be tested (test FT-11).
- The lookup fields are marked required, so an Enrollment cannot be imported without a matching Student, Course and Instructor.

6. Functional Testing

The test cases below cover Phase 4 functional behaviour. The Actual Result column is blank until the test is performed, and every Status is **Not Executed**.

ID	Test Scenario	Test Steps	Expected Result	Actual Result	Status
FT-01	Create a student with valid data	Open Students tab, click New, enter name, student-domain email, phone, date of birth and status, then Save	Record is saved and the record page opens	To be recorded	Not Executed
FT-02	Create a course	Open Courses tab, click New, enter name, category, duration and fee, then Save	Record is saved with the entered values	To be recorded	Not Executed
FT-03	Create an instructor	Open Instructors tab, click New, enter name, code, expertise, phone and email, then Save	Record is saved	To be recorded	Not Executed
FT-04	Create an enrollment (New Enrollment record type)	Open Enrollments tab, click New, choose New Enrollment, select student, course and instructor, set status Requested, then Save	Record is saved; Enrollment Date is filled in by the flow	To be recorded	Not Executed
FT-05	Instructor assignment on an enrollment	Edit an enrollment and change the Instructor lookup to another instructor, then Save	New instructor is stored and shown on the record	To be recorded	Not Executed
FT-06	Update enrollment status	Change Enrollment Status from Requested to another allowed value and Save	Status updates; related automation follows the configured rules	To be recorded	Not Executed
FT-07	Relationship verification (parent to child)	Open a student, course and instructor that have enrollments and view the Enrollments related list	Linked enrollments are listed (if the related list is present on the layout)	To be recorded	Not Executed
FT-08	Relationship verification (child to parent)	On an enrollment, click the Student, Course and Instructor links	Each link opens the correct parent record	To be recorded	Not Executed
FT-09	Validation: invalid student email	Save a student with an email outside the institutional domain	Error message appears on the Email field and the record is not saved	To be recorded	Not Executed
FT-10	Validation: approve without fees	Set status Approved with Fees Paid unchecked, then Save	Message "Fees must be paid before approving an enrollment" appears; record is not saved	To be recorded	Not Executed
FT-11	Validation and approval interaction	Submit a Requested enrollment for approval with Fees Paid unchecked, then approve it as the approver	Behaviour is observed and recorded (approval succeeds or is blocked by the fees rule)	To be recorded	Not Executed
FT-12	Missing required fields	Save an enrollment without Instructor or Enrollment Status	Standard required-field error is shown; record is not saved	To be recorded	Not Executed
FT-13	Record retrieval	Search for a student by name from global search and by list view	Matching record is returned	To be recorded	Not Executed
FT-14	Record update	Edit a student phone number and save; reopen the record	Updated value is displayed	To be recorded	Not Executed

7. Integration and Automation Testing

Integration testing checks how objects, relationships and record-triggered flows work together. The flows below are documented in the project guide; those with screenshots are marked.

Automation	Trigger and action (project guide)	Evidence
SetEnrollmentDate	On Enrollment created: set Enrollment_Date to the current date	Screenshot in project file
Enrollment Approved Action	On Enrollment created or updated with status Approved: get Student, send email alert, update records	Trigger screenshot (Figure 4)
AutoAssign_Instructor	On Enrollment created or updated: get Course, decide by Category, assign Instructor A, B or C	Flow canvas (Figure 3); shown as Active, version 18
Create_Followup_Task	On Enrollment with status Requested: create a follow-up task due in two days for the admin user	Screenshots in project file
Approval Enrollment Request	Entry criteria: status equals Requested; Training Manager step; final approval sets Approved, final rejection sets Rejected and emails	Figures 6 to 8

7.1 Instructor Assignment by Course Category

The category rules (Technical to Instructor A, Language to Instructor B, Non-Technical to Instructor C) are stated in the project guide and are visible as three branches of the flow canvas below. The functional requirement FR-4 states only "Auto-assign instructors", so the specific instructor mapping is treated as a project rule on the basis of the guide and the active flow. The team should confirm it.




Diagram 2. *Decision logic of the AutoAssign_Instructor flow as shown on the flow canvas. When the category is not matched or the instructor record is not found, the flow ends without a change.*




Figure 3. *AutoAssign_Instructor flow in Flow Builder (Active). The flow starts on Enrollment created or updated, gets the Course, and branches on category to Technical, Language and NonTechnical paths, each of which looks up an instructor and assigns it if found.*




Figure 4. *Start configuration of the flow that responds to approved enrollments: trigger "created or updated" with the condition Enrollment Status equals Approved.*

7.2 Integration Test Cases

ID	Test Scenario	Test Steps	Expected Result	Actual Result	Status
IT-01	Technical course assigns Instructor A	Create an enrollment for a course with category Technical; leave instructor to the flow	Instructor A is stored on the enrollment	To be recorded	Not Executed
IT-02	Language course assigns Instructor B	Create an enrollment for a Language course	Instructor B is stored	To be recorded	Not Executed
IT-03	Non-Technical course assigns Instructor C	Create an enrollment for a Non-Technical course	Instructor C is stored	To be recorded	Not Executed
IT-04	Instructor record missing	Remove or rename the target instructor record in a test org, then create an enrollment	Flow ends without error and instructor is unchanged	To be recorded	Not Executed
IT-05	Category not matched	Create an enrollment for a course with a blank or different category	Flow ends without error; no instructor is assigned	To be recorded	Not Executed
IT-06	Instructor required by layout	Create an enrollment through the form without choosing an instructor	Behaviour of required Instructor field versus the flow is observed and recorded	To be recorded	Not Executed
IT-07	Enrollment date automation	Create an enrollment and read Enrollment_Date	Date equals the creation date	To be recorded	Not Executed
IT-08	Follow-up task	Create an enrollment with status Requested	A task with subject "Follow up on enrollment request" is created for the admin user, related to the enrollment	To be recorded	Not Executed
IT-09	Approval email flow	Change status to Approved with Fees Paid checked	Flow runs; email alert and student updates behave as designed (see issue I-01)	To be recorded	Not Executed
IT-10	Approval rejection	Submit and reject an enrollment	Status becomes Rejected and the rejection email alert is sent	To be recorded	Not Executed
IT-11	Report and dashboard update	After tests IT-01 to IT-10, refresh the Enrollments by Course report and the dashboard	Counts match the enrollments created	To be recorded	Not Executed

7.3 How to Test Flows

- Use a small set of test records and note the record IDs.
- Trigger the flow by creating or editing a record, then reopen the record to see the result.
- Use Flow Builder Debug or the Run History and Paused and Failed Flow Interviews to inspect errors.
- Repeat each test with the boundary case (missing category, missing instructor).

8. Salesforce Security

Salesforce applies security in layers. A user must pass each layer to see or change data.



Diagram 3. *Security layers relevant to SECMS.*




Figure 5. *Profiles selected for access to the SECMS Lightning app: System Administrator and Standard User.*

Feature	Purpose	Project position	Status
User accounts and profiles	Define who logs in and baseline permissions	Guide names Admin, Enrollment Officer and Instructor profiles. The app is assigned to System Administrator and Standard User in the screenshot	Partly configured; officer and instructor profiles require confirmation
Permission sets	Grant extra access	Guide proposes "Custom Object Access" and "Dashboard Editor" permission sets	Documented, not evidenced
Object-level permissions	Read, create, edit, delete per object	Guide: Enrollment Officer has Read, Create, Edit on Enrollment and Read on Student and Course; Instructor is read-only on Enrollments	Documented, not evidenced
Field-level security	Show or hide individual fields	Fields are made visible during field creation; Course Fee appears read-only on the layout. No field-level security review is evidenced	Requires confirmation
Record-level access	Control which records are visible	Guide: Student and Course Public Read/Write; Enrollment Private; instructors see only their own records by owner	Documented, not evidenced
Role hierarchy	Share records upward	Not described in the guide	Proposed only if required
Secure handling of student data	Protect personal data	Student email, phone, date of birth and address are personal data; limit access to those who need it	Proposed

Requires confirmation. (1) Setting Enrollment to Private while Student and Course are Public Read/Write means that student personal data would remain readable by all internal users; the team should decide whether this is acceptable. (2) The guide proposes a flow that sets the enrollment owner to an instructor user so that instructors see only their own records. That flow and the extra lookup field are not evidenced. (3) Reports and dashboards display student names, emails and phone numbers, so folder and report sharing should be reviewed.

9. Security Testing

These tests must be run while logged in as users with different profiles. No security test has been performed, so none is marked as passed.

ID	Test Scenario	Test Steps	Expected Result	Actual Result	Status
ST-01	Administrator access	Log in as an administrator and open all four objects, reports and the dashboard	Full access is available	To be recorded	Not Executed
ST-02	Enrollment officer can create and edit enrollments	Log in as an officer; create and edit an enrollment	Allowed	To be recorded	Not Executed
ST-03	Enrollment officer cannot delete enrollments or change setup	As an officer, try to delete an enrollment and open Setup	Delete and setup access are not available (if not granted)	To be recorded	Not Executed
ST-04	Instructor sees only permitted enrollments	Log in as an instructor and open the Enrollments tab	Only assigned enrollments are visible (if the owner-based design is implemented)	To be recorded	Not Executed
ST-05	Instructor cannot edit enrollments	As an instructor, open an enrollment and try to edit	Edit is not available	To be recorded	Not Executed
ST-06	Unauthorised object access	As a user without object permission, open the Students tab or URL	Access is denied or the tab is not visible	To be recorded	Not Executed
ST-07	Field edit restriction	As a restricted user, try to edit Fees Paid and Course Fee	Fields are read-only or hidden as configured	To be recorded	Not Executed
ST-08	Sharing settings behave as configured	Create a record as one user and view it as another with no extra access	Visibility matches the organisation-wide default for that object	To be recorded	Not Executed
ST-09	Sensitive data exposure in reports	Open the Students by Status report and dashboard as a restricted user	Only permitted users can see personal fields	To be recorded	Not Executed
ST-10	App visibility	Log in with each profile and open the App Launcher	Only assigned users see the SECMS app	To be recorded	Not Executed

10. Error Handling and Troubleshooting

Issue	Typical cause	How to identify	Resolution
Invalid field value	Picklist value not in the field, wrong date or email format	Import error file or record-page message	Correct the value in the source file; re-import failed rows
Missing required field	Blank Instructor, Enrollment Status or a required lookup	"Required field missing" error	Fill the value; check the layout and the field definition
Duplicate records	Same student or enrollment loaded twice	Report grouped by email or by student and course	Merge or delete extras; add checks before import
Incorrect field mapping	Column mapped to the wrong field or left unmapped	Values appear in the wrong field after a test import	Re-map using Section 3.5 and repeat with a small test file
Failed import	Validation rule, missing parent or format error	Import status and error file	Correct the causes; load parents before Enrollment
Broken relationships	Lookup could not be matched, or parent deleted	Blank lookup or lookup errors	Fix names or IDs; reload the affected rows
Flow errors	Missing course category, instructor not found, field update to the wrong field	Flow error email, Debug, Paused and Failed Flow Interviews	Correct the data or edit the flow and save a new version
Permission-related errors	Missing object, field or record access	"Insufficient privileges" or hidden fields	Check profile, permission set, field-level security and sharing for the user

11. Testing Results and Evidence

The table summarises the tests. Results and statuses are left unconfirmed until testing is performed. Detailed steps are in Sections 6, 7 and 9.

ID	Test Description	Expected Result	Actual Result	Pass/Fail	Remarks
FT-01 to FT-14	Functional tests (Section 6)	As listed in Section 6	Not recorded	Unconfirmed	Not yet executed
IT-01 to IT-03	Instructor assignment by category	Instructor A, B and C assigned to Technical, Language and Non-Technical courses	Not recorded	Unconfirmed	Mapping confirmed by guide and flow canvas; result untested
IT-04 to IT-11	Automation and approval tests	As listed in Section 7	Not recorded	Unconfirmed	Not yet executed
ST-01 to ST-10	Security tests (Section 9)	As listed in Section 9	Not recorded	Unconfirmed	Not yet executed
MIG-01	Import test file of each object	All rows created; errors reviewed	Not recorded	Unconfirmed	Migration not evidenced

11.1 Available Evidence

The screenshots below come from the project file and show configuration that Phase 4 tests will exercise. They are not test results.




Figure 6. *Approval process entry criteria: the approval process applies when Enrollment Status equals Requested.*




Figure 7. *Field update "Status to Approved", used as the final approval action.*




Figure 8. *Field update "Set Status to Rejected", used as the final rejection action.*




Figure 9. *Enrollments by Course report showing enrollment records for two courses, both with status Requested. This shows that records exist in the org; how they were created is not stated.*

11.2 Issue Log

The issues below were noticed while reviewing the supplied screenshots. They have not been confirmed by testing.

ID	Observation	Source	Suggested action	Status
I-01	In the flow "Enrollment Approved Action", the update step labelled "Set Student Status Active" is shown setting the Comments field to True on the enrollment record rather than setting the student status. The Get Student step is also filtered on Status equals Active.	Project file, flow screenshots	Confirm intended behaviour and correct the flow	Open, requires confirmation
I-02	The flow guide says to trigger on update, while the screenshot shows "created or updated".	Flow start screenshot	Confirm and align guide and flow	Open
I-03	The Revenue report shows a Course Fee of $0.00 for a paid enrollment, and the dashboard gauge shows -1%.	Report and dashboard screenshots	Check course fee data and gauge range	Open
I-04	Field label "Enrolement Name" is spelled differently from "Enrollment".	Layout screenshots	Correct label if unintended	Open
I-05	Email domain rule name differs between guide text and screenshot.	Guide and screenshot	Use one name in final documentation	Open
I-06	Profiles listed in the app assignment do not include Enrollment Officer or Instructor.	App assignment screenshot	Confirm profiles exist and are assigned	Open

12. Phase 4 Deliverables

Deliverable	Status	Remarks
Data migration plan	Prepared in this document	Sections 3 and 4; migration not carried out as far as evidence shows
Prepared CSV files	Not available	No CSV files were supplied; requires confirmation
Field mapping documentation	Prepared (proposed)	Section 3.5; some API names need confirmation
Data validation checklist	Prepared	Section 3.3 and Section 5
Functional testing report	Test cases prepared; results pending	Section 6
Integration testing report	Test cases prepared; results pending	Section 7
Security configuration documentation	Partly evidenced	Section 8; most settings documented from the guide only
Test evidence and issue log	Issue log started; test evidence pending	Section 11

13. Phase 4 Conclusion

Phase 4 sets out how SECMS data will be migrated, tested and secured. The migration plan defines the load order, CSV preparation, duplicate checks and field mapping. Functional, integration and security test cases are ready to be run, and the review of existing screenshots produced an initial issue log. No import, test result or security outcome is claimed as complete.

These outputs prepare the project for **Phase 5: Deployment, Documentation and Final Presentation**. Once the open items are closed, the team will have verified data, recorded test results and confirmed access settings to include in the final documentation and presentation.

Open items before Phase 5

- Confirm how the existing sample records were created and whether a formal import will be performed.
- Prepare CSV files and run a small test import for each object.
- Execute FT, IT and ST test cases and record actual results with screenshots.
- Resolve issues I-01 to I-06 or record decisions.
- Confirm the Enrollment Officer and Instructor profiles, object permissions and sharing settings.
- Confirm the instructor category mapping with the requirements owner.

References

- Student Enrollment & Course Management System (SECMS) project documentation and screenshots, supplied working file, Team I Saif Ali .
- SalesforceBen. "Salesforce Data Import Wizard vs Data Loader." https://www.salesforceben.com/salesforce-data-import-wizard-vs-data-loader/ (consulted for import tool comparison).
- Salesforce Break. "Data Import Wizard vs. Data Loader: Which Tool Is Right for You?" https://salesforcebreak.com/2026/03/19/data-import-wizard-data-loader-guide/ (consulted for import tool comparison).
- Import volume limits vary between sources and Salesforce releases; check the current Salesforce Help documentation before importing.