

HTML-CSS BEGINNER

Short Notes on HTML & CSS

Name: B SaiGanesh

Subsystem: Admin & Operations (AO)

Semester: 3rd Semester

Date: 6th September, 2026.

HTML

HTML – HyperText Markup Language

It is the standard markup language used to create and structure the content of webpages.

It tells the web browser what elements should appear on a webpage, such as headings, paragraphs, images, links, tables and forms.

The main purpose of HTML is to provide the basic structure of a webpage. It organizes the content so that a browser can understand and display it properly.

Uses of HTML:

- Creating webpages and websites
- Adding headings and paragraphs
- Adding images, videos and links
- Creating tables and forms
- Organizing webpage content
- Providing the basic structure for CSS and JavaScript

Advantages of HTML:

- Easy to learn and use
- Works on almost all web browsers
- Free and open standard
- Can be combined with CSS and JavaScript
- Helps create structured and accessible webpages

Example for HTML:

```
<!DOCTYPE html>
<html>
<head>
  <title>My Webpage</title>
</head>
<body>
  <h1>Welcome</h1>
  <p>This is my first webpage.</p>
</body>
</html>
```

1. HTML- Tags, Elements and Attributes

Tags:

HTML uses tags to tell the browser what each part of a webpage means.

Keywords written inside angle brackets < >.

They are used to create different elements on a webpage.

For example, <h1> is used for a main heading and <p> is used for a paragraph.

Elements:

An HTML element usually contains an opening tag, some content, and a closing tag.

For Example,<p>This is a paragraph.</p>

Here, <p> is the opening tag and the text is content, and </p> is the closing tag.

Attributes:

Attributes provide extra information about an HTML element. They are written inside the opening tag.

For Example, Visit Website

Here, href is an attribute that tells the browser where the link should go.

So we can say that,

Tags create the parts of a webpage, elements contain those parts, and attributes give extra information about them.

2. HTML- Headings, Paragraphs and Text Formatting

Headings:

HTML has six heading levels, from <h1> to <h6>. <h1> is the largest and most important heading, while <h6> is the smallest.

For Example,

<h1>My Website</h1>

<h2>About Me</h2>

Paragraphs:

The <p> tag is used to create a paragraph of text.

For Example,

<p>HTML is used to create the structure of webpages.</p>

Text Formatting:

HTML also provides tags to give basic meaning or emphasis to text.

For Example,

<p>This is bold text.</p>

<p>This is <i>italic</i> text.</p>

So we can say that,

Headings organize the webpage into sections, paragraphs contain normal text, and formatting tags change the appearance of text.

3. HTML - Links, Images and Lists

Links:

The <a> tag is used to create a hyperlink. The href attribute specifies the destination of the link.

For Example,

```
<a href="https://www.google.com">Visit  
Google</a>
```

Images:

The tag is used to display an image on a webpage. The src attribute specifies the image location, and the alt attribute gives alternative text.

For Example,

```

```

Lists:

1) Unordered List:

An unordered list displays items using bullet points. It uses and tags.

For Example,

```
<ul>  
  <li>Aircraft</li>  
  <li>Satellite</li>  
  <li>Rocket</li>  
</ul>
```

2)Ordered List:

An ordered list displays items using numbers. It uses and tags.

For Example,

```
<ol>  
  <li>Design</li>  
  <li>Testing</li>  
  <li>Launch</li>  
</ol>
```

So we can say that,

Links connect webpages, images add visual content, and lists help organize information clearly.

4. HTML- Tables and Forms

HTML Tables:

These are used to organize information in rows and columns. Tables are useful when information needs to be displayed in a structured format.

For Example,


```
<table>
  <tr>
    <th>Name</th>
    <th>Branch</th>
  </tr>
  <tr>
    <td>Ganesh</td>
    <td>Aeronautical</td>
  </tr>
</table>
```

HTML Forms:

These are used to collect information from users. They are commonly used for login pages, registration pages, feedback forms and search boxes.

For Example,

```
<form>
  <input type="text" placeholder="Enter your
name">
  <input type="email" placeholder="Enter your
email">
  <button>Submit</button>
</form>
```

So we can say that,
Tables organize information in rows and columns,
while forms allow users to enter and submit
information.

CSS

CSS — Cascading Style Sheets

It is a stylesheet language used to control the appearance and design of webpages. It is mainly used to change colors, fonts, sizes, spacing, borders and the overall layout of HTML elements.

The main purpose of CSS is to make webpages more attractive, readable and well organized. HTML provides the structure of a webpage, while CSS controls how that structure looks.

Uses of CSS:

- Changing text and background colors
- Changing font type and size

- Adding borders and spacing
- Controlling the size and position of elements
- Creating different layouts
- Making webpages responsive for different screen sizes

Advantages of CSS:

- Separates webpage design from HTML structure
- Makes websites easier to maintain
- Allows the same style to be applied to many elements
- Helps create attractive and consistent webpages
- Reduces repeated styling code

Example:

```
p {  
    color: blue;  
    font-size: 18px;  
}
```

In this example, CSS changes the paragraph text color and size.

Here,
HTML decides what is on the webpage, while CSS decides how it looks.

1.CSS - Syntax and Selectors

CSS Syntax:

CSS follows a simple structure to tell the browser what style should be applied to an HTML element.

Example:

```
p {  
    color: blue;  
    font-size: 18px;  
}
```

CSS Selectors:

CSS selectors are used to select the HTML elements that we want to style.

Common selectors include:

1. Element Selector :

Selects all elements of a particular type.

Example:

```
p {  
    color: blue;  
}
```

2. Class Selector :

Selects elements that have a particular class. It is written using a dot (.) before the class name.

Example:

```
.note {  
    font-size: 18px;  
}
```

3. ID Selector:

Selects one element with a particular ID. It is written using # before the ID name.

Example:

```
#heading {  
    color: red;  
}
```

A CSS selector chooses the HTML element, and the properties and values tell the browser how that element should look.

2.CSS - Colors, Fonts, Backgrounds and Borders

Colors:

The color property changes the color of text, while background-color changes the background color of an element.

Example:

```
p {  
    color: blue;  
    background-color: lightgray;  
}
```

Fonts:

Font properties are used to control the appearance and size of text.

Common properties include:

- font-family – Changes the type of font
- font-size – Changes the size of text
- font-weight – Controls how bold the text is
- text-align – Controls the alignment of text

Example:

```
h1 {  
    font-family: Arial;
```

```
font-size: 30px;  
text-align: center;  
}
```

Backgrounds:

The background-color property changes the background color. CSS can also be used to add background images.

Borders:

The border property adds a boundary around an HTML element.

Example:

```
div {  
    border: 2px solid black;  
}
```

So we can say that CSS colors, fonts, backgrounds and borders are used to improve the appearance and presentation of webpage elements.

Conclusion:

HTML and CSS are the basic technologies used to create and design webpages. HTML provides the structure and content of a webpage, while CSS controls its appearance and layout.

Through these notes, I learned the basic structure of HTML, commonly used HTML tags, elements, attributes, links, images, lists, tables and forms. I also learned the basics of CSS, including selectors, properties, colors, fonts, borders, the Box Model, layouts and responsive design.

Summary:

- HTML is used to create the structure of a webpage.
- CSS is used to style and design the webpage.
- HTML and CSS work together to create webpages.
- HTML tags and attributes help organize and describe content.
- CSS selectors are used to select elements for styling.

So here, **HTML** builds the webpage, and **CSS** makes the webpage look better and organized.

THANK YOU PARIKSHIT TEAM'