

```
navadeep@LAPTOP-62I4PSPU:~$ mkdir linux_task2
navadeep@LAPTOP-62I4PSPU:~$ ls
a.out  linux_task1  linux_task2  subsystemcalls
navadeep@LAPTOP-62I4PSPU:~$ ls -l
total 28
-rwxr-xr-x 1 navadeep navadeep 16088 Aug  1 06:05 a.out
drwxr-xr-x 2 navadeep navadeep  4096 Aug  3 13:06 linux_task1
drwxr-xr-x 2 navadeep navadeep  4096 Aug  3 13:07 linux_task2
drwxr-xr-x 2 navadeep navadeep  4096 Aug  1 04:35 subsystemcalls
navadeep@LAPTOP-62I4PSPU:~$ cd linux_task2
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ touch source.txt notes.txt data.txt
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ ls
data.txt  notes.txt  source.txt
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ ls -l
total 0
-rw-r--r-- 1 navadeep navadeep 0 Aug  3 13:08 data.txt
-rw-r--r-- 1 navadeep navadeep 0 Aug  3 13:08 notes.txt
-rw-r--r-- 1 navadeep navadeep 0 Aug  3 13:08 source.txt
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ echo "This is the source file." > source.txt
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ cat source.txt
This is the source file.
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ mkdir backup
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ cp source.txt backup/
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ cp data.txt backup/data_backup.txt
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ mv notes.txt backup/
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ ls
backup  data.txt  source.txt
```

```
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ cd backup
navadeep@LAPTOP-62I4PSPU:~/linux_task2/backup$ ls
data_backup.txt  notes.txt  source.txt
navadeep@LAPTOP-62I4PSPU:~/linux_task2/backup$ cd linux_task2
-bash: cd: linux_task2: No such file or directory
navadeep@LAPTOP-62I4PSPU:~/linux_task2/backup$ cd ..
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ mv source.txt original.txt
navadeep@LAPTOP-62I4PSPU:~/linux_task2$ ls -R
.:
backup  data.txt  original.txt

./backup:
data_backup.txt  notes.txt  source.txt
```