

obolos


Agents buy evidence.
Humans set the limits.

A paid repository comparison with spending rules,
source checks and inspectable receipts.

Hedera

Circle on Arc

Ledger · Speculos



One request. Four accountable steps.

“Compare Next.js, SvelteKit and React Router using current repository activity.”

01

Set limits

Allowed providers, price ceiling, HBAR + USDC caps, expiry.

02

Buy evidence

Discover a metered API. Pay native HBAR through x402.

03

Write + check


Generate the report. Pay USDC for source and structure checks.

04

Inspect

See purchased units, decisions, receipts and approval history.

Scoped access to money and secrets



Speculos + staging protocol in this demo.
Runtime secrets remain inside the trusted broker.

Two real payments. One checked report.

Hedera / Blocky402

0.003 HBAR

Three repository records purchased through the x402 service.

Inspect the Hedera receipt ↗

Circle Agent Stack / Arc

0.05 USDC

Verification job paid through the Circle Agent Wallet CLI.

Inspect the Arc receipt ↗

GPT-5 nano produced the report. All eight structural/source checks passed. These checks do not independently certify every narrative claim.

A higher price requires new authority

Before another purchase

The planner refreshes actual service quotes. An allowed cheaper provider can be selected. If every quote exceeds the mandate, the run pauses.

Exact authorization

The controller signs the run ID, new mandate, previous version, nonce and expiry. The backend verifies and retains that proof.

Explicit Speculos mode

The operator reviews an emulated Ledger approval.

The signed message and exported proof disclose emulation. The backend rejects expired or replayed approval and a changed signer mode.

User-authorized Speculos signature accepted: mandate v2; resumed purchase settled 0.008 HBAR. Arc verification became uncertain; 0.05 USDC remains reserved. Reconcile before retry.

Real protocol. Disclosed emulation.

Executed against Ledger staging

Official Sync app in Speculos enrolled the Ring. Encryption and decryption matched; altered data, wrong domain and wrong password were rejected.

The paid workflow decrypted the broker bundle through an adaptation of upstream **wallet-cli ring**.

Security boundary

The model receives evidence and a fixed operation. It never receives the inference API key or payer private key.

The broker can access runtime plaintext. Speculos stores its test identity in software and provides no physical secure-element protection.

Sponsor eligibility: unconfirmed

Obolos · three selected tracks

Hedera	AI & Agentic Payments — metered data service and actual native HBAR x402 consumption.
Circle / Arc	Best Agentic Economy Application with Circle Agent Stack — paid verification in USDC.
Ledger	AI Agents x Ledger — Ring secret broker and controller approvals; emulator acceptance pending.

Public: obolos.app, including a real 0.001 HBAR data purchase. Vercel proxies through temporary tunnels; the Mac must stay online. Remaining: human-narrated demo, Arc reconciliation and sponsor/organizer decisions.

[obolos.app ↗](#) · [GitHub ↗](#)