

```
In [1]: 1 import pandas as pd
2 from keras.models import Sequential
3 from keras.layers import Dense, BatchNormalization, Dropout
4 from keras.layers.advanced_activations import PReLU
5 from sklearn.model_selection import train_test_split
6 from tensorflow import keras
7 import matplotlib.pyplot as plt
8 #from sklearn.model_selection import train_test_split
9 from sklearn.metrics import mean_squared_error
10 import tensorflow as tf
11 import numpy as np
```

```
In [2]: 1 df = pd.read_csv("row_size25_vector_size8000.csv")
```

```
In [3]: 1 X = df.iloc[:,7:157]
2 #X = df[['accelerometer_reading_x_0','accelerometer_reading_y_0','accelerometer_reading_z_0','gyro
3 #t = df[['linear_position_x','linear_position_y','linear_position_z','angular_position_phi','angul
4 #t = df[['phi_change','theta_change','psi_change']]
5 t = df[['phi_change']]
```

```
In [4]: 1 t.shape
```

Out[4]: (8000, 1)

```
In [5]: 1 in_dim = X.shape[1]
2 out_dim = t.shape[1]
```

```
In [6]: 1 in_dim
```

Out[6]: 150

```
In [7]: 1 out_dim
```

Out[7]: 1

```
In [8]: 1 X_train, X_test, t_train, t_test = train_test_split(X, t, test_size=0.2)
```

```
In [9]: 1 t_train.shape
```

Out[9]: (6400, 1)

```
In [10]: 1 model = Sequential()
2 model.add(Dense(256,input_dim=in_dim, activation="sigmoid"))
3 model.add(PReLU())
4 model.add(Dropout(.4))
5 model.add(Dense(128, activation="sigmoid"))
6 model.add(PReLU())
7 model.add(BatchNormalization())
8 model.add(Dropout(.6))
9 model.add(Dense(64, activation="sigmoid"))
10 model.add(PReLU())
11 model.add(BatchNormalization())
12 model.add(Dropout(.5))
13 model.add(Dense(32, activation="sigmoid"))
14 model.add(PReLU())
15 model.add(BatchNormalization())
16 model.add(Dropout(.6))
17 model.add(Dense(out_dim,activation="sigmoid"))
18 model.compile(loss="mse", optimizer="sgd")
```

```
In [11]: 1 model.fit(X_train, t_train, epochs=30, batch_size=12, verbose=2)
```

```
Epoch 1/30
534/534 - 1s - loss: 0.2113
Epoch 2/30
534/534 - 1s - loss: 0.0722
Epoch 3/30
```

```

epoch 3/30
534/534 - 1s - loss: 0.0328
Epoch 4/30
534/534 - 1s - loss: 0.0197
Epoch 5/30
534/534 - 1s - loss: 0.0142
Epoch 6/30
534/534 - 1s - loss: 0.0108
Epoch 7/30
534/534 - 1s - loss: 0.0087
Epoch 8/30
534/534 - 1s - loss: 0.0074
Epoch 9/30
534/534 - 1s - loss: 0.0058
Epoch 10/30
534/534 - 1s - loss: 0.0050
Epoch 11/30
534/534 - 1s - loss: 0.0047
Epoch 12/30
534/534 - 1s - loss: 0.0040
Epoch 13/30
534/534 - 1s - loss: 0.0038
Epoch 14/30
534/534 - 1s - loss: 0.0034
Epoch 15/30
534/534 - 1s - loss: 0.0032
Epoch 16/30
534/534 - 1s - loss: 0.0029
Epoch 17/30
534/534 - 1s - loss: 0.0026
Epoch 18/30
534/534 - 1s - loss: 0.0027
Epoch 19/30
534/534 - 1s - loss: 0.0024
Epoch 20/30
534/534 - 1s - loss: 0.0021
Epoch 21/30
534/534 - 1s - loss: 0.0019
Epoch 22/30
534/534 - 1s - loss: 0.0020
Epoch 23/30
534/534 - 1s - loss: 0.0018
Epoch 24/30
534/534 - 1s - loss: 0.0018
Epoch 25/30
534/534 - 1s - loss: 0.0016
Epoch 26/30
534/534 - 1s - loss: 0.0016
Epoch 27/30
534/534 - 1s - loss: 0.0015
Epoch 28/30
534/534 - 1s - loss: 0.0014
Epoch 29/30
534/534 - 1s - loss: 0.0013
Epoch 30/30
534/534 - 1s - loss: 0.0013

```

Out[11]: <tensorflow.python.keras.callbacks.History at 0x2a632f70430>

```


In [12]: 1 ypred = model.predict(X_test)
          2 print("y1 MSE: ", mean_squared_error(t_test.iloc[:, 0], ypred[:,0]))
          3 #print("y2 MSE: ", mean_squared_error(t_test.iloc[:, 1], ypred[:,1]))
          4 #print("y3 MSE: ", mean_squared_error(t_test.iloc[:, 2], ypred[:,2]))
          5
          y1 MSE: 0.00019058870858272152


```

```


In [13]: 1 x_ax = range(len(X_test))
          2
          3 plt.scatter(x_ax, t_test.iloc[:, 0], s=6, label="y1-test")
          4 plt.scatter(x_ax, ypred[:,0], label="y1-pred",c="red",alpha = 0.1)
          5
          6 plt.legend()
          7 plt.show()

```





```
In [14]: 1 x_ax = range(len(X_test))
2
3 y_test_index = np.argsort(t_test.iloc[:, 0], axis=0).to_numpy()
4
5 f = plt.figure()
6 plt.scatter(x_ax, t_test.iloc[y_test_index], s=6, label="y_test")
7 plt.scatter(x_ax, ypred[y_test_index], s=6, label="pred", c="orange", alpha=0.5)
8 #plt.ylim(t_test.iloc[y_test_index[0]].to_numpy()[0])
9 plt.legend()
10 plt.show()
11
12 f.savefig("foo.pdf", bbox_inches='tight')
```



In [ ]: 1