



DevOps

[Video Tutorials](#) [Articles](#) [Ebooks](#) [Live Webinars](#) [On-demand Webinars](#) [Free Practice Tests](#)

[Home](#) [Resources](#) [DevOps](#) [Git Tutorial](#) [Top 40 Git Interview Questions and Answers \[Updated 2022\]](#)

Top 40 Git Interview Questions and Answers [Updated 2022]

Lesson 11 of 11

By Simplilearn

Last updated on May 17, 2022

185035

Table of Contents

[Basic Git Interview Questions](#)

[Intermediate Git Interview Questions](#)

[Advanced Git Interview Questions](#)

[Become a DevOps Expert!](#)

Git is the most popular source code management tool. Whether you're a programmer or a technical person, Git will help you with its collaboration features like bug tracking, task management, and wikis.



Git plays a significant role in an organization to implement [DevOps](#) methodologies. Looking at the popularity of Git in DevOps, it's quite evident that there will be many job opportunities in the near future. According to a report from [Grand View Research](#), the global DevOps market is expected to reach 12.85 Bn by 2025, growing at a CAGR of 18.60%. Here are some of the top Git interview questions that will help you crack an interview.

Post Graduate Program in DevOps

Designed in collaboration with Caltech CTME

[EXPLORE COURSE](#)

Basic Git Interview Questions

1. What is Git?

[Git](#) is a version control system for tracking changes in computer files and is used to help coordinate work among several people on a project while tracking progress over time. In other words, it's a tool that facilitates source code management in software development.

Git favors both programmers and non-technical users by keeping track of their project files. It enables multiple users to work together and handles large projects efficiently.

Git Interview Questions | Git Real-Time Interview Questions & Answers | De...




[Previous](#)

Tutorial Playlist

2. What do you understand by the term 'Version Control System'?

A version control system (VCS) records all the changes made to a file or set of data, so a specific version may be called later if needed.

This helps ensure that all team members are working on the latest version of the file



3. What's the difference between [Git](#) and [GitHub](#)?

Git	GitHub
Git is a software	GitHub is a service
Git can be installed locally on the system	GitHub is hosted on the web
Provides a desktop interface called git GUI	Provides a desktop interface called GitHub Desktop.

It does not support user management features	Provides built-in user management

FREE GIT Training

Learn the basics of GIT

ENROLL NOW

4. What is a Git repository?

Git repository refers to a place where all the Git files are stored. These files can either be stored on the local repository or on the remote repository.



5. How can you initialize a repository in Git?

If you want to initialize an empty repository to a directory in Git, you need to enter the git init command. After this command, a hidden .git folder will appear.



6. How is Git different from Subversion (SVN)?

GIT	SVN 
-----	---

Git is a distributed decentralized version control system	SVN is a centralized version control system.
Git stores content in the form of metadata.	SVN stored data in the form of files.
The master contains the latest stable release.	In SVN, the trunk directory has the latest stable release
The contents of Git are hashed using the SHA-1 hash algorithm.	SVN doesn't support hashed contents.

7. Name a few Git commands with their function.

- Git config - Configure the username and email address
- Git add - Add one or more files to the staging area
- Git diff - View the changes made to the file
- Git init - Initialize an empty Git repository
- Git commit - Commit changes to head but not to the remote repository

8. What are the advantages of using Git?

- Faster release cycles
- Easy team collaboration
- Widespread acceptance
- Maintains the integrity of source code



- [Pull requests](#)



9. What language is used in Git?

Git is a fast and reliable version control system, and the language that makes this possible is 'C.'

Using C language reduces the overhead of run times, which are common in high-level languages.

DevOps Certification Training Course

Gain expertise in the top DevOps tools

EXPLORE COURSE

10. What is the correct syntax to add a message to a commit?

```
git commit -m "x files created"
```

11. Which command is used to create an empty Git repository?

git init - This [command](#) helps to create an empty repository while working on a project.

12. What does git pull origin master do?

The git pull origin master fetches all the changes from the master branch onto the origin and integrates them into the local branch.

```
git pull = git fetch + git merge origin/ master
```

After having gone through the beginner level Git interview questions, let us now look at intermediate GIT interview questions and answers.



Intermediate Git Interview Questions

13. What does the git push command do?

The **Git push command** is used to push the content in a local repository to a remote repository. After a local repository has been modified, a push is executed to share the modifications with remote team members.



14. Difference between git fetch and git pull.

Git Fetch	Git Pull
The Git fetch command only downloads new data from a remote repository.	Git pull updates the current HEAD branch with the latest changes from the remote server.
It does not integrate any of these new data into your working files.	Downloads new data and integrate it with the current working files.
Command - git fetch origin git fetch --all	Tries to merge remote changes with your local ones. Command - git pull origin master

15. GitHub, GitLab and Bitbucket are examples of git repository _____ function?

hosting. All the three are services for hosting Git repositories



16. What do you understand about the Git merge conflict?

A **Git merge conflict** is an event that occurs when Git is unable to resolve the differences in code between the two commits automatically.

Git is capable of automatically merging the changes only if the commits are on different lines or branches.



Free Course: Introduction to DevOps Tools

Master the Fundamentals of DevOps Tools

ENROLL NOW

17. How do you resolve conflicts in Git?

Here are the steps that will help you resolve conflicts in Git:

- Identify the files responsible for the conflicts.
- Implement the desired changes to the files
- Add the files using the git add command.
- The last step is to commit the changes in the file with the help of the git commit command.

18. What is the functionality of git ls-tree?

The git ls-tree command is used to list the contents of a tree object.

19. What is the process to revert a commit that has already been pushed and made public?

There are two processes through which you can revert a commit:



1. Remove or fix the bad file in a new commit and push it to the remote repository. Then commit

it to the remote repository using:

```
git commit -m "commit message"
```

2. Create a new commit to undo all the changes that were made in the bad commit. Use the following command:

```
git revert <commit id>
```

20. How is a bare repository different from the standard way of initializing a Git repository?

Standard way	Bare way
You create a working directory with the git init command.	Does not contain any working or checked out copy of source files.
A .git subfolder is created with all the git-related change history.	Bare repositories store git revision history in the root folder of your repository instead of the .git subfolder.

21. What does git clone do?

Git clone allows you to create a local copy of the remote GitHub repository. Once you clone a repo, you can make edits locally in your system rather than directly in the source files of the remote repo

22. What is Git stash?

Let's say you're a developer and you want to switch branches to work on something else. The issue is you don't want to make commits in uncompleted work, so you just want to get back to this point later. The solution here is the Git stash.

Git stash takes your modified tracked files and saves it on a stack of unfinished changes that you can reapply at any time. To go back to the work you can use the stash pop.

23. What does the git reset --mixed and git merge --abort commands do?

git reset --mixed is used to undo changes made in the working directory and staging area.

git merge --abort helps stop the merge process and return back to the state before the merging began.

24. What do you understand about the Staging area in Git?

The Staging Area in Git is when it starts to track and save the changes that occur in files. These saved changes reflect in the .git directory. Staging is an intermediate area that helps to format and review commits before their completion.

DevOps Engineer Master's Program

Bridge between software developers and operations

[EXPLORE COURSE](#)

25. What is Git Bisect and how do you use it?

The Git Bisect command performs a binary search to detect the commit which introduced a bug or regression in the project's history.

Syntax: git bisect <subcommand> <options>

26. How do you find a list of files that has been changed in a particular commit?

The command to get a list of files that has been changed in a particular commit is:

```
git diff-tree -r {commit hash}
```



- -r flag allows the command to list individual files
- commit hash lists all the files that were changed or added in the commit.

27. What is the use of the git config command?

The git config command is used to set git configuration values on a global or local level. It alters the configuration options in your git installation. It is generally used to set your Git email, editor, and any aliases you want to use with the git command.

28. What is the functionality of git clean command?

The git clean command removes the untracked files from the working directory.

29. What is SubGit and why is it used?

SubGit is a tool that is used to migrate SVN to Git. It transforms the SVN repositories to Git and allows you to work on both systems concurrently. It auto-syncs the SVN with Git.

30. If you recover a deleted branch, what work is restored?

The files that were stashed and saved in the stashed index can be recovered. The files that were untracked will be lost. Hence, it's always a good idea to stage and commit your work or stash them.

Now let's raise the level of difficulty with advanced Git interview questions and answers.

Interested to learn more about Git? Check out the [DevOps Engineer Master's Program](#) and get certified today.

Advanced Git Interview Questions

31. Explain the different points when a merge can enter a conflicted stage.

There are two stages when a merge can enter a conflicted stage.

1. Starting the merge process



If there are changes in the working directory of the stage area in the current project, the merge will fail to start. In this case, conflicts happen due to pending changes that need to be stabilized using different Git commands.

2. During the merge process

The failure during the merge process indicates that there's a conflict between the local branch and the branch being merged. In this case, Git resolves as much as possible, but some things have to be fixed manually in the conflicted files.

32. What has to be run to squash the last N commits into a single commit?

In Git, squashing commits means combining two or more commits into one.

Use the below command to write a new commit message from the beginning.

```
git reset -soft HEAD~N &&git commit
```

But, if you want to edit a new commit message and add the existing commit messages, then you must extract the messages and pass them to Git commit.

The below command will help you achieve this:


```
git reset -soft HEAD~N &&git commit -edit -m“$(git log -format=%B -reverse .HEAD@{N})”
```

FREE DevOps Certification Training

Master the fundamentals of DevOps

START LEARNING

33. What is the difference between fork, branch, and clone?



<p>The fork is the process when a copy of the repository is made. It's usually experimentation in the project without affecting the original project. They're used to advise changes or take inspiration from someone else's project.</p>	<p>Git branches refer to individual projects within a git repository. If there are several branches in a repository, then each branch can have entirely different files and folders.</p>	<p>Git clone refers to creating a clone or a copy of an existing repository in a new directory. Cloning automatically creates a connection that points back to the original repository, which makes it very easy to interact with the central repository.</p>
---	--	---

34. How is Git merge different from Git rebase?

Git merge is used to incorporate new commits into your feature branch.



- Git merge creates an extra merge commit every time you need to incorporate changes.
- It pollutes your feature branch history.

As an alternative to merging, you can rebase the feature branch into master.



- Git rebase Incorporates all the new commits in the master branch.
- It rewrites the project history by creating brand new commits for each commit in the original branch

35. What is the command used to fix a broken commit?

To fix a broken commit in Git, you may use the “git commit --amend” command, which helps you combine the staged changes with the previous commits instead of creating an entirely new commit.



36. How do you recover a deleted branch that was not merged?

To recover a deleted branch, first, you can use the `git reflog` command. It will list the local recorded logs for all the references. Then, you can identify the history stamp and recover it using the `git checkout` command.

FREE DevOps Certification Training

Master in-demand DevOps tools and skills

ENROLL FOR FREE

37. What is git stash drop?

The Git stash drop command is used to remove a particular stash. If there's a stash you're no longer using or you want to remove a specific item of stash from the list, you can use the stash commands.

Let's say you want to delete an item named `stash@{abc}`; you can use the command:

```
git stash drop stash@{abc}.
```

38. What's the difference between reverting and resetting?

Reverting	Resetting
The revert command in Git is used to create a new commit that undoes the changes made in the previous commit. When you use this command, a new history is added to the project; the existing history is not modified.	Git reset is a command that is used to undo the local changes that have been made to a Git repository. Git reset operates on the following: commit history, the staging index, and the working directory.

39. How can you discover if a branch has already been merged or not?

There are two commands to determine these two different things.

`git branch --merged` - Returns the list of branches that have been merged into the current branch.

`git branch --no-merged` - Returns the list of branches that have not been merged.

40. What is “git cherry-pick”?

The command `git cherry-pick` enables you to pick up commits from a branch within a repository and apply it to another branch. This command is useful to undo changes when any commit is accidentally made to the wrong branch. Then, you can switch to the correct branch and use this command to cherry-pick the commit.

Transform your DevOps career and learn the science of improving the operational and developmental activities by choosing our [PGP in DevOps](#). Contact our admission counselor today and grab your seat!

Become a DevOps Expert!

By now you should have an idea of the Git interview questions that could be asked and what possible answers should be given. However, if you wish to bag the job like a pro, you can enroll in Simplilearn's [DevOps Certification](#) Training Course that teaches you about the tools and techniques you need to bridge the gap between software developers and operations. You'll become an expert in the principles of continuous development and deployment, automation of configuration management, inter-team collaboration, and IT service agility, using modern DevOps tools such as Git, Docker, Jenkins, Puppet, and Nagios.

Find our DevOps Engineer Online Bootcamp in top cities:

Name Name	Date Date	Place Place

DevOps Engineer	Class starts on 18th Jun 2022, Weekend batch	Your City
DevOps Engineer	Class starts on 2nd Jul 2022, Weekend batch	Hyderabad
DevOps Engineer	Class starts on 9th Jul 2022, Weekend batch	Pune


About the Author

 **Simplilearn**

Simplilearn is one of the world's leading providers of online training for Digital Marketing, Cloud Computing, Project Management, Data Science, IT, Software Development, and many other em...


[View More](#)

Recommended Programs



DevOps Engineer
16813 Learners

Lifetime
Access*



DevOps Certification Training
20150 Learners

Lifetime
Access*



GIT Training



Git Training

3408 Learners

Lifetime
Access*

*Lifetime access to high-quality, self-paced e-learning content.

[Explore Category](#)

Find DevOps Engineer Master's Program in these cities

DevOps Engineer Training in Ahmedabad | DevOps Engineer Training in Bangalore | DevOps Engineer Training in Chennai | DevOps Engineer Training in Delhi | DevOps Engineer Training in Kolkata | DevOps Engineer Training in Mumbai | DevOps Engineer Training in Pune

Recommended Resources

Top 24 Ansible
Interview
Questions and...

DevOps Interview
Guide

10 Comments Simplilearn  Disqus' Privacy Policy

 1 Login ▾

 Favorite

 Tweet

 Share

Sort by Best ▾



Join the discussion...

LOG IN WITH

OR SIGN UP WITH DISQUS 

Name



Sandeep Marwal • 5 days ago

Good content, Thank You



^ | v • Reply • Share ›



Team Simplilearn Mod → Sandeep Marwal • 5 days ago

Hi Sandeep, glad you liked it.

^ | v • Reply • Share ›



Karandeep Singh • 6 months ago

Thank you for sharing these interview Q&A, i was really preparing for GIT and this post helped me in every way.

^ | v • Reply • Share ›



Team Simplilearn Mod → Karandeep Singh • 5 months ago

Hi Karandeep, glad you found it helpful.

^ | v • Reply • Share ›



Sandra livesay • 6 months ago

Hey, I was searching for Updated Git Interview Questions and Answers. Thanks for Sharing

^ | v • Reply • Share ›



Team Simplilearn Mod → Sandra livesay • 6 months ago

Glad you found it useful!

^ | v • Reply • Share ›



Rehaan • 6 months ago

One of the great resource on Git interview questions

^ | v • Reply • Share ›



Team Simplilearn Mod → Rehaan • 5 months ago

Hi Rehaan, glad you liked it.

^ | v • Reply • Share ›



Harsha V • 6 months ago • edited

I knew only basic level questions asked in the GIT platform but not intermediate and advanced level. This article on GIT interview questions helped to understand the both. This is excellent.

^ | v • Reply • Share ›



Team Simplilearn Mod → Harsha V • 5 months ago

Hi Harsha, glad you found it helpful.

^ | v • Reply • Share ›



Subscribe



Add Disqus to your siteAdd DisqusAdd



Do Not Sell My Data



Disclaimer

PMP, PMI, PMBOK, CAPM, PgMP, PfMP, ACP, PBA, RMP, SP, and OPM3 are registered marks of the Project Management Institute, Inc.

