



American International University-Bangladesh (AIUB)

Department of Computer Science
Faculty of Science & Technology (FST)

PROJECT TITLE
Delivery Management System

Supervised by: Sadman Rafi
Semester: Summer 25-26

Group: 5		Section: H
SL	Student Name	Student ID
1	Md Sobahan Hasan Saikat	23-52316-2
2	Kamrun Nahar Mahi	23-52309-2
3	Sharmin Sultana Punom	23-52751-2

Assessment Rubric

CO1: Explain the impact of software engineering over various contexts of software development to assess societal, health, safety, legal and cultural issues.

Student ID	Problem Analysis [3]	Socio-cultural Impact [3]	Related Solutions and Studies [4]
1. 23-52316-2			
2. 23-52309-2			
3. 23-52751-2			

CO2: Explain software engineering principles considering professional responsibilities and societal impacts.

Student ID	Conceptual Understanding [3]	Principle Selection and Justification [3]	Application in Software Development Context [4]
1. 23-52316-2			
2. 23-52309-2			
3. 23-52751-2			

Date of Submission: 10 September 2026

TABLE OF CONTENTS

1. PROJECT PROPOSAL	3
I. Background to the Problem	3
II. The target group of users:	3
III. Selection of Process Model.....	4
2. TIMELINE CHART	7
3. SOFTWARE REQUIREMENTS SPECIFICATIONS (SRS)	7
I. Scopes and Features	8
II. User Story Table	9
III. Requirements Traceability Matrix	11
4. SOFTWARE DESIGN	15
I. System Design	15
II. UI / Wireframe Design using Figma.....	17
5. GIT WORKFLOW	19
I. Trello Board	23
6. SOFTWARE TESTING	25
7. CONCLUSION.....	35

1. PROJECT PROPOSAL

I. Background to the Problem

Nowadays, Delivery becomes an important part of customer service today. As online shopping is growing day by day, people want their orders to arrive fast, reliable and safely. However, many small and medium-size businesses are still using traditional ways to manage their delivery operations as like- they write on paper, make phone calls or keep information in different spreadsheets. These kinds of methods take a lot of time and cause human mistakes. For example, shipment details can be incorrect, delivery updates can be late, payments may not be accurate, and important delivery papers can easily get lost.

In Addition, when there is nothing which manages every user like- admin, employees, sellers, carriers, and customers, communication gets confusing. Sometimes employees give the wrong shipment to a carrier and carriers can forget to update the delivery status and Customers may not know the accurate information of where their package is. These problems create unproductive operation, increase human errors, waste valuable time, and decrease customer satisfaction.

Therefore, a desktop-based Delivery Management System is required to resolve these issues. All the data about deliveries will be stored in one place such as a database. Every user will have his/her personal dashboard according to his/her role. He/she will be able to control shipments, monitor the progress of delivery, monitor the payments, allocate the carriers and update the delivery status via one system. This will cut down the manual work, errors and will make the process faster and more efficient.

II. The target group of users:

Admin

Admin is the main controller of the project. Admin controls the system through addition, updating, and deletion of employees, carriers, routes, and shipments. This is the position responsible for ensuring all the activities carried out by users are appropriately controlled and monitored. Also, admin controls the payment status and tracks all the information. Visualization of all records in the system makes this position important for maintaining the security of the system.

Employee

Shipment operations are performed on a daily basis by the employees of the project. Through creation of the shipment records, allocation of the carriers for deliveries, updating the payment status and updating the shipment details, they are able to perform their duties in the whole project. They are the link between the sellers, carriers and buyers.

Seller

By using this system, the Sellers create the shipping request and deliver their products to the buyers. The Sellers are also able to maintain their shipment history, cancel the shipping request, track the entire shipment process, check payment details, and communicate with the delivery service for any reason through the system. The Sellers are linked with both the Employees and the Buyers, hence forming an important link of the delivery chain.

Carrier

The carriers are directly linked to the delivery execution process. They are able to monitor their shipments and deliver them to their respective recipients. However, they are also able to update the delivery status during delivery and after completion of the delivery they update it. These updates ensure reliability of the system.

Customer

Customers are the end recipients of the goods. They use the system for receiving notifications regarding their shipments, tracking their shipments and management of their profiles. The ability to track real-time delivery statuses of the shipments makes them directly connected to carriers' updates.

III. Selection of Process Model

In our Delivery Management System, we picked the Extreme Programming (XP) model as our software development model. We choose this model because of it is highly fitted for our projects where we can change requirements during development and customer is also available for giving constant feedback. As user needs and business requirements can extend over time, XP allows us to quickly adjust to these changes without affecting the overall quality of the system. It helps us to stay adjustable and concentrated on delivering quality at each step of the process. XP is an agile software development model that concentrates on simplicity, communication, feedback, courage, and also respect. It inspires developers to construct the software in simple to understand practices, collecting feedback from the customers and enhance the system. Regular feedback from customers assists the development team recognize changing requirements and make enhancements at every stage of development. As a result, the final software is more likely to fulfil customer expectations and business needs. By separating the project into smaller development cycles, the team can be able to point out and fix the problems early which is good for reducing the risk of major errors later in the project. For our Delivery Management System, the XP model is a proper choice because it allows us to develop the system step by step while continuously validating each feature with user feedback. This approach helps us to deliver a secure, user-friendly, and well-organized system which can easily accommodate future improvements and changing business requirements. The Extreme Programming (XP) model consists of 5 phases. They are – Exploration, Planning, Iteration to Release, Productionizing, Maintenance, Death. Each phase plays an important role in ensuring the successful development of the software.

Exploration

In this phase we can collect the requirements from the customer and understand the overall aim of the project. Again, our development team also acquires knowledge about the tools and technologies, and programming languages that will be used in the time of development. This phase can take around two weeks. During this period, we communicate with the consumer to clarify their assumptions and point out the main functionalities of the system. We also study similar systems and evaluate the possibility of the project before beginning development.

Planning

At first, we can write the user stories and estimate the effort essential to apply each one. Based on their significance, we categorized the user stories and make ready the release plan. The team also talk over the project timeline, allocates responsibilities, and evaluates the resources required. Correct planning assists us arrange the development approach and make sure that the most necessary features are delivered first.

Iterations to Release

Before the first release of our system, several iterations are finished, and each iteration takes near to two weeks for execution. In the first iteration, the general architecture of the entire system is developed. Customers can choose and review the user stories which is applied in each iteration and give feedback for improvement. After every iteration, the system becomes more completed and secure. Once all the arranged iterations are completed, the project is ready for production.

Productionizing

When the system is ready for release then we do some extra testing and performance checks because we want to make sure that everything works properly in this project. Besides, we also review any last-minute changes or customer requests which is needed to be added in the project. Documentation of the system is enhanced, and quality assurance activities are finalized in preparation for the deployment phase. This stage aids in ensuring that the software developed is of high-quality, dependable, secure, and suitable.

Maintenance

After the first release of the project, we continue keep going the system so that we can develop new iterations and extra features if needed. Besides, we solve bugs, upgrade performance, and construct updates depending on user feedback. To maintain the system and give technical support, specifically some developers are allocated. Regular maintenance of the system can make sure that the software remains effective, secure, and suitable with future requirements.

Death

When all the requirements of the customer have been successfully satisfied and no further development is necessary, this phase occurs. In this phase, we produce the final project documentation, including technical documents, user manuals, and also maintenance records. On the other hand, we also review the entire project, archive important files, and then officially close the development process. Then the finished system is then handed over to the customer for long-term use.




Fig-1. XP Process Flow

Why XP is the Best Fit for This Project

We chose XP for the Delivery Management System for some reasons:

Pair Programming:

In pair programming, it allows two developers work together on the same task at a same time. While one will write the code, the other will do the brainstorming work as seen through observation and reviewing of the code and giving his/her suggestions. Through working together, it will help us detect any mistakes quickly and ensure that we develop better code. This will also assist the team members in resolving the difficult problems.

Frequent Requirement Changes:

Our system consists of different user roles. Such as - Admin, Employee, Carrier, Consumer, and Seller. Their requirements may change anytime. The agile model XP works well in this situation because it is designed to adjust quickly to changing requirements in short development cycles. That's why, we can easily change or attach new features based on customer feedback without affecting the overall system which makes the development process more flexible and user-focused.

Metaphor:

In XP model, a metaphor gives a shared story that summarizes how the overall system will work which helps the development team to understand the main idea and functionality of the project in an easy way. This creates a common understanding among all team members. For our Delivery Management System, metaphor can assist our team to understand how different users interact with the system and how delivery operations are performed.

40-Hour Week:

According to the XP model, developers should work for a maximum of around 40 hours per week and must need to avoid excessive overtime work which helps to maintain a healthy work-life balance and prevents developers from losing concentration. Therefore, the productivity of the developers will not be hampered and they can deliver quality results. Conversely, there is also a reduction in errors.

Reduced Risk:


XP is able to decrease the risk of major problems in the development process by receiving feedback from the customers continuously and we can also release small, incremental updates frequently. However, testing and integration can also assist in detecting errors earlier. Therefore, if there are some mistakes, we will be able to detect them and fix the issue right away instead of learning about it at the end of the project.

On-Site Customer:

XP encourages the client to remain closely involved with the development team. This allows us to understand the requirements more accurately and clarify any confusion immediately. For our project, regular customer involvement can help us confirm whether the developed features meet the expected needs which also allows the team to receive quick feedback and make necessary changes during development.

2. TIMELINE CHART

The timeline chart is the diagram showing the scheduled timeframe for key tasks to be carried out in order to develop the Delivery Management System.



3. SOFTWARE REQUIREMENTS SPECIFICATIONS (SRS)

Template Name	Delivery Management System
Goals and Objective	The goal of the system is to provide a secure, user-friendly and efficient platform for managing product delivery among sellers, customers and delivery person. From this system, admins can do - Manage seller and carrier information - Assign shipments - Access organized shipments reports and records - Control entire system through dashboards
Client Information	Software Engineering Project
Product Type	Windows Form Application
Domain	Web2
Access Layer	Admin, Employee, Seller, Customer, Carrier
Design Requires	Yes

I. Scopes and Features

Delivery Management System is the desktop application for managing the whole process of delivering in one place. The system works for connecting Admin, Employee, Seller, Carrier, and Customer and providing them with different features depending on their roles. It allows reducing manual activity, improving delivery process, managing payment, and organizing shipment information. Key Features of the System:

Admin Management

- The admin can log in to the system and go to the admin dashboard.
- The admin can create, edit, delete, suspend, and reactivate user accounts.
- The admin can manage employees, sellers, carriers, and customers.
- The admin can view and manage all shipment records.
- The admin can view active shipments and their status.
- The admin can view and manage all payment records.
- The admin can generate system reports.
- The admin can manage user complaints.

Employee Management

- The employees have access to their dashboards.
- The employees can create and manage the shipping records.
- The employees can input sender, receiver, and shipment details.
- The employees can assign carriers to shipments.
- The employees can modify shipping records and statuses.
- The employees can create, modify, and delete routes for deliveries.
- The employees can verify the payment details.
- The employees can review shipment records.

Seller Management

- The sellers can create and manage their accounts.
- The sellers can access their dashboards.
- The sellers can make shipment requests.
- The sellers can modify or cancel their shipment requests.
- The sellers can track the status of their shipments and delivery history.
- The sellers can review payment details and delivery charges.

Carrier Management

- Carriers can log in securely to their dashboard.
- Carriers can see their assigned shipments.
- Carriers can see customer and route information.
- Carriers can update the status of deliveries while on transit.
- Carriers can indicate that the shipment is delivered.
- Carriers can view their delivery history.

Customer Management

- Customers can track the shipment by entering the valid tracking ID.
- Customers can view the details of the shipment and its delivery status.
- Customers will be notified of the change in shipment status.

System Management

- Delivery, user, payment, and tracking information is stored by the system in a database.
- Input validation is implemented in order to minimize errors of data input.
- Role-based access control allows limiting access of users to their available options.
- Updates about the status of shipment are tracked throughout the system.
- The system offers efficient access to information about deliveries.

In summary, the scope of this system includes user management, shipment management, assignment of carriers, routing, payments, tracking, notifications, reporting, and delivery history. The aim of these functionalities is to make the delivery process organized and more efficient.

II. User Story Table

As a/an	I want to	So that	Acceptance Criteria
Admin	Log in to the system	I can control all activities	Admin will log in using valid credentials and access in admin dashboard.
	Add employee, seller, carrier and customer	I can manage user accounts	Admin will create user with valid information where invalid inputs show error message.
	Update user information	I can keep user data updated	Admin will update any wrong information of the users and save it correctly.
	Remove users	I can remove unauthorized access	The system will ask for the confirmation before deleting any user information.
	View shipments	I can keep track of all operations	All data will be displayed with status and all users details as like carrier, seller.
	Monitor all active shipments	I can keep track of all ongoing deliveries	Active shipments will be shown with the status of real time updates.
	View payment records	I can look over on all transactions	All payment record will be shown along with date, amount and status.
	View system reports	I can monitor the performance of the system	The system will generate the report on all records of shipments, users and payments.
	Manage complaints	I can resolve any issues of the system	Admin will view and update and close the complaint with status tracking.
	Suspend user accounts	I can control the misuse	Suspended users will not be able to log in until reactive the account.

Employee	Login to the system	I can access in my daily tasks	Employee will be able to log in by using valid username and password and can access in their dashboard.
	Create shipments	I can add new deliveries	Valid sender, receiver and package details must be required for successful shipment creation.
	Update shipments information	I can monitor delivery progress	Status update will reflect instantly in the system.
	Delete shipments	I can remove any invalid shipment	Any draft or pending shipment will be possible to delete.
	Assign carrier	I can send the shipment for delivery	Only valid and available carrier will be assignable to shipments
	Manage routes	I can optimize the delivery routes	Employee will be able to add, update or delete route anytime.
	Verify payments	I can confirm the transactions	Payment status will be updated only after successful valid verification.
	View shipment records	I can monitor all information of delivery process	The system will be able to displayed all record of delivery
Seller	Create an account	I can access in the system	A seller will create account by using valid information.
	Log in to the system	I can manage shipments	Sellers can access in their dashboard by using valid username and password.
	Create shipment requests	I can send the product to customer	Shipment request is required for successfully completed and valid delivery details.
	Update shipment requests	I can change any shipment information	Any wrong information will be able to update for successful delivery.
	Cancel shipment requests	I can stop any unwanted delivery	Shipment request will be cancelled for wrong delivery address or wrong address.
	View shipment status	I can keep track on deliveries	The system will display real time delivery status.
	View delivery history	I can see previous deliveries	Delivery history will be displayed with correct information and status.
	Manage payments	I can track delivery costs	Seller shall view payment history and current costs.

Carrier	Log in to the system	I can access in my dashboard	Carrier can access in their dashboard by using valid username and password.
	View assigned shipment	I can see my assigned deliveries	Shipment details along with route and customer information will be visible.
	Update delivery status	I can keep tracking accurate	Real time status update reflects instantly.
	Mark delivery as completed	I can confirm successful delivery	Completed delivery will give the notification to the users
	View delivery history	I can see my completed delivery	Delivery history will be displayed with complete all status.
Customer	Track shipment	I can know the delivery progress	Customer shall track shipments with a valid tracking id
	View shipment details	I can see delivery information	Delivery status, payment status and carrier information will be displayed.
	Receive notifications	I can stay updated	Notification will be sent when any status of the shipment will change.
	View delivery history	I can check my previous orders	The system will be able to display the past deliveries with detail information.

III. Requirements Traceability Matrix

Functional Requirements:

1. Admin Dashboard - System can control and monitoring features

1.1 User Management

- 1.1.1 Creating user accounts as like - admin, employee, seller, carrier, customer
- 1.1.2 Updating user information
- 1.1.3 Assigning and modifying user roles
- 1.1.4 Deleting user accounts
- 1.1.5 Suspending and reactivating users

1.2 Shipment Monitoring

- 1.2.1 Viewing all shipment records
- 1.2.2 Monitoring active shipments
- 1.2.3 Displaying shipment status details
- 1.2.4 Checking real-time shipment tracking updates

1.3 Payment Management

- 1.3.1 Monitoring all payment records
- 1.3.2 Auditing transaction details

1.4 Reports & Analysis

- 1.4.1 Generating system reports
- 1.4.2 Displaying shipment statistics

1.5 Complaint Management

- 1.5.1 Viewing user complaints
- 1.5.2 Responding to complaints
- 1.5.3 Updating complaint status
- 1.5.4 Closing complaints

2. Employee Dashboard - Shipment and delivery management features

2.1 Log in

- 2.1.1 Taking valid username
- 2.1.2 Taking valid password

2.2 Shipment Management

- 2.2.1 Creating shipment records
- 2.2.2 Entering sender and receiver details
- 2.2.3 Allocating carriers to shipments
- 2.2.4 Updating shipment records
- 2.2.5 Viewing shipment details

2.3 Route Management

- 2.3.1 Generating delivery routes
- 2.3.2 Updating route information
- 2.3.3 Deleting routes

2.4 Payment Verification

- 2.4.1 Displaying payment details

3. Seller Dashboard - Account and shipment handling

3.1 Registration

- 3.1.1 Taking full name
- 3.1.2 Taking email address
- 3.1.3 Taking username
- 3.1.4 Taking password
- 3.1.5 Taking confirm password
- 3.1.6 Taking phone number

3.2 Login

3.2.1 Taking valid username

3.2.2 Taking valid password

3.3 Shipment Requests

3.3.1 Creating shipment request

3.3.2 Entering product details

3.3.3 Entering delivery address

3.3.4 Submitting shipment request

3.3.5 Updating shipment request

3.4 Shipment Tracking

3.4.1 Viewing shipment status in real-time

3.5 Payment Management

3.5.1 Displaying payment details

3.5.2 Managing delivery payments

4. Carrier Dashboard - Delivery execution features

4.1 Authentication

4.1.1 Logging in with valid username and password

4.2 Shipment Handling

4.2.1 Viewing assigned shipments

4.2.2 Monitoring delivery route details

4.2.3 Updating delivery status

4.2.4 Marking shipment as delivered

5. Customer Features - Tracking and updates

5.1 Shipment Tracking

5.1.1 Entering valid tracking ID

5.1.2 Displaying real-time shipment details status

5.2 Notifications

5.2.1 Receiving shipment status updates

5.3 Delivery History

5.3.1 Viewing past delivery records

6. System Features

6.1 Data Management

6.1.1 Storing all system data in database

6.1.2 Retrieving stored data efficiently

6.2 Input Validation

6.2.1 Validating all input fields

6.2.2 Displaying error messages for invalid inputs

6.3 Security

6.3.1 User authentication

6.3.2 Role-based access control

6.4 Real-time System Updates

6.4.1 Updating shipment status instantly across all users

Non-Functional Requirements:

Category	Requirement
Performance	The system should enable the administrator to see, filter and update all records including but not limited to shipments, users and routes within a page load time of 3 seconds.
Scalability	The system shall support additional users, shipments, and delivery records in the future without major system changes.
Reliability	Core transaction features like creating shipments, updating status, processing payments shall maintain 99.5% operational uptime and with minimum failure.
Usability	The user interface for Employees, Carriers, and Sellers shall be user-friendly so that easily it is possible for new or infrequent users to learn to use the system common tasks like updating a shipment status should be completable in 3 clicks or less.
Integrity	The system shall ensure that all shipment tracking statuses and financial records like payments are accurate, auditable, prevent un authorized accesses and protect the system from virus or attacks.
Availability	Both customer and carrier tracking portals available round-the-clock. Notice of any maintenance time shall be provided at least 48 hours prior.
Maintainability	The system shall be built with a modular codebase to allow for easy updates, debugging, and feature addition.
Efficiency	System will not use to much Resources And use the bandwidth properly and it will take care about to use minimum hardware when system run.
Testability	The System Should not use complex logic or Algorithm in the system. For preventing to perform different test easily or smoothly.

4. SOFTWARE DESIGN

I. System Design




Fig-2: Use Case Diagram




Fig-3: Class Diagram




Fig-4: Activity Diagram

II. UI / Wireframe Design using Figma

Figma Link - <https://www.figma.com/design/QjXmi2xvguHIL7BN5b2yie/Delivery-Management-System?node-id=51-115&t=pgwldkBfZxiJBMgZ-1>




Fig-5: Log in frame




Fig-6: Registration frame




Fig-7: Admin Dashboard




Fig-8: Employee Dashboard




Fig-9: Seller Dashboard




Fig-10: Customer Dashboard

5. GIT WORKFLOW

Repo Link - <https://github.com/saikat-71/Delivery-Management-System.git>




Fig-11: Mother Repo




Fig-12: Branches

Saikat [Main/Admin]

T-01: admin login

```
User-PC@HP-Victus MINGW64 /F/SE Project
$ git config --global user.name "saikat-71"

User-PC@HP-Victus MINGW64 /F/SE Project
$ git config --global user.email "md.shsaikat71@gmail.com"

User-PC@HP-Victus MINGW64 /F/SE Project
$ https://github.com/saikat-71/Delivery-Management-System.git
bash: https://github.com/saikat-71/Delivery-Management-System.git: No such file or directory

User-PC@HP-Victus MINGW64 /F/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

User-PC@HP-Victus MINGW64 /F/SE Project
$ cd Delivery-Management-System

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (main)
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
* branch      main       -> FETCH_HEAD
Already up to date.

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/admin-login
Switched to a new branch 'feature/admin-login'

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/admin-login)
$ git branch
* feature/admin-login
main
```

```
User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/admin-login)
$ git commit -m "Add admin login"
[feature/admin-login d5dede2] Add admin login
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 admin_login.txt

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/admin-login)
$ git push -u origin feature/admin-login
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 285 bytes | 285.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/admin-login' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/admin-login
To https://github.com/saikat-71/Delivery-Management-System.git
 * (new branch)   feature/admin-login -> feature/admin-login
branch 'feature/admin-login' set up to track 'origin/feature/admin-login'.

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/admin-login)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-Victus MINGW64 /F/SE Project/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 917 bytes | 305.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
* branch      main       -> FETCH_HEAD
149e92f..f01e23c  main       -> origin/main
Updating 149e92f..f01e23c
Fast-forward
 admin_login.txt | 0
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 admin_login.txt
```

T-02: user management

```
MINGW64:/F/SE Project/Delivery-Management-System

User-PC@HP-Victus MINGW64 /F/SE Project
$ git config --global user.name "saikat-71"

User-PC@HP-Victus MINGW64 /F/SE Project
$ git config --global user.email "md.shsaikat71@gmail.com"
```

```
User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 64, done.
remote: Counting objects: 100% (64/64), done.
remote: Compressing objects: 100% (50/50), done.
remote: Total 64 (delta 11), reused 47 (delta 9), pack-reused 0 (from 0)
Receiving objects: 100% (64/64), 18.11 KiB | 2.26 MiB/s, done.
Resolving deltas: 100% (11/11), done.

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ cd Delivery-Management-System

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/user-management)
$ git branch
* feature/user-management
main

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/user-management)
$ git status
On branch feature/user-management
nothing to commit, working tree clean

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/user-management)
$ git commit -m "Add user management"
On branch feature/user-management
nothing to commit, working tree clean

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/user-management)
$ git push -u origin feature/user-management
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 1001 bytes | 1001.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/user-management' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/user-management
remote:
To https://github.com/saikat-71/Delivery-Management-System.git
 * (new branch)   feature/user-management -> feature/user-management
branch 'feature/user-management' set up to track 'origin/feature/user-management'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/user-management)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 917 bytes | 305.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
 * branch       main       -> FETCH_HEAD
 * db371d..3c84789 main     -> origin/main
Updating db371d..3c84789
Fast-forward
 Trello/admin_login.txt      | 15 +++++
 seller_management.txt       | 0
 Trello/user_management.txt  | 15 +++++
 4 files changed, 15 insertions(+)
 create mode 100644 Trello/admin_login.txt
 rename seller_management.txt -> Trello/seller_management.txt (100%)
 create mode 100644 Trello/user_management.txt
 delete mode 100644 admin_login.txt

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.name "saikat-71"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.email "md.shsaikat71@gmail.com"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 21, done.
remote: Counting objects: 100% (21/21), done.
remote: Compressing objects: 100% (17/17), done.
remote: Total 21 (delta 2), reused 13 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (21/21), 6.37 KiB | 1.27 MiB/s, done.
Resolving deltas: 100% (2/2), done.

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ cd Delivery-Management-System

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
 * branch       main       -> FETCH_HEAD
Already up to date.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/system-management
Switched to a new branch 'feature/system-management'

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git branch
* feature/system-management
main

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git status
On branch feature/system-management
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/system_management.txt
    database/
    src/

nothing added to commit but untracked files present (use "git add" to track)

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git add .

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git commit -m "Add system management"
[feature/system-management c28c39c] Add system management
 3 files changed, 15 insertions(+)
 create mode 100644 Trello/system_management.txt
 create mode 100644 database/database.txt
 create mode 100644 src/src.txt

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git push -u origin feature/system-management
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), 804 bytes | 804.00 KiB/s, done.
Writing objects: 100% (6/6), 804 bytes | 804.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/system-management' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/system-management
remote:
To https://github.com/saikat-71/Delivery-Management-System.git
 * (new branch)   feature/system-management -> feature/system-management
branch 'feature/system-management' set up to track 'origin/feature/system-management'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

T-03: system management

```
User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.name "saikat-71"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.email "md.shsaikat71@gmail.com"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 21, done.
remote: Counting objects: 100% (21/21), done.
remote: Compressing objects: 100% (17/17), done.
remote: Total 21 (delta 2), reused 13 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (21/21), 6.37 KiB | 1.27 MiB/s, done.
Resolving deltas: 100% (2/2), done.

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ cd Delivery-Management-System

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
 * branch       main       -> FETCH_HEAD
Already up to date.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/system-management
Switched to a new branch 'feature/system-management'

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git branch
* feature/system-management
main

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git status
On branch feature/system-management
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/system_management.txt
    database/
    src/

nothing added to commit but untracked files present (use "git add" to track)

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git add .

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git commit -m "Add system management"
[feature/system-management c28c39c] Add system management
 3 files changed, 15 insertions(+)
 create mode 100644 Trello/system_management.txt
 create mode 100644 database/database.txt
 create mode 100644 src/src.txt

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git push -u origin feature/system-management
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), 804 bytes | 804.00 KiB/s, done.
Writing objects: 100% (6/6), 804 bytes | 804.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/system-management' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/system-management
remote:
To https://github.com/saikat-71/Delivery-Management-System.git
 * (new branch)   feature/system-management -> feature/system-management
branch 'feature/system-management' set up to track 'origin/feature/system-management'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/system-management)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

```
User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 923 bytes | 307.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
 * branch       main       -> FETCH_HEAD
 * 968c8b..bea9f7c main     -> origin/main
Updating 968c8b..bea9f7c
Fast-forward
 Trello/system_management.txt | 15 +++++
 database/database.txt       | 0
 src/src.txt                 | 0
 3 files changed, 15 insertions(+)
 create mode 100644 Trello/system_management.txt
 create mode 100644 database/database.txt
 create mode 100644 src/src.txt
```

T-04: integration

```
User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.name "saikat-71"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.email "md.shsaikat71@gmail.com"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 34, done.
remote: Counting objects: 100% (34/34), done.
remote: Compressing objects: 100% (26/26), done.
remote: Total 34 (delta 4), reused 24 (delta 3), pack-reused 0 (from 0)
Receiving objects: 100% (34/34), 9.78 KiB | 2.45 MiB/s, done.
Resolving deltas: 100% (4/4), done.

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ cd Delivery-Management-System

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/integration
Switched to a new branch 'feature/integration'

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/integration)
$ git branch
* feature/integration
main

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/integration)
$ git status
On branch feature/integration
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/integration.txt

nothing added to commit but untracked files present (use "git add" to track)

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/integration)
$ git add .

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/integration)
$ git commit -m "Add seller management"
[feature/integration f69fc09] Add integration
 1 file changed, 15 insertions(+)
 create mode 100644 Trello/integration.txt

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/integration)
$ git push -u origin feature/integration
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 756 bytes | 756.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/integration' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/integration
remote:
To https://github.com/saikat-71/Delivery-Management-System.git
 * (new branch)   feature/integration -> feature/integration
branch 'feature/integration' set up to track 'origin/feature/integration'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/integration)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 918 bytes | 306.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
 * branch       main       -> FETCH_HEAD
 * 6f9d4ac..7e244e0 main     -> origin/main
Updating 6f9d4ac..7e244e0
Fast-forward
 Trello/integration.txt | 15 +++++
 1 file changed, 15 insertions(+)
 create mode 100644 Trello/integration.txt
```

T-12: final testing

```
User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.name "saikat-71"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git config --global user.email "md.shsaikat71@gmail.com"

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 64, done.
remote: Counting objects: 100% (64/64), done.
remote: Compressing objects: 100% (50/50), done.
remote: Total 64 (delta 11), reused 47 (delta 9), pack-reused 0 (from 0)
Receiving objects: 100% (64/64), 18.11 KiB | 1.65 MiB/s, done.
Resolving deltas: 100% (11/11), done.

User-PC@HP-VICTUS MINGW64 /f/SE Project
$ cd Delivery-Management-System

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/final-testing
Switched to a new branch 'feature/final-testing'

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/final-testing)
$ git branch
* feature/final-testing
main

User-PC@HP-VICTUS MINGW64 /f/SE Project/Delivery-Management-System (feature/final-testing)
$ git status
On branch feature/final-testing
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/final_testing.txt

nothing added to commit but untracked files present (use "git add" to track)
```

```

User-PC@BHP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/final-testing)
$ git add .

User-PC@BHP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/final-testing)
$ git commit -m "Complete final testing"
[feature/final-testing 1e4b79d] Complete final testing
1 file changed, 15 insertions(+)
create mode 100644 Trello/final_testing.txt

User-PC@BHP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/final-testing)
$ git push -u origin feature/final-testing
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 704 bytes | 704.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/final-testing' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/final-testing
To https://github.com/saikat-71/Delivery-Management-System.git
   [new branch]   feature/final-testing -> feature/final-testing
branch 'feature/final-testing' set up to track 'origin/feature/final-testing'.

User-PC@BHP-Victus MINGW64 /F/SE Project/Delivery-Management-System (feature/final-testing)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

User-PC@BHP-Victus MINGW64 /F/SE Project/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 923 bytes | 307.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
   * branch            main       -> FETCH_HEAD
   78190f5..b7b12e9  main       -> origin/main
Updating 78190f5..b7b12e9
Fast-forward
 Trello/final_testing.txt | 15 ++++++++
 1 file changed, 15 insertions(+)
create mode 100644 Trello/final_testing.txt

```

Mahi [Seller/Employee] T-05: Seller management

```

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.name "kamrunnahmah"

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.email "kamrunnahmah932@gmail.com"

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 7 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (7/7), done.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ cd Delivery-Management-System

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
   * branch            main       -> FETCH_HEAD
   Already up to date.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout -b feature/seller-management
Switched to a new branch 'feature/seller-management'

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git branch
feature/seller-management
main

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git status
On branch feature/seller-management
Untracked files:
  (use "git add <file>..." to include in what will be committed)
   seller_management.txt

nothing added to commit but untracked files present (use "git add" to track)

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System/Delivery-Management-System (feature/seller-management)
$ git add .

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System/Delivery-Management-System (feature/seller-management)
$ git commit -m "Add seller management"
[feature/seller-management c32d307] Add seller management
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 seller_management.txt

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System/Delivery-Management-System (feature/seller-management)
$ git push -u origin feature/seller-management
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 302 bytes | 302.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'feature/seller-management' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/seller-management
remote:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/seller-management
To https://github.com/saikat-71/Delivery-Management-System.git
   [new branch]   feature/seller-management -> feature/seller-management
branch 'feature/seller-management' set up to track 'origin/feature/seller-management'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System/Delivery-Management-System (feature/seller-management)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 923 bytes | 460.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
   * branch            main       -> FETCH_HEAD
   f01e23c..db371d  main       -> origin/main
Updating f01e23c..db371d
Fast-forward
 seller_management.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 seller_management.txt

```

T-06: employee management

```

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.name "kamrunnahmah"

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.email "kamrunnahmah932@gmail.com"

```

```

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
fatal: destination path 'Delivery-Management-System' already exists and is not a
empty directory.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ cd Delivery-Management-System

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 6 (delta 0), reused 5 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.84 KiB | 104.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
   * branch            main       -> FETCH_HEAD
   db371d..3c94789  main       -> origin/main
Updating db371d..3c94789
Fast-forward
 Trello/admin_login.txt | 15 ++++++++
 seller_management.txt => Trello/seller_management.txt | 0
 Trello/user_management.txt | 15 ++++++++
 admin_login.txt | 0
 4 files changed, 30 insertions(+)
create mode 100644 Trello/admin_login.txt
rename seller_management.txt => Trello/seller_management.txt (100%)
create mode 100644 Trello/user_management.txt
delete mode 100644 admin_login.txt

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout -b feature/employee-management
Switched to a new branch 'feature/employee-management'

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git branch
feature/employee-management
feature/seller-management
main

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git status
On branch feature/employee-management
Untracked files:
  (use "git add <file>..." to include in what will be committed)
   Trello/employee_management.txt

nothing added to commit but untracked files present (use "git add" to track)

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git add .

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git commit -m "Add employee management"
[feature/employee-management c0db952] Add employee management
1 file changed, 15 insertions(+)
create mode 100644 Trello/employee_management.txt

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git push -u origin feature/employee-management
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 611 bytes | 611.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/employee-management' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/employee-management
remote:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/employee-management
To https://github.com/saikat-71/Delivery-Management-System.git
   [new branch]   feature/employee-management -> feature/employee-management
branch 'feature/employee-management' set up to track 'origin/feature/employee-management'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 926 bytes | 308.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
   * branch            main       -> FETCH_HEAD
   3c94789..968c80b  main       -> origin/main
Updating 3c94789..968c80b
Fast-forward
 Trello/employee_management.txt | 15 ++++++++
 1 file changed, 15 insertions(+)

```

T-07: shipment creation

```

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.name "kamrunnahmah"

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.email "kamrunnahmah932@gmail.com"

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 28, done.
remote: Counting objects: 100% (28/28), done.
remote: Compressing objects: 100% (21/21), done.
remote: Total 28 (delta 3), reused 19 (delta 2), pack-reused 0 (from 0)
Receiving objects: 100% (28/28), 8.00 KiB | 744.00 KiB/s, done.
Resolving deltas: 100% (3/3), done.

```

```

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ cd Delivery-Management-System

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
* branch      main       -> FETCH_HEAD
Already up to date.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout -b feature/shipment-creation
Switched to a new branch 'feature/shipment-creation'

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git branch
* feature/shipment-creation
  main

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git status
On branch feature/shipment-creation
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   Trello/seller_management.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/shipment-creation.txt

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git add .

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git commit -m "Add shipment creation"
[feature/shipment-creation 2f38c7f] Add shipment creation
 2 files changed, 30 insertions(+)
 create mode 100644 Trello/shipment-creation.txt

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git push --u origin feature/shipment-creation
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 967 bytes | 967.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote: Create a pull request for 'feature/shipment-creation' on GitHub by visiting:
https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/shipment-creation
To https://github.com/saikat-71/Delivery-Management-System.git
 * [new branch]   feature/shipment-creation -> feature/shipment-creation
branch 'feature/shipment-creation' set up to track 'origin/feature/shipment-creation'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 923 bytes | 307.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
 * branch      main       -> FETCH_HEAD
 * bea9f7c..6f9d4ac main   -> origin/main
Updating bea9f7c..6f9d4ac
Fast-forward
 Trello/seller_management.txt | 15 ++++++
 Trello/shipment-creation.txt | 15 ++++++
 2 files changed, 30 insertions(+)
 create mode 100644 Trello/shipment-creation.txt

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 923 bytes | 307.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
 * branch      main       -> FETCH_HEAD
 * bea9f7c..6f9d4ac main   -> origin/main
Updating bea9f7c..6f9d4ac
Fast-forward
 Trello/seller_management.txt | 15 ++++++
 Trello/shipment-creation.txt | 15 ++++++
 2 files changed, 30 insertions(+)
 create mode 100644 Trello/shipment-creation.txt

```

T-08: shipment tracking

```

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.name "kamrunnaharmahi"

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git config --global user.email "kamrunnaharmahi932@gmail.com"

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 39, done.
remote: Counting objects: 100% (39/39), done.
remote: Compressing objects: 100% (30/30), done.
remote: Total 39 (delta 5), reused 28 (delta 4), pack-reused 0 (from 0)
Receiving objects: 100% (39/39), 11.35 KiB | 1.89 MiB/s, done.
Resolving deltas: 100% (5/5), done.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ cd Delivery-Management-System

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
 * branch      main       -> FETCH_HEAD
Already up to date.

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git checkout -b feature/shipment-tracking
Switched to a new branch 'feature/shipment-tracking'

```

```

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$ git pull origin main
remote: Enumerating objects: 12, done.
remote: Counting objects: 100% (12/12), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 8 (delta 2), reused 4 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (8/8), 2.63 KiB | 99.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
 * branch      main       -> FETCH_HEAD
 * 7e244e0..2228d68 main   -> origin/main
Updating 7e244e0..2228d68
Fast-forward
 Trello/carrier_management.txt | 15 ++++++
 Trello/shipment_tracking.txt | 15 ++++++
 2 files changed, 30 insertions(+)
 create mode 100644 Trello/carrier_management.txt
 create mode 100644 Trello/shipment_tracking.txt

ASUSBASUS MINGW64 /e/STUDY/Software Engineering/Project-Delivery Management System
$

```

Punom [Carrier/Customer] T-09: carrier management

```

MINGW64/e/SE Project/Delivery-Management-System

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ git config --global user.name "punom54"

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ git config --global user.email "sharminultanapunom2@gmail.com"

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 39, done.
remote: Counting objects: 100% (39/39), done.
remote: Compressing objects: 100% (30/30), done.
remote: Total 39 (delta 5), reused 28 (delta 4), pack-reused 0 (from 0)
Receiving objects: 100% (39/39), 11.35 KiB | 484.00 KiB/s, done.
Resolving deltas: 100% (5/5), done.

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ cd Delivery-Management-System

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/carrier-management
Switched to a new branch 'feature/carrier-management'

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/customer-management)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 923 bytes | 464.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
 * branch      main       -> FETCH_HEAD
 * 2228d68..3be56a2 main   -> origin/main
Updating 2228d68..3be56a2
Fast-forward
 Trello/customer_management.txt | 15 ++++++
 1 file changed, 15 insertions(+)
 create mode 100644 Trello/customer_management.txt

```

T-11: delivery status

```

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/carrier-management)
$ git branch
* feature/carrier-management
  main

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/carrier-management)
$ git status
On branch feature/carrier-management
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/carrier_management.txt

nothing added to commit but untracked files present (use "git add" to track)

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/carrier-management)
$ git add .

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/carrier-management)
$ git commit -m "Add carrier management"
[feature/carrier-management e57abc1] Add carrier management
 1 file changed, 15 insertions(+)
 create mode 100644 Trello/carrier_management.txt

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ git config --global user.name "punom54"

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ git config --global user.email "sharminultanapunom2@gmail.com"

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System'...
remote: Enumerating objects: 59, done.
remote: Counting objects: 100% (59/59), done.
remote: Compressing objects: 100% (46/46), done.
remote: Total 59 (delta 10), reused 43 (delta 8), pack-reused 0 (from 0)
Receiving objects: 100% (59/59), 16.58 KiB | 652.00 KiB/s, done.
Resolving deltas: 100% (10/10), done.

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project
$ cd Delivery-Management-System

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
 * branch      main       -> FETCH_HEAD
Already up to date.

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/delivery-status
Switched to a new branch 'feature/delivery-status'

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/delivery-status)
$ git branch
* feature/delivery-status
  main

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/delivery-status)
$ git status
On branch feature/delivery-status
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/delivery_status.txt

nothing added to commit but untracked files present (use "git add" to track)

H:\LAPTOP-ECRBP0G1 MINGW64 /e/SE Project/Delivery-Management-System (feature/delivery-status)
$ git add .

```

T-10: customer management

```

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project
$ git config --global user.name "punom54"

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project
$ git config --global user.email "sharminustanapunom2@gmail.com"

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project
$ git clone https://github.com/saikat-71/Delivery-Management-System.git
Cloning into 'Delivery-Management-System' ...
remote: Enumerating objects: 54, done.
remote: Counting objects: 100% (54/54), done.
remote: Compressing objects: 100% (42/42), done.
remote: Total 54 (delta 9), reused 38 (delta 7), pack-reused 0 (from 0)
Receiving objects: 100% (54/54), 15.07 KiB | 1.25 MiB/s, done.
Resolving deltas: 100% (9/9), done.

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project
$ cd Delivery-Management-System

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git pull origin main
From https://github.com/saikat-71/Delivery-Management-System
* branch      main       -> FETCH_HEAD
Already up to date.

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git checkout -b feature/customer-management
Switched to a new branch 'feature/customer-management'

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/customer-management)
$ git branch
* feature/customer-management
  main

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/customer-management)
$ git status
On branch feature/customer-management
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Trello/customer_management.txt

nothing added to commit but untracked files present (use "git add" to track)

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/customer-management)
$ git add .

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/customer-management)
$ git commit -m "Add customer management"
[feature/customer-management c453107] Add customer management
1 file changed, 13 insertions(+)
create mode 100644 Trello/customer_management.txt

```

```

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/customer-management)
$ git push -u origin feature/customer-management
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 680 bytes | 680.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: create a pull request for 'feature/customer-management' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/customer-management
remote:
to https://github.com/saikat-71/Delivery-Management-System.git
* [new branch]   feature/customer-management -> feature/customer-management
branch 'feature/customer-management' set up to track 'origin/feature/customer-management'.

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/delivery-status)
$ git commit -m "Add delivery status"
[feature/delivery-status a3fbed7] Add delivery status
1 file changed, 16 insertions(+)
create mode 100644 Trello/delivery_status.txt

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/delivery-status)
$ git push -u origin feature/delivery-status
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 715 bytes | 715.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/delivery-status' on GitHub by visiting:
remote:   https://github.com/saikat-71/Delivery-Management-System/pull/new/feature/delivery-status
remote:
to https://github.com/saikat-71/Delivery-Management-System.git
* [new branch]   feature/delivery-status -> feature/delivery-status
branch 'feature/delivery-status' set up to track 'origin/feature/delivery-status'.

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (feature/delivery-status)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

HPLAPTOP-ECBRPCL1 MINGW64 /e/SE Project/Delivery-Management-System (main)
$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 920 bytes | 306.00 KiB/s, done.
From https://github.com/saikat-71/Delivery-Management-System
* branch      main       -> FETCH_HEAD
Updating 3bc562..78190f5
Fast-forward
 Trello/delivery_status.txt | 16 ++++++
 1 file changed, 16 insertions(+)
create mode 100644 Trello/delivery_status.txt

```

Fig-13: Git Workflow

I. Trello Board




Fig-14: Admin Trello




Fig-15: Employee Trello




Fig-16: Seller Trello




Fig-17: Carrier Trello




Fig-18: Customer Trello

6. SOFTWARE TESTING

Test Case – 01 (Admin login by using valid data)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat			
Test Case ID: TC-01		Test Designed date: 03-08-26			
Test Priority (Low, Medium, High): High		Test Executed by: MD Sobahan Hasan Saikat			
Module Name: Admin Login System		Test Execution date: 10-08-2026			
Test Title: Verify the admin login with correct username and password					
Description: Login page testing for admin					
Precondition: Admin has a valid username and password					
Dependencies: Admin login system and database					
Test Steps		Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to the login page 2. Type the username 3. Type the password 4. Click Login button		Correct Username and Password	The admin can be able to login into the dashboard	As expected	Pass

Test Case – 02 (Admin login by using invalid data)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat			
Test Case ID: TC-02		Test Designed date: 03-08-2026			
Test Priority (Low, Medium, High): High		Test Executed by: MD Sobahan Hasan Saikat			
Module Name: Admin Login system		Test Execution date: 10-08-2026			
Test Title: Verify the admin login with incorrect username and password					
Description: Login page testing for admin with wrong information					
Precondition: Log in interface is available					
Dependencies: Admin login system					
Test Steps		Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to the login page 2. Type the wrong username 3. Type the wrong password 4. Click Login button		Incorrect Username and Password	The admin can't be able to login into the dashboard and show an error message	As expected	Pass

Test Case – 03 (Add new users)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-03		Test Designed date: 04-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: User Management		Test Execution date: 10-08-2026		
Test Title: Verify that admin can add a new				
Description: Adding a new user account testing				
Precondition: Admin is logged in				
Dependencies: Users database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to user management interface 2. Click the button add user 3. Give all information of user 4. Click Save button	Correct user information	New user has been added successfully	As expected	Pass

Test Case – 04 (Update any user information)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-04		Test Designed date: 04-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: User Management		Test Execution date: 11-08-2026		
Test Title: Verify that admin can update the user information				
Description: Testing of updating the existing user information				
Precondition: Admin is logged in				
Dependencies: Users database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1. Choose a user 2. Click the Update button 3. Modify the data 4. Click Save button	Updated user data	User information should be updated	As expected	Pass

Test Case – 05 (Delete any existing user)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-05		Test Designed date: 05-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: User Management		Test Execution date: 11-08-2026		
Test Title: Verify that admin can delete a user				
Description: Testing of deleting any existing user information				
Precondition: Admin is logged in and also the user exists in the system				
Dependencies: Users database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1. Choose a user 2. Click the Delete button 3. Confirmation message of deletion	Existing user data	User should not be found in the system	As expected	Pass

Test Case – 06 (Suspend any user)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-06		Test Designed date: 05-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: User Management		Test Execution date: 11-08-2026		
Test Title: Verify that admin can suspend any user				
Description: Testing of Suspend of an active user				
Precondition: Admin is logged in and the user is not inactive				
Dependencies: Users database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1. Choose an active user 2. Click the Suspend button 3. Confirm the suspend	Active user	The selective account should be suspended	As expected	Pass

Test Case – 07 (Reactive any suspended user)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-07		Test Designed date: 06-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: User Management		Test Execution date: 12-08-2026		
Test Title: Verify that admin can active any suspend user				
Description: Testing of reactivating any suspended user				
Precondition: Admin is logged in and the user is inactive				
Dependencies: Users database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1. Choose an inactive user 2. Click the Reactive button 3. Confirm the reactive action	Suspended user	The selective account should be active again	As expected	Pass

Test Case – 08 (View shipment records)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-08		Test Designed date: 06-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: Shipment Management		Test Execution date: 12-08-2026		
Test Title: Verify the admin can see all records				
Description: Test all shipment records viewing				
Precondition: Log in interface is available				
Dependencies: Admin is logged in				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to the admin dashboard 2. Click the shipments button 3. See shipments record	Available shipment records	Shipments record needs to be shown	As expected	Pass

Test Case – 09 (Monitor all active shipments)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-09		Test Designed date: 07-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: Shipment Management		Test Execution date: 12-08-2026		
Test Title: Verify the admin can monitor all active shipments				
Description: Testing of all active shipment records monitoring				
Precondition: Active shipments are available				
Dependencies: Admin is logged in and shipment tracking				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to the admin dashboard 2. Click the active shipment button 3. View the ongoing shipment	Active shipment records	Ongoing active shipment should be displayed	As expected	Pass

Test Case – 10 (View the payment records)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-10		Test Designed date: 07-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: Payment management		Test Execution date: 13-08-2026		
Test Title: Verify the admin can see all payment records				
Description: Test all payment records viewing				
Precondition: Payment records are available in payment database				
Dependencies: Admin is logged in and Payment database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to the admin dashboard 2. Click the shipments button 3. See shipments record	Available shipment records	Shipments record needs to be shown	As expected	Pass

Test Case – 11 (Employee log in to the system)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-11		Test Designed date: 10-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Employee log in		Test Execution date: 13-08-2026		
Test Title: Verify that an employee can log in with correct username and correct password				
Description: Testing of employee login to the system				
Precondition: Employee log in information's are correct				
Dependencies: Login system				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to the log in interface 2. Give the valid username 3. Give the valid password 4. Click log in button	Valid employee username and password	Employee dashboard should be shown	As expected	Pass

Test Case – 12 (Shipment creation)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-12		Test Designed date: 10-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Shipment Management		Test Execution date: 13-08-2026		
Test Title: Verify that an employee can create a new shipment				
Description: Testing of a new shipment creation				
Precondition: Employee is logged in to the system				
Dependencies: Shipment database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to the shipment section 2. Click the create shipment button 3. Give the details information 4. Click save and confirmation message	Correct shipment information	Shipments should be created successfully	As expected	Pass

Test Case – 13 (Give the sender and receiver information)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-13		Test Designed date: 11-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Shipment Management		Test Execution date: 14-08-2026		
Test Title: Verify the sender and receiver details				
Description: Testing of entering the correct sender and receiver information				
Precondition: Shipment is created by employee				
Dependencies: Shipment management				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1. Open the form of shipment 2. Give the correct sender information 3. Give the correct receiver information 4. Save details	Correct sender and receiver data	Sender and receiver data should be saved successfully	As expected	Pass

Test Case – 14 (Assign a carrier)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-14		Test Designed date: 11-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Carrier Assign Management		Test Execution date: 14-08-2026		
Test Title: Verify that an employee can assign a carrier				
Description: Testing of assign a carrier				
Precondition: Available carrier and shipment exist				
Dependencies: Carrier Assign Management and shipment Management				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Selectet the available shipment 2. Click Assign Carrier button 3. Select the available carrier 4. Save it	Available active carrier	Carrier should be assigned to the shipment successfully	As expected	Pass

Test Case – 15 (Update the existing shipment)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-15		Test Designed date: 12-08-2026		
Test Priority (Low, Medium, High): Low		Test Executed by: Kamrun Nahar Mahi		
Module Name: Shipment Management		Test Execution date: 14-08-2026		
Test Title: Verify that an employee can update shipment status				
Description: Testing of update shipment status				
Precondition: Shipment already available				
Dependencies: Database of shipment information				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1. Select the existing shipment 2. Click Edit option 3. Enter the correct information	Available Shipment information	Shipment status will be updated	As expected	Pass

Test Case – 16 (Manage the routes)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-16		Test Designed date: 12-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: Kamrun Nahar Mahi		
Module Name: Route Management		Test Execution date: 17-08-2026		
Test Title: Verify that an employee can manage the delivery route correctly				
Description: Testing of managing the delivery root				
Precondition: Employee is logged in and active route available				
Dependencies: Route management				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Click route management 2. Add routes and its information 3. Save it	Available route and correct route information	Routes should be added successfully	As expected	Pass

Test Case – 17 (Payment verify)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-17		Test Designed date: 12-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Payment Record Verification		Test Execution date: 17-08-2026		
Test Title: Verify that an employee can verify the payment successfully				
Description: Payment Verification testing				
Precondition: Available payment record				
Dependencies: payment management				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open payment section 2. Select and check payment 3. Verify payment	Correct payment records are available	Payment verified successfully	As expected	Pass

Test Case – 18 (Registration of Seller)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-18		Test Designed date: 13-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Seller Registration		Test Execution date: 17-08-2026		
Test Title: Verify that a seller is registered successfully with valid information				
Description: Testing of seller registration				
Precondition: Registration interface available				
Dependencies: Registration and user information database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open the registration form 2. Enter valid information 3. Give strong password 4. Click Register button	Correct information of seller	Seller registration should be successful and an account should be created	As expected	Pass

Test Case – 19 (Seller log in)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-19		Test Designed date: 14-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Seller Log in		Test Execution date: 18-08-2026		
Test Title: Verify that a seller can enter by using valid username and password				
Description: Testing of seller log in				
Precondition: Seller account should be exist				
Dependencies: Log in and user database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open log in page 2. Give valid username 3. Give valid password 4. Click lo in button	Valid seller username and password	Seller should be able to get the access to his dashboard	As expected	Pass

Test Case – 20 (Create shipment request)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-20		Test Designed date: 14-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Shipment Request Management		Test Execution date: 18-08-2026		
Test Title: Verify that a seller can create shipment request				
Description: Testing of creating shipment request perfectly				
Precondition: Seller is logged in				
Dependencies: Shipment request database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open shipment request form 2. Give all details of shipment 3. Enter the correct address	Valid product and correct address	Shipment request should be shown as created successfully	As expected	Pass

Test Case – 21 (Update shipment request)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-21		Test Designed date: 17-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Kamrun Nahar Mahi		
Module Name: Shipment Request Management		Test Execution date: 18-08-2026		
Test Title: Verify that a seller can modify the existing shipment request				
Description: Testing of updating the shipment request				
Precondition: Shipment request exists				
Dependencies: Shipment request database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open shipment request 2. Click on edit button 3. Modify the information 4. Save it	Existing shipment request information	Shipment request Updated successfully	As expected	Pass

Test Case – 22 (Delete shipment request)

Project Name: Delivery Management System		Test Designed by: Kamrun Nahar Mahi		
Test Case ID: TC-22		Test Designed date: 17-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: Kamrun Nahar Mahi		
Module Name: Shipment Request Management		Test Execution date: 19-08-2026		
Test Title: Verify that a seller can delete existing shipment request				
Description: Testing of deleting shipment request perfectly				
Precondition: Pending shipment requests available				
Dependencies: Shipment request database				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open shipment request form 2. Click Cancel button 3. Confirm it by viewing message	Available pending shipment request	Shipment request should be cancelled successfully	As expected	Pass

Test Case – 23 (Carrier log in)

Project Name: Delivery Management System		Test Designed by: Sultana Punom		
Test Case ID: TC-23		Test Designed date: 18-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Sultana Punom		
Module Name: Carrier Login		Test Execution date: 19-08-2026		
Test Title: Verify that a carrier can get access using valid username and password				
Description: Testing of carrier login				
Precondition: Valid information of carrier exists				
Dependencies: Log in in the system				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open log in interface 2. Give valid username 3. Give valid password 4. Click log in	Carrier exists with valid username and password	Carrier should be able to access successfully	As expected	Pass

Test Case – 24 (View the assigned shipments)

Project Name: Delivery Management System		Test Designed by: Sultana Punom		
Test Case ID: TC-24		Test Designed date: 18-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Sultana Punom		
Module Name: Carrier Management		Test Execution date: 19-08-2026		
Test Title: Verify that a carrier can see the assigned shipments				
Description: Testing of viewing assigned shipments				
Precondition: Carrier has assigned shipments				
Dependencies: Carrier and assigned shipment				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Go to carrier dashboard 2. Click on assigned shipment 3. View the shipments	Assigned shipment	Carrier should be able to see the assigned shipment list successfully	As expected	Pass

Test Case – 25 (Delivery status update)

Project Name: Delivery Management System		Test Designed by: Sultana Punom		
Test Case ID: TC-25		Test Designed date: 19-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Sultana Punom		
Module Name: Delivery status		Test Execution date: 20-08-2026		
Test Title: Verify that a carrier can update the delivery status successfully				
Description: Testing of updating the status of existing shipments				
Precondition: Carrier has assigned shipment				
Dependencies: Delivery status tracking				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Select shipment 2. Update status 3. Save it	In transit status	New status should be shown successfully	As expected	Pass

Test Case – 26 (Marked the shipment status as delivered)

Project Name: Delivery Management System		Test Designed by: Sultana Punom		
Test Case ID: TC-23		Test Designed date: 19-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Sultana Punom		
Module Name: Delivery status		Test Execution date: 20-08-2026		
Test Title: Verify that a carrier can mark status as delivered				
Description: Test of completing a delivery				
Precondition: A shipment is assigned to a carrier				
Dependencies: Delivery status tracking and notification				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Select the exact shipment 2. Change the status 3. mark it complete 4. Click confirm	Active shipment which was assigned to a carrier	Marked the status as completed	As expected	Pass

Test Case – 27 (Customer can track the shipment)

Project Name: Delivery Management System		Test Designed by: Sultana Punom		
Test Case ID: TC-27		Test Designed date: 20-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Sultana Punom		
Module Name: Shipment tracking		Test Execution date: 20-08-2026		
Test Title: Verify that a customer can track the shipment which was assigned to a carrier				
Description: Test of track the shipment				
Precondition: Valid tracking id must be exists				
Dependencies: Shipment tracking in system				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open the tracking page 2. Give the tracking id 3. Click track	Correct tracking id needed	Shipment status must be shown	As expected	Pass

Test Case – 28 (View the details of shipment)

Project Name: Delivery Management System		Test Designed by: Sultana Punom		
Test Case ID: TC-28		Test Designed date: 20-08-2026		
Test Priority (Low, Medium, High): Medium		Test Executed by: Sultana Punom		
Module Name: Customer Management		Test Execution date: 21-08-2026		
Test Title: Verify that a customer can see the shipment details				
Description: Test of viewing the shipment details				
Precondition: Valid shipment exists				
Dependencies: Shipment tracking in system				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open the tracking page 2. Give the tracking id 3. Click track 4.View details	Correct tracking id needed	Shipment details should be displayed	As expected	Pass

Test Case – 29 (Receive notification)

Project Name: Delivery Management System		Test Designed by: Sultana Punom		
Test Case ID: TC-29		Test Designed date: 21-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: Sultana Punom		
Module Name: Notification Management		Test Execution date: 21-08-2026		
Test Title: Verify that a customer can get the notification in correct time				
Description: Test of getting notification after status changes				
Precondition: Valid shipment exists				
Dependencies: Shipment tracking and notification in system				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open the shipment status page 2. Change the status 3. Wait for update it	Valid shipment status changed	Customer should be able to get the notification	As expected	Pass

Test Case – 30 (Input validation check)

Project Name: Delivery Management System		Test Designed by: MD Sobahan Hasan Saikat		
Test Case ID: TC-30		Test Designed date: 21-08-2026		
Test Priority (Low, Medium, High): High		Test Executed by: MD Sobahan Hasan Saikat		
Module Name: System Management		Test Execution date: 21-08-2026		
Test Title: Verify that no invalid data can get access				
Description: Test of input validation				
Precondition: A form with all required field				
Dependencies: Input validation				
Test Steps	Test Data	Expected Results	Actual Results	Status (Pass/Fail)
1.Open any form 2. Keep everything empty 3. Submit it	Empty input which is invalid	Should give a error message	As expected	Pass

7. CONCLUSION

Delivery Management System is intended to organize and make the delivery process efficient and dependable by integrating the critical delivery operations in a single system. The Delivery Management System gives different functions to different parties depending on their roles. Functions of the Admin include user management, shipment management, payments management, complaint management, and system reports. Functions of the Employee include shipment creation, carrier assignment, route management, and payments verification. Functions of the Seller include shipment request creation, delivery tracking, and payments management. Functions of the Carrier include shipment viewing, delivery status updates, and delivery completion.

The system ensures reduction in paperwork manually, errors in data, delay in tracking update and also communication issues among the users. Role based access control and input validation ensure that system security is also improved. XP framework is used in the system development where continuous feedback, iterative, and change to requirements are made possible in the system. On the whole, the system will be easy to manage delivery process and hence help businesses save time and increase customer satisfaction. Further improvement of the system may be made by adding further functionalities according to the needs of the users.