

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
Basophils($10^9/L$)	Baseline	Actual Value	n	2	3	3	8
			Mean	0.10	0.07	0.07	0.08
			SD	0.000	0.058	0.058	0.046
			Median	0.10	0.10	0.10	0.10
			Q1, Q3	0.1, 0.1	0.0, 0.1	0.0, 0.1	0.1, 0.1
			Min, Max	0.1, 0.1	0.0, 0.1	0.0, 0.1	0.0, 0.1
	Day 15	Actual Value	n	3	3	3	9
			Mean	0.10	0.00	0.00	0.03
			SD	0.000	0.000	0.000	0.050
			Median	0.10	0.00	0.00	0.00
			Q1, Q3	0.1, 0.1	0.0, 0.0	0.0, 0.0	0.0, 0.1
			Min, Max	0.1, 0.1	0.0, 0.0	0.0, 0.0	0.0, 0.1
		Change from Baseline	n	2	3	3	8
			Mean	0.00	-0.07	-0.07	-0.05
			SD	0.000	0.058	0.058	0.053
			Median	0.00	-0.10	-0.10	-0.05
			Q1, Q3	0.0, 0.0	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0
			Min, Max	0.0, 0.0	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	0.05	0.00	0.00	0.02
			SD	0.071	0.000	0.000	0.041
			Median	0.05	0.00	0.00	0.00
			Q1, Q3	0.0, 0.1	0.0, 0.0	0.0, 0.0	0.0, 0.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Min, Max	0.0, 0.1	0.0, 0.0	0.0, 0.0	0.0, 0.1
		Change from Baseline	n	1	2	2	5
			Mean	-0.10	-0.05	-0.05	-0.06
			SD		0.071	0.071	0.055
			Median	-0.10	-0.05	-0.05	-0.10
			Q1, Q3	-0.1, -0.1	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0
			Min, Max	-0.1, -0.1	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0
	Month 3	Actual Value	n	3	3	2	8
			Mean	0.03	0.00	0.00	0.01
			SD	0.058	0.000	0.000	0.035
			Median	0.00	0.00	0.00	0.00
			Q1, Q3	0.0, 0.1	0.0, 0.0	0.0, 0.0	0.0, 0.0
			Min, Max	0.0, 0.1	0.0, 0.0	0.0, 0.0	0.0, 0.1
		Change from Baseline	n	2	3	2	7
			Mean	-0.05	-0.07	-0.05	-0.06
			SD	0.071	0.058	0.071	0.053
			Median	-0.05	-0.10	-0.05	-0.10
			Q1, Q3	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0
			Min, Max	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0	-0.1, 0.0
	Month 6	Actual Value	n	3	3	2	8

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Mean	0.00	0.03	0.10	0.04
			SD	0.000	0.058	0.000	0.052
			Median	0.00	0.00	0.10	0.00
			Q1, Q3	0.0, 0.0	0.0, 0.1	0.1, 0.1	0.0, 0.1
			Min, Max	0.0, 0.0	0.0, 0.1	0.1, 0.1	0.0, 0.1
		Change from Baseline	n	2	3	2	7
			Mean	-0.10	-0.03	0.05	-0.03
			SD	0.000	0.058	0.071	0.076
			Median	-0.10	0.00	0.05	0.00
			Q1, Q3	-0.1, -0.1	-0.1, 0.0	0.0, 0.1	-0.1, 0.0
			Min, Max	-0.1, -0.1	-0.1, 0.0	0.0, 0.1	-0.1, 0.1
	Month 9	Actual Value	n			1	1
			Mean			0.10	0.10
			SD				
			Median			0.10	0.10
			Q1, Q3			0.1, 0.1	0.1, 0.1
			Min, Max			0.1, 0.1	0.1, 0.1
		Change from Baseline	n			1	1
			Mean			0.00	0.00
			SD				
			Median			0.00	0.00
			Q1, Q3			0.0, 0.0	0.0, 0.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Min, Max			0.0, 0.0	0.0, 0.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	0.03	0.00	0.05	0.03
			SD	0.058	0.000	0.071	0.046
			Median	0.00	0.00	0.05	0.00
			Q1, Q3	0.0, 0.1	0.0, 0.0	0.0, 0.1	0.0, 0.1
			Min, Max	0.0, 0.1	0.0, 0.0	0.0, 0.1	0.0, 0.1
		Change from Baseline	n	2	3	2	7
			Mean	-0.10	-0.07	0.00	-0.06
			SD	0.000	0.058	0.000	0.053
			Median	-0.10	-0.10	0.00	-0.10
			Q1, Q3	-0.1, -0.1	-0.1, 0.0	0.0, 0.0	-0.1, 0.0
			Min, Max	-0.1, -0.1	-0.1, 0.0	0.0, 0.0	-0.1, 0.0
Basophils/Leukocytes(%)	Baseline	Actual Value	n	2	3	3	8
			Mean	1.00	0.67	1.00	0.88
			SD	0.000	0.577	0.000	0.354
			Median	1.00	1.00	1.00	1.00
			Q1, Q3	1.0, 1.0	0.0, 1.0	1.0, 1.0	1.0, 1.0
			Min, Max	1.0, 1.0	0.0, 1.0	1.0, 1.0	0.0, 1.0
	Day 15	Actual Value	n	3	3	3	9
			Mean	0.00	0.00	0.33	0.11

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.000	0.000	0.577	0.333
			Median	0.00	0.00	0.00	0.00
			Q1, Q3	0.0, 0.0	0.0, 0.0	0.0, 1.0	0.0, 0.0
			Min, Max	0.0, 0.0	0.0, 0.0	0.0, 1.0	0.0, 1.0
		Change from Baseline	n	2	3	3	8
			Mean	-1.00	-0.67	-0.67	-0.75
			SD	0.000	0.577	0.577	0.463
			Median	-1.00	-1.00	-1.00	-1.00
			Q1, Q3	-1.0, -1.0	-1.0, 0.0	-1.0, 0.0	-1.0, -0.5
			Min, Max	-1.0, -1.0	-1.0, 0.0	-1.0, 0.0	-1.0, 0.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	0.50	0.00	0.00	0.17
			SD	0.707	0.000	0.000	0.408
			Median	0.50	0.00	0.00	0.00
			Q1, Q3	0.0, 1.0	0.0, 0.0	0.0, 0.0	0.0, 0.0
			Min, Max	0.0, 1.0	0.0, 0.0	0.0, 0.0	0.0, 1.0
		Change from Baseline	n	1	2	2	5
			Mean	-1.00	-0.50	-1.00	-0.80
			SD		0.707	0.000	0.447
			Median	-1.00	-0.50	-1.00	-1.00
			Q1, Q3	-1.0, -1.0	-1.0, 0.0	-1.0, -1.0	-1.0, -1.0
			Min, Max	-1.0, -1.0	-1.0, 0.0	-1.0, -1.0	-1.0, 0.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 3	Actual Value	n	3	3	2	8
			Mean	0.67	0.67	1.00	0.75
			SD	0.577	0.577	0.000	0.463
			Median	1.00	1.00	1.00	1.00
			Q1, Q3	0.0, 1.0	0.0, 1.0	1.0, 1.0	0.5, 1.0
			Min, Max	0.0, 1.0	0.0, 1.0	1.0, 1.0	0.0, 1.0
		Change from Baseline	n	2	3	2	7
			Mean	0.00	0.00	0.00	0.00
			SD	0.000	0.000	0.000	0.000
			Median	0.00	0.00	0.00	0.00
			Q1, Q3	0.0, 0.0	0.0, 0.0	0.0, 0.0	0.0, 0.0
			Min, Max	0.0, 0.0	0.0, 0.0	0.0, 0.0	0.0, 0.0
	Month 6	Actual Value	n	3	3	2	8
			Mean	1.00	0.67	1.00	0.88
			SD	0.000	0.577	0.000	0.354
			Median	1.00	1.00	1.00	1.00
			Q1, Q3	1.0, 1.0	0.0, 1.0	1.0, 1.0	1.0, 1.0
			Min, Max	1.0, 1.0	0.0, 1.0	1.0, 1.0	0.0, 1.0
		Change from Baseline	n	2	3	2	7
			Mean	0.00	0.00	0.00	0.00

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.000	0.000	0.000	0.000
			Median	0.00	0.00	0.00	0.00
			Q1, Q3	0.0, 0.0	0.0, 0.0	0.0, 0.0	0.0, 0.0
			Min, Max	0.0, 0.0	0.0, 0.0	0.0, 0.0	0.0, 0.0
	Month 9	Actual Value	n			1	1
			Mean			1.00	1.00
			SD				
			Median			1.00	1.00
			Q1, Q3			1.0, 1.0	1.0, 1.0
			Min, Max			1.0, 1.0	1.0, 1.0
		Change from Baseline	n			1	1
			Mean			0.00	0.00
			SD				
			Median			0.00	0.00
			Q1, Q3			0.0, 0.0	0.0, 0.0
			Min, Max			0.0, 0.0	0.0, 0.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	0.67	1.00	1.00	0.88
			SD	0.577	0.000	0.000	0.354
			Median	1.00	1.00	1.00	1.00
			Q1, Q3	0.0, 1.0	1.0, 1.0	1.0, 1.0	1.0, 1.0
			Min, Max	0.0, 1.0	1.0, 1.0	1.0, 1.0	0.0, 1.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	-0.50	0.33	0.00	0.00
			SD	0.707	0.577	0.000	0.577
			Median	-0.50	0.00	0.00	0.00
			Q1, Q3	-1.0, 0.0	0.0, 1.0	0.0, 0.0	0.0, 0.0
			Min, Max	-1.0, 0.0	0.0, 1.0	0.0, 0.0	-1.0, 1.0
Eosinophils(10 ⁹ /L)	Baseline	Actual Value	n	2	3	3	8
			Mean	0.20	0.30	0.17	0.23
			SD	0.141	0.173	0.058	0.128
			Median	0.20	0.40	0.20	0.20
			Q1, Q3	0.1, 0.3	0.1, 0.4	0.1, 0.2	0.1, 0.4
			Min, Max	0.1, 0.3	0.1, 0.4	0.1, 0.2	0.1, 0.4
	Day 15	Actual Value	n	3	3	3	9
			Mean	0.07	0.00	0.03	0.03
			SD	0.058	0.000	0.058	0.050
			Median	0.10	0.00	0.00	0.00
			Q1, Q3	0.0, 0.1	0.0, 0.0	0.0, 0.1	0.0, 0.1
			Min, Max	0.0, 0.1	0.0, 0.0	0.0, 0.1	0.0, 0.1
		Change from Baseline	n	2	3	3	8
			Mean	-0.15	-0.30	-0.13	-0.20

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.071	0.173	0.058	0.131
			Median	-0.15	-0.40	-0.10	-0.15
			Q1, Q3	-0.2, -0.1	-0.4, -0.1	-0.2, -0.1	-0.3, -0.1
			Min, Max	-0.2, -0.1	-0.4, -0.1	-0.2, -0.1	-0.4, -0.1
	Month 1	Actual Value	n	2	2	2	6
			Mean	0.00	0.05	0.00	0.02
			SD	0.000	0.071	0.000	0.041
			Median	0.00	0.05	0.00	0.00
			Q1, Q3	0.0, 0.0	0.0, 0.1	0.0, 0.0	0.0, 0.0
			Min, Max	0.0, 0.0	0.0, 0.1	0.0, 0.0	0.0, 0.1
		Change from Baseline	n	1	2	2	5
			Mean	-0.10	-0.35	-0.15	-0.22
			SD		0.071	0.071	0.130
			Median	-0.10	-0.35	-0.15	-0.20
			Q1, Q3	-0.1, -0.1	-0.4, -0.3	-0.2, -0.1	-0.3, -0.1
			Min, Max	-0.1, -0.1	-0.4, -0.3	-0.2, -0.1	-0.4, -0.1
	Month 3	Actual Value	n	3	3	2	8
			Mean	0.13	0.20	0.25	0.19
			SD	0.058	0.100	0.212	0.113
			Median	0.10	0.20	0.25	0.15
			Q1, Q3	0.1, 0.2	0.1, 0.3	0.1, 0.4	0.1, 0.3
			Min, Max	0.1, 0.2	0.1, 0.3	0.1, 0.4	0.1, 0.4

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	-0.05	-0.10	0.10	-0.03
			SD	0.071	0.200	0.141	0.160
			Median	-0.05	-0.10	0.10	0.00
			Q1, Q3	-0.1, 0.0	-0.3, 0.1	0.0, 0.2	-0.1, 0.1
			Min, Max	-0.1, 0.0	-0.3, 0.1	0.0, 0.2	-0.3, 0.2
	Month 6	Actual Value	n	3	3	2	8
			Mean	0.10	0.13	0.25	0.15
			SD	0.000	0.058	0.212	0.107
			Median	0.10	0.10	0.25	0.10
			Q1, Q3	0.1, 0.1	0.1, 0.2	0.1, 0.4	0.1, 0.2
			Min, Max	0.1, 0.1	0.1, 0.2	0.1, 0.4	0.1, 0.4
		Change from Baseline	n	2	3	2	7
			Mean	-0.10	-0.17	0.10	-0.07
			SD	0.141	0.231	0.141	0.198
			Median	-0.10	-0.30	0.10	0.00
			Q1, Q3	-0.2, 0.0	-0.3, 0.1	0.0, 0.2	-0.3, 0.1
			Min, Max	-0.2, 0.0	-0.3, 0.1	0.0, 0.2	-0.3, 0.2
	Month 9	Actual Value	n			1	1
			Mean			0.20	0.20

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD				
			Median			0.20	0.20
			Q1, Q3			0.2, 0.2	0.2, 0.2
			Min, Max			0.2, 0.2	0.2, 0.2
		Change from Baseline	n			1	1
			Mean			0.00	0.00
			SD				
			Median			0.00	0.00
			Q1, Q3			0.0, 0.0	0.0, 0.0
			Min, Max			0.0, 0.0	0.0, 0.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	0.07	0.30	0.20	0.19
			SD	0.058	0.100	0.141	0.136
			Median	0.10	0.30	0.20	0.15
			Q1, Q3	0.0, 0.1	0.2, 0.4	0.1, 0.3	0.1, 0.3
			Min, Max	0.0, 0.1	0.2, 0.4	0.1, 0.3	0.0, 0.4
		Change from Baseline	n	2	3	2	7
			Mean	-0.10	0.00	0.05	-0.01
			SD	0.141	0.100	0.071	0.107
			Median	-0.10	0.00	0.05	0.00
			Q1, Q3	-0.2, 0.0	-0.1, 0.1	0.0, 0.1	-0.1, 0.1
			Min, Max	-0.2, 0.0	-0.1, 0.1	0.0, 0.1	-0.2, 0.1

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
Eosinophils/Leukocytes(%)	Baseline	Actual Value	n	2	3	3	8
			Mean	3.00	4.33	3.00	3.50
			SD	1.414	2.082	1.732	1.690
			Median	3.00	5.00	2.00	3.00
			Q1, Q3	2.0, 4.0	2.0, 6.0	2.0, 5.0	2.0, 5.0
			Min, Max	2.0, 4.0	2.0, 6.0	2.0, 5.0	2.0, 6.0
	Day 15	Actual Value	n	3	3	3	9
			Mean	0.67	0.00	0.33	0.33
			SD	0.577	0.000	0.577	0.500
			Median	1.00	0.00	0.00	0.00
			Q1, Q3	0.0, 1.0	0.0, 0.0	0.0, 1.0	0.0, 1.0
			Min, Max	0.0, 1.0	0.0, 0.0	0.0, 1.0	0.0, 1.0
		Change from Baseline	n	2	3	3	8
			Mean	-2.50	-4.33	-2.67	-3.25
			SD	0.707	2.082	1.155	1.581
			Median	-2.50	-5.00	-2.00	-2.50
			Q1, Q3	-3.0, -2.0	-6.0, -2.0	-4.0, -2.0	-4.5, -2.0
			Min, Max	-3.0, -2.0	-6.0, -2.0	-4.0, -2.0	-6.0, -2.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	0.00	0.50	0.00	0.17
			SD	0.000	0.707	0.000	0.408

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Median	0.00	0.50	0.00	0.00
			Q1, Q3	0.0, 0.0	0.0, 1.0	0.0, 0.0	0.0, 0.0
			Min, Max	0.0, 0.0	0.0, 1.0	0.0, 0.0	0.0, 1.0
		Change from Baseline	n	1	2	2	5
			Mean	-2.00	-5.00	-2.00	-3.20
			SD		0.000	0.000	1.643
			Median	-2.00	-5.00	-2.00	-2.00
			Q1, Q3	-2.0, -2.0	-5.0, -5.0	-2.0, -2.0	-5.0, -2.0
			Min, Max	-2.0, -2.0	-5.0, -5.0	-2.0, -2.0	-5.0, -2.0
	Month 3	Actual Value	n	3	3	2	8
			Mean	1.67	3.33	3.50	2.75
			SD	1.155	2.517	3.536	2.188
			Median	1.00	3.00	3.50	2.00
			Q1, Q3	1.0, 3.0	1.0, 6.0	1.0, 6.0	1.0, 4.5
			Min, Max	1.0, 3.0	1.0, 6.0	1.0, 6.0	1.0, 6.0
		Change from Baseline	n	2	3	2	7
			Mean	-1.00	-1.00	1.50	-0.29
			SD	0.000	3.464	3.536	2.752
			Median	-1.00	1.00	1.50	-1.00
			Q1, Q3	-1.0, -1.0	-5.0, 1.0	-1.0, 4.0	-1.0, 1.0
			Min, Max	-1.0, -1.0	-5.0, 1.0	-1.0, 4.0	-5.0, 4.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 6	Actual Value	n	3	3	2	8
			Mean	1.67	2.00	2.50	2.00
			SD	0.577	0.000	2.121	0.926
			Median	2.00	2.00	2.50	2.00
			Q1, Q3	1.0, 2.0	2.0, 2.0	1.0, 4.0	1.5, 2.0
			Min, Max	1.0, 2.0	2.0, 2.0	1.0, 4.0	1.0, 4.0
		Change from Baseline	n	2	3	2	7
			Mean	-1.50	-2.33	0.50	-1.29
			SD	2.121	2.082	2.121	2.138
			Median	-1.50	-3.00	0.50	-1.00
			Q1, Q3	-3.0, 0.0	-4.0, 0.0	-1.0, 2.0	-3.0, 0.0
			Min, Max	-3.0, 0.0	-4.0, 0.0	-1.0, 2.0	-4.0, 2.0
	Month 9	Actual Value	n			1	1
			Mean			3.00	3.00
			SD				
			Median			3.00	3.00
			Q1, Q3			3.0, 3.0	3.0, 3.0
			Min, Max			3.0, 3.0	3.0, 3.0
		Change from Baseline	n			1	1
			Mean			1.00	1.00

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD				
			Median			1.00	1.00
			Q1, Q3			1.0, 1.0	1.0, 1.0
			Min, Max			1.0, 1.0	1.0, 1.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	1.00	5.00	3.00	3.00
			SD	0.000	3.000	2.828	2.673
			Median	1.00	5.00	3.00	1.50
			Q1, Q3	1.0, 1.0	2.0, 8.0	1.0, 5.0	1.0, 5.0
			Min, Max	1.0, 1.0	2.0, 8.0	1.0, 5.0	1.0, 8.0
		Change from Baseline	n	2	3	2	7
			Mean	-2.00	0.67	1.00	0.00
			SD	1.414	1.155	2.828	2.000
			Median	-2.00	0.00	1.00	0.00
			Q1, Q3	-3.0, -1.0	0.0, 2.0	-1.0, 3.0	-1.0, 2.0
			Min, Max	-3.0, -1.0	0.0, 2.0	-1.0, 3.0	-3.0, 3.0
Ery. Mean Corpuscular Hemoglobin(fmol)	Baseline	Actual Value	n	2	3	3	8
			Mean	1.77	1.78	1.73	1.76
			SD	0.119	0.120	0.268	0.165
			Median	1.77	1.73	1.87	1.79
			Q1, Q3	1.7, 1.9	1.7, 1.9	1.4, 1.9	1.7, 1.9
			Min, Max	1.7, 1.9	1.7, 1.9	1.4, 1.9	1.4, 1.9

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Day 15	Actual Value	n	3	3	3	9
			Mean	1.77	1.81	1.72	1.77
			SD	0.134	0.109	0.273	0.165
			Median	1.73	1.75	1.87	1.75
			Q1, Q3	1.7, 1.9	1.7, 1.9	1.4, 1.9	1.7, 1.9
			Min, Max	1.7, 1.9	1.7, 1.9	1.4, 1.9	1.4, 1.9
		Change from Baseline	n	2	3	3	8
			Mean	-0.07	0.02	-0.01	-0.01
			SD	0.066	0.018	0.006	0.048
			Median	-0.07	0.01	-0.01	0.00
			Q1, Q3	-0.1, 0.0	0.0, 0.0	0.0, 0.0	0.0, 0.0
			Min, Max	-0.1, 0.0	0.0, 0.0	0.0, 0.0	-0.1, 0.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	1.75	1.87	1.91	1.84
			SD	0.180	0.145	0.000	0.127
			Median	1.75	1.87	1.91	1.89
			Q1, Q3	1.6, 1.9	1.8, 2.0	1.9, 1.9	1.8, 1.9
			Min, Max	1.6, 1.9	1.8, 2.0	1.9, 1.9	1.6, 2.0
		Change from Baseline	n	1	2	2	5
			Mean	-0.06	0.04	0.02	0.01

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD		0.013	0.022	0.045
			Median	-0.06	0.04	0.02	0.03
			Q1, Q3	-0.1, -0.1	0.0, 0.0	0.0, 0.0	0.0, 0.0
			Min, Max	-0.1, -0.1	0.0, 0.0	0.0, 0.0	-0.1, 0.0
	Month 3	Actual Value	n	3	3	2	8
			Mean	1.78	1.87	1.91	1.84
			SD	0.131	0.095	0.009	0.103
			Median	1.79	1.81	1.91	1.86
			Q1, Q3	1.6, 1.9	1.8, 2.0	1.9, 1.9	1.8, 1.9
			Min, Max	1.6, 1.9	1.8, 2.0	1.9, 1.9	1.6, 2.0
		Change from Baseline	n	2	3	2	7
			Mean	-0.05	0.08	0.02	0.03
			SD	0.018	0.028	0.031	0.063
			Median	-0.05	0.08	0.02	0.04
			Q1, Q3	-0.1, 0.0	0.1, 0.1	0.0, 0.0	0.0, 0.1
			Min, Max	-0.1, 0.0	0.1, 0.1	0.0, 0.0	-0.1, 0.1
	Month 6	Actual Value	n	3	3	2	8
			Mean	1.75	1.83	1.93	1.82
			SD	0.124	0.111	0.066	0.120
			Median	1.68	1.77	1.93	1.83
			Q1, Q3	1.7, 1.9	1.8, 2.0	1.9, 2.0	1.7, 1.9
			Min, Max	1.7, 1.9	1.8, 2.0	1.9, 2.0	1.7, 2.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	-0.09	0.05	0.04	0.01
			SD	0.105	0.014	0.088	0.088
			Median	-0.09	0.04	0.04	0.04
			Q1, Q3	-0.2, 0.0	0.0, 0.1	0.0, 0.1	0.0, 0.1
			Min, Max	-0.2, 0.0	0.0, 0.1	0.0, 0.1	-0.2, 0.1
	Month 9	Actual Value	n			1	1
			Mean			2.00	2.00
			SD				
			Median			2.00	2.00
			Q1, Q3			2.0, 2.0	2.0, 2.0
			Min, Max			2.0, 2.0	2.0, 2.0
		Change from Baseline	n			1	1
			Mean			0.13	0.13
			SD				
			Median			0.13	0.13
			Q1, Q3			0.1, 0.1	0.1, 0.1
			Min, Max			0.1, 0.1	0.1, 0.1
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	1.73	1.80	1.90	1.80

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.161	0.095	0.075	0.124
			Median	1.79	1.76	1.90	1.82
			Q1, Q3	1.6, 1.9	1.7, 1.9	1.8, 2.0	1.7, 1.9
			Min, Max	1.6, 1.9	1.7, 1.9	1.8, 2.0	1.6, 2.0
		Change from Baseline	n	2	3	2	7
			Mean	-0.09	0.02	0.01	-0.01
			SD	0.053	0.025	0.097	0.072
			Median	-0.09	0.02	0.01	-0.01
			Q1, Q3	-0.1, -0.1	0.0, 0.0	-0.1, 0.1	-0.1, 0.0
			Min, Max	-0.1, -0.1	0.0, 0.0	-0.1, 0.1	-0.1, 0.1
Ery. Mean Corpuscular Volume(fL)	Baseline	Actual Value	n	2	3	3	8
			Mean	87.65	88.40	87.13	87.74
			SD	0.354	5.943	11.609	6.997
			Median	87.65	85.80	91.90	87.65
			Q1, Q3	87.4, 87.9	84.2, 95.2	73.9, 95.6	85.0, 93.6
			Min, Max	87.4, 87.9	84.2, 95.2	73.9, 95.6	73.9, 95.6
	Day 15	Actual Value	n	3	3	3	9
			Mean	87.93	91.43	90.00	89.79
			SD	5.326	6.038	14.272	8.334
			Median	89.50	88.20	96.80	89.50
			Q1, Q3	82.0, 92.3	87.7, 98.4	73.6, 99.6	87.7, 96.8
			Min, Max	82.0, 92.3	87.7, 98.4	73.6, 99.6	73.6, 99.6

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	3	8
			Mean	-1.90	3.03	2.87	1.74
			SD	4.950	0.569	2.779	3.293
			Median	-1.90	3.20	4.00	2.80
			Q1, Q3	-5.4, 1.6	2.4, 3.5	-0.3, 4.9	0.7, 3.8
			Min, Max	-5.4, 1.6	2.4, 3.5	-0.3, 4.9	-5.4, 4.9
	Month 1	Actual Value	n	2	2	2	6
			Mean	87.35	94.60	96.55	92.83
			SD	7.425	6.223	0.636	6.136
			Median	87.35	94.60	96.55	94.35
			Q1, Q3	82.1, 92.6	90.2, 99.0	96.1, 97.0	90.2, 97.0
			Min, Max	82.1, 92.6	90.2, 99.0	96.1, 97.0	82.1, 99.0
		Change from Baseline	n	1	2	2	5
			Mean	-5.30	4.90	2.80	2.02
			SD		1.556	3.253	4.593
			Median	-5.30	4.90	2.80	3.80
			Q1, Q3	-5.3, -5.3	3.8, 6.0	0.5, 5.1	0.5, 5.1
			Min, Max	-5.3, -5.3	3.8, 6.0	0.5, 5.1	-5.3, 6.0
	Month 3	Actual Value	n	3	3	2	8
			Mean	90.03	93.60	96.35	92.95

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	7.900	4.732	0.636	5.605
			Median	87.00	92.10	96.35	94.00
			Q1, Q3	84.1, 99.0	89.8, 98.9	95.9, 96.8	88.4, 97.9
			Min, Max	84.1, 99.0	89.8, 98.9	95.9, 96.8	84.1, 99.0
		Change from Baseline	n	2	3	2	7
			Mean	-2.10	5.20	2.60	2.37
			SD	1.697	1.345	3.253	3.678
			Median	-2.10	5.60	2.60	3.70
			Q1, Q3	-3.3, -0.9	3.7, 6.3	0.3, 4.9	-0.9, 5.6
			Min, Max	-3.3, -0.9	3.7, 6.3	0.3, 4.9	-3.3, 6.3
	Month 6	Actual Value	n	3	3	2	8
			Mean	86.97	91.07	93.10	90.04
			SD	3.443	5.315	0.707	4.325
			Median	85.50	88.20	93.10	89.55
			Q1, Q3	84.5, 90.9	87.8, 97.2	92.6, 93.6	86.7, 93.1
			Min, Max	84.5, 90.9	87.8, 97.2	92.6, 93.6	84.5, 97.2
		Change from Baseline	n	2	3	2	7
			Mean	-2.65	2.67	-0.65	0.20
			SD	1.061	0.833	3.323	2.872
			Median	-2.65	2.40	-0.65	1.70
			Q1, Q3	-3.4, -1.9	2.0, 3.6	-3.0, 1.7	-3.0, 2.4
			Min, Max	-3.4, -1.9	2.0, 3.6	-3.0, 1.7	-3.4, 3.6

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 9	Actual Value	n			1	1
			Mean			98.10	98.10
			SD				
			Median			98.10	98.10
			Q1, Q3			98.1, 98.1	98.1, 98.1
			Min, Max			98.1, 98.1	98.1, 98.1
		Change from Baseline	n			1	1
			Mean			6.20	6.20
			SD				
			Median			6.20	6.20
			Q1, Q3			6.2, 6.2	6.2, 6.2
			Min, Max			6.2, 6.2	6.2, 6.2
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	87.93	87.73	93.05	89.14
			SD	7.596	6.608	5.445	6.248
			Median	91.60	84.80	93.05	90.40
			Q1, Q3	79.2, 93.0	83.1, 95.3	89.2, 96.9	84.0, 94.2
			Min, Max	79.2, 93.0	83.1, 95.3	89.2, 96.9	79.2, 96.9
		Change from Baseline	n	2	3	2	7
			Mean	-2.25	-0.67	-0.70	-1.13

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	8.415	1.779	8.061	4.927
			Median	-2.25	0.10	-0.70	0.10
			Q1, Q3	-8.2, 3.7	-2.7, 0.6	-6.4, 5.0	-6.4, 3.7
			Min, Max	-8.2, 3.7	-2.7, 0.6	-6.4, 5.0	-8.2, 5.0
Erythrocytes(10 ¹² /L)	Baseline	Actual Value	n	2	3	3	8
			Mean	4.84	4.68	4.80	4.77
			SD	0.014	0.659	0.556	0.466
			Median	4.84	4.33	4.83	4.83
			Q1, Q3	4.8, 4.9	4.3, 5.4	4.2, 5.3	4.3, 5.1
			Min, Max	4.8, 4.9	4.3, 5.4	4.2, 5.3	4.2, 5.4
	Day 15	Actual Value	n	3	3	3	9
			Mean	4.83	4.78	4.95	4.85
			SD	0.182	0.681	0.689	0.499
			Median	4.77	4.48	4.76	4.76
			Q1, Q3	4.7, 5.0	4.3, 5.6	4.4, 5.7	4.5, 5.0
			Min, Max	4.7, 5.0	4.3, 5.6	4.4, 5.7	4.3, 5.7
		Change from Baseline	n	2	3	3	8
			Mean	0.02	0.10	0.15	0.10
			SD	0.262	0.062	0.220	0.166
			Median	0.02	0.12	0.14	0.13
			Q1, Q3	-0.2, 0.2	0.0, 0.2	-0.1, 0.4	0.0, 0.2
			Min, Max	-0.2, 0.2	0.0, 0.2	-0.1, 0.4	-0.2, 0.4

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 1	Actual Value	n	2	2	2	6
			Mean	4.90	4.88	4.39	4.72
			SD	0.007	0.933	0.240	0.502
			Median	4.90	4.88	4.39	4.73
			Q1, Q3	4.9, 4.9	4.2, 5.5	4.2, 4.6	4.2, 4.9
			Min, Max	4.9, 4.9	4.2, 5.5	4.2, 4.6	4.2, 5.5
		Change from Baseline	n	1	2	2	5
			Mean	0.07	-0.01	-0.14	-0.04
			SD		0.148	0.184	0.150
			Median	0.07	-0.01	-0.14	-0.01
			Q1, Q3	0.1, 0.1	-0.1, 0.1	-0.3, 0.0	-0.1, 0.1
			Min, Max	0.1, 0.1	-0.1, 0.1	-0.3, 0.0	-0.3, 0.1
	Month 3	Actual Value	n	3	3	2	8
			Mean	4.80	4.43	4.46	4.57
			SD	0.193	0.635	0.262	0.413
			Median	4.86	4.07	4.46	4.61
			Q1, Q3	4.6, 5.0	4.1, 5.2	4.3, 4.6	4.2, 4.9
			Min, Max	4.6, 5.0	4.1, 5.2	4.3, 4.6	4.1, 5.2
		Change from Baseline	n	2	3	2	7
			Mean	-0.12	-0.25	-0.08	-0.16

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.212	0.046	0.163	0.141
			Median	-0.12	-0.28	-0.08	-0.20
			Q1, Q3	-0.3, 0.0	-0.3, -0.2	-0.2, 0.0	-0.3, 0.0
			Min, Max	-0.3, 0.0	-0.3, -0.2	-0.2, 0.0	-0.3, 0.0
	Month 6	Actual Value	n	3	3	2	8
			Mean	4.82	4.83	4.56	4.76
			SD	0.623	0.766	0.035	0.543
			Median	4.94	4.51	4.56	4.56
			Q1, Q3	4.2, 5.4	4.3, 5.7	4.5, 4.6	4.4, 5.2
			Min, Max	4.2, 5.4	4.3, 5.7	4.5, 4.6	4.2, 5.7
		Change from Baseline	n	2	3	2	7
			Mean	-0.30	0.15	0.03	-0.01
			SD	0.544	0.179	0.389	0.354
			Median	-0.30	0.24	0.03	0.09
			Q1, Q3	-0.7, 0.1	-0.1, 0.3	-0.3, 0.3	-0.3, 0.3
			Min, Max	-0.7, 0.1	-0.1, 0.3	-0.3, 0.3	-0.7, 0.3
	Month 9	Actual Value	n			1	1
			Mean			4.84	4.84
			SD				
			Median			4.84	4.84
			Q1, Q3			4.8, 4.8	4.8, 4.8
			Min, Max			4.8, 4.8	4.8, 4.8

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n			1	1
			Mean			0.01	0.01
			SD				
			Median			0.01	0.01
			Q1, Q3			0.0, 0.0	0.0, 0.0
			Min, Max			0.0, 0.0	0.0, 0.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	5.09	4.57	4.45	4.74
			SD	0.227	0.580	0.156	0.452
			Median	5.16	4.25	4.45	4.70
			Q1, Q3	4.8, 5.3	4.2, 5.2	4.3, 4.6	4.3, 5.2
			Min, Max	4.8, 5.3	4.2, 5.2	4.3, 4.6	4.2, 5.3
		Change from Baseline	n	2	3	2	7
			Mean	0.16	-0.11	-0.08	-0.02
			SD	0.240	0.079	0.269	0.199
			Median	0.16	-0.08	-0.08	-0.05
			Q1, Q3	0.0, 0.3	-0.2, -0.1	-0.3, 0.1	-0.2, 0.1
			Min, Max	0.0, 0.3	-0.2, -0.1	-0.3, 0.1	-0.3, 0.3
Hematocrit(%)	Baseline	Actual Value	n	2	3	3	8
			Mean	42.40	41.20	41.47	41.60

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.283	4.600	2.589	2.869
			Median	42.40	41.20	40.50	41.70
			Q1, Q3	42.2, 42.6	36.6, 45.8	39.5, 44.4	40.0, 43.5
			Min, Max	42.2, 42.6	36.6, 45.8	39.5, 44.4	36.6, 45.8
	Day 15	Actual Value	n	3	3	3	9
			Mean	42.37	43.60	43.87	43.28
			SD	1.457	5.467	2.074	3.092
			Median	41.90	44.10	43.50	43.50
			Q1, Q3	41.2, 44.0	37.9, 48.8	42.0, 46.1	41.9, 44.1
			Min, Max	41.2, 44.0	37.9, 48.8	42.0, 46.1	37.9, 48.8
		Change from Baseline	n	2	3	3	8
			Mean	-0.85	2.40	2.40	1.59
			SD	0.212	0.954	0.656	1.629
			Median	-0.85	2.90	2.50	2.10
			Q1, Q3	-1.0, -0.7	1.3, 3.0	1.7, 3.0	0.3, 3.0
			Min, Max	-1.0, -0.7	1.3, 3.0	1.7, 3.0	-1.0, 3.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	42.75	45.90	42.35	43.67
			SD	3.606	5.798	2.616	3.704
			Median	42.75	45.90	42.35	43.00
			Q1, Q3	40.2, 45.3	41.8, 50.0	40.5, 44.2	40.5, 45.3
			Min, Max	40.2, 45.3	41.8, 50.0	40.5, 44.2	40.2, 50.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	1	2	2	5
			Mean	-2.00	2.40	-0.10	0.52
			SD		2.546	0.141	2.274
			Median	-2.00	2.40	-0.10	0.00
			Q1, Q3	-2.0, -2.0	0.6, 4.2	-0.2, 0.0	-0.2, 0.6
			Min, Max	-2.0, -2.0	0.6, 4.2	-0.2, 0.0	-2.0, 4.2
	Month 3	Actual Value	n	3	3	2	8
			Mean	43.27	41.30	42.95	42.45
			SD	5.082	4.590	2.899	3.940
			Median	40.90	40.00	42.95	40.90
			Q1, Q3	39.8, 49.1	37.5, 46.4	40.9, 45.0	39.9, 45.7
			Min, Max	39.8, 49.1	37.5, 46.4	40.9, 45.0	37.5, 49.1
		Change from Baseline	n	2	3	2	7
			Mean	-2.05	0.10	0.50	-0.40
			SD	1.061	1.136	0.141	1.387
			Median	-2.05	0.60	0.50	0.40
			Q1, Q3	-2.8, -1.3	-1.2, 0.9	0.4, 0.6	-1.3, 0.6
			Min, Max	-2.8, -1.3	-1.2, 0.9	0.4, 0.6	-2.8, 0.9
	Month 6	Actual Value	n	3	3	2	8
			Mean	42.03	43.80	42.40	42.79

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	6.706	5.522	0.707	4.728
			Median	41.70	41.50	42.40	41.80
			Q1, Q3	35.5, 48.9	39.8, 50.1	41.9, 42.9	40.7, 45.9
			Min, Max	35.5, 48.9	39.8, 50.1	41.9, 42.9	35.5, 50.1
		Change from Baseline	n	2	3	2	7
			Mean	-3.80	2.60	-0.05	0.01
			SD	4.101	2.066	2.051	3.622
			Median	-3.80	3.20	-0.05	0.30
			Q1, Q3	-6.7, -0.9	0.3, 4.3	-1.5, 1.4	-1.5, 3.2
			Min, Max	-6.7, -0.9	0.3, 4.3	-1.5, 1.4	-6.7, 4.3
	Month 9	Actual Value	n			1	1
			Mean			47.50	47.50
			SD				
			Median			47.50	47.50
			Q1, Q3			47.5, 47.5	47.5, 47.5
			Min, Max			47.5, 47.5	47.5, 47.5
		Change from Baseline	n			1	1
			Mean			3.10	3.10
			SD				
			Median			3.10	3.10
			Q1, Q3			3.1, 3.1	3.1, 3.1
			Min, Max			3.1, 3.1	3.1, 3.1

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	44.77	40.00	41.45	42.15
			SD	4.120	4.670	3.889	4.278
			Median	44.30	40.50	41.45	42.55
			Q1, Q3	40.9, 49.1	35.1, 44.4	38.7, 44.2	39.6, 44.4
			Min, Max	40.9, 49.1	35.1, 44.4	38.7, 44.2	35.1, 49.1
		Change from Baseline	n	2	3	2	7
			Mean	0.20	-1.20	-1.00	-0.74
			SD	2.121	0.436	1.131	1.204
			Median	0.20	-1.40	-1.00	-1.30
			Q1, Q3	-1.3, 1.7	-1.5, -0.7	-1.8, -0.2	-1.5, -0.2
			Min, Max	-1.3, 1.7	-1.5, -0.7	-1.8, -0.2	-1.8, 1.7
Hemoglobin(g/L)	Baseline	Actual Value	n	2	3	3	8
			Mean	137.5	134.3	132.3	134.4
			SD	9.192	17.502	11.676	11.963
			Median	137.5	134.0	130.0	132.5
			Q1, Q3	131, 144	117, 152	122, 145	126, 145
			Min, Max	131, 144	117, 152	122, 145	117, 152
	Day 15	Actual Value	n	3	3	3	9
			Mean	137.0	138.7	135.0	136.9
			SD	8.888	18.502	7.211	10.994

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Median	134.0	139.0	133.0	134.0
			Q1, Q3	130, 147	120, 157	129, 143	130, 143
			Min, Max	130, 147	120, 157	129, 143	120, 157
		Change from Baseline	n	2	3	3	8
			Mean	-5.50	4.33	2.67	1.25
			SD	12.021	1.155	4.509	6.692
			Median	-5.50	5.00	3.00	3.00
			Q1, Q3	-14.0, 3.0	3.0, 5.0	-2.0, 7.0	0.5, 5.0
			Min, Max	-14.0, 3.0	3.0, 5.0	-2.0, 7.0	-14.0, 7.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	138.0	145.5	134.5	139.3
			SD	14.142	16.263	7.778	11.413
			Median	138.0	145.5	134.5	137.0
			Q1, Q3	128, 148	134, 157	129, 140	129, 148
			Min, Max	128, 148	134, 157	129, 140	128, 157
		Change from Baseline	n	1	2	2	5
			Mean	-3.00	2.50	-3.00	-0.80
			SD		3.536	2.828	3.768
			Median	-3.00	2.50	-3.00	-1.00
			Q1, Q3	-3.0, -3.0	0.0, 5.0	-5.0, -1.0	-3.0, 0.0
			Min, Max	-3.0, -3.0	0.0, 5.0	-5.0, -1.0	-5.0, 5.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 3	Actual Value	n	3	3	2	8
			Mean	137.7	132.7	137.0	135.6
			SD	12.503	16.803	8.485	11.904
			Median	132.0	129.0	137.0	131.5
			Q1, Q3	129, 152	118, 151	131, 143	129, 147
			Min, Max	129, 152	118, 151	131, 143	118, 152
		Change from Baseline	n	2	3	2	7
			Mean	-7.00	-1.67	-0.50	-2.86
			SD	7.071	3.055	2.121	4.525
			Median	-7.00	-1.00	-0.50	-2.00
			Q1, Q3	-12.0, -2.	-5.0, 1.0	-2.0, 1.0	-5.0, 1.0
			Min, Max	-12.0, -2.	-5.0, 1.0	-2.0, 1.0	-12.0, 1.0
	Month 6	Actual Value	n	3	3	2	8
			Mean	136.3	142.0	141.5	139.8
			SD	26.577	18.520	6.364	17.710
			Median	134.0	135.0	141.5	136.0
			Q1, Q3	111, 164	128, 163	137, 146	131, 155
			Min, Max	111, 164	128, 163	137, 146	111, 164
		Change from Baseline	n	2	3	2	7
			Mean	-15.00	7.67	4.00	0.14

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	7.071	5.774	4.243	11.495
			Median	-15.00	11.00	4.00	1.00
			Q1, Q3	-20.0, -10	1.0, 11.0	1.0, 7.0	-10.0, 11.
			Min, Max	-20.0, -10	1.0, 11.0	1.0, 7.0	-20.0, 11.
	Month 9	Actual Value	n			1	1
			Mean			156.0	156.0
			SD				
			Median			156.0	156.0
			Q1, Q3			156, 156	156, 156
			Min, Max			156, 156	156, 156
		Change from Baseline	n			1	1
			Mean			11.00	11.00
			SD				
			Median			11.00	11.00
			Q1, Q3			11.0, 11.0	11.0, 11.0
			Min, Max			11.0, 11.0	11.0, 11.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	142.3	132.3	136.0	137.0
			SD	14.640	15.044	9.899	12.717
			Median	140.0	131.0	136.0	135.5
			Q1, Q3	129, 158	118, 148	129, 143	129, 146
			Min, Max	129, 158	118, 148	129, 143	118, 158

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	-3.00	-2.00	-1.50	-2.14
			SD	1.414	2.646	0.707	1.773
			Median	-3.00	-3.00	-1.50	-2.00
			Q1, Q3	-4.0, -2.0	-4.0, 1.0	-2.0, -1.0	-4.0, -1.0
			Min, Max	-4.0, -2.0	-4.0, 1.0	-2.0, -1.0	-4.0, 1.0
Leukocytes(10 ⁹ /L)	Baseline	Actual Value	n	2	3	3	8
			Mean	6.45	7.27	6.53	6.79
			SD	3.041	0.611	1.387	1.461
			Median	6.45	7.40	6.90	7.15
			Q1, Q3	4.3, 8.6	6.6, 7.8	5.0, 7.7	5.8, 7.8
			Min, Max	4.3, 8.6	6.6, 7.8	5.0, 7.7	4.3, 8.6
	Day 15	Actual Value	n	3	3	3	9
			Mean	14.57	9.63	12.70	12.30
			SD	2.434	0.551	3.439	3.028
			Median	14.10	9.90	11.80	11.80
			Q1, Q3	12.4, 17.2	9.0, 10.0	9.8, 16.5	9.9, 14.1
			Min, Max	12.4, 17.2	9.0, 10.0	9.8, 16.5	9.0, 17.2
		Change from Baseline	n	2	3	3	8
			Mean	8.35	2.37	6.17	5.29

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.354	0.252	2.281	2.862
			Median	8.35	2.40	4.90	4.85
			Q1, Q3	8.1, 8.6	2.1, 2.6	4.8, 8.8	2.5, 8.4
			Min, Max	8.1, 8.6	2.1, 2.6	4.8, 8.8	2.1, 8.8
	Month 1	Actual Value	n	2	2	2	6
			Mean	8.50	8.90	11.45	9.62
			SD	1.838	0.283	2.051	1.893
			Median	8.50	8.90	11.45	9.45
			Q1, Q3	7.2, 9.8	8.7, 9.1	10.0, 12.9	8.7, 10.0
			Min, Max	7.2, 9.8	8.7, 9.1	10.0, 12.9	7.2, 12.9
		Change from Baseline	n	1	2	2	5
			Mean	2.90	1.30	4.15	2.76
			SD		0.000	2.616	1.936
			Median	2.90	1.30	4.15	2.30
			Q1, Q3	2.9, 2.9	1.3, 1.3	2.3, 6.0	1.3, 2.9
			Min, Max	2.9, 2.9	1.3, 1.3	2.3, 6.0	1.3, 6.0
	Month 3	Actual Value	n	3	3	2	8
			Mean	6.97	5.70	8.00	6.75
			SD	1.704	0.608	1.273	1.451
			Median	7.90	5.40	8.00	6.75
			Q1, Q3	5.0, 8.0	5.3, 6.4	7.1, 8.9	5.4, 8.0
			Min, Max	5.0, 8.0	5.3, 6.4	7.1, 8.9	5.0, 8.9

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	0.00	-1.57	0.70	-0.47
			SD	0.990	1.210	1.838	1.532
			Median	0.00	-2.00	0.70	-0.60
			Q1, Q3	-0.7, 0.7	-2.5, -0.2	-0.6, 2.0	-2.0, 0.7
			Min, Max	-0.7, 0.7	-2.5, -0.2	-0.6, 2.0	-2.5, 2.0
	Month 6	Actual Value	n	3	3	2	8
			Mean	5.77	6.63	8.20	6.70
			SD	1.680	2.857	0.141	2.040
			Median	5.40	5.40	8.20	6.50
			Q1, Q3	4.3, 7.6	4.6, 9.9	8.1, 8.3	5.0, 8.2
			Min, Max	4.3, 7.6	4.6, 9.9	8.1, 8.3	4.3, 9.9
		Change from Baseline	n	2	3	2	7
			Mean	-1.60	-0.63	0.90	-0.47
			SD	2.263	3.459	0.707	2.447
			Median	-1.60	-2.00	0.90	0.00
			Q1, Q3	-3.2, 0.0	-3.2, 3.3	0.4, 1.4	-3.2, 1.4
			Min, Max	-3.2, 0.0	-3.2, 3.3	0.4, 1.4	-3.2, 3.3
	Month 9	Actual Value	n			1	1
			Mean			7.80	7.80

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD				
			Median			7.80	7.80
			Q1, Q3			7.8, 7.8	7.8, 7.8
			Min, Max			7.8, 7.8	7.8, 7.8
		Change from Baseline	n			1	1
			Mean			0.10	0.10
			SD				
			Median			0.10	0.10
			Q1, Q3			0.1, 0.1	0.1, 0.1
			Min, Max			0.1, 0.1	0.1, 0.1
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	5.93	6.43	6.50	6.26
			SD	1.021	1.380	0.566	0.981
			Median	5.50	5.90	6.50	6.00
			Q1, Q3	5.2, 7.1	5.4, 8.0	6.1, 6.9	5.5, 7.0
			Min, Max	5.2, 7.1	5.4, 8.0	6.1, 6.9	5.2, 8.0
		Change from Baseline	n	2	3	2	7
			Mean	-0.30	-0.83	-0.80	-0.67
			SD	1.697	1.935	1.131	1.416
			Median	-0.30	-1.90	-0.80	-1.50
			Q1, Q3	-1.5, 0.9	-2.0, 1.4	-1.6, 0.0	-1.9, 0.9
			Min, Max	-1.5, 0.9	-2.0, 1.4	-1.6, 0.0	-2.0, 1.4

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
Lymphocytes(10 ⁹ /L)	Baseline	Actual Value	n	2	3	3	8
			Mean	2.35	1.93	1.87	2.01
			SD	1.485	0.586	0.802	0.801
			Median	2.35	1.70	1.80	1.75
			Q1, Q3	1.3, 3.4	1.5, 2.6	1.1, 2.7	1.4, 2.7
			Min, Max	1.3, 3.4	1.5, 2.6	1.1, 2.7	1.1, 3.4
	Day 15	Actual Value	n	3	3	3	9
			Mean	1.93	1.07	1.37	1.46
			SD	1.007	0.404	0.961	0.819
			Median	1.80	1.00	1.20	1.20
			Q1, Q3	1.0, 3.0	0.7, 1.5	0.5, 2.4	1.0, 1.8
			Min, Max	1.0, 3.0	0.7, 1.5	0.5, 2.4	0.5, 3.0
		Change from Baseline	n	2	3	3	8
			Mean	-0.95	-0.87	-0.50	-0.75
			SD	0.919	0.321	1.752	1.035
			Median	-0.95	-1.00	-0.60	-0.80
			Q1, Q3	-1.6, -0.3	-1.1, -0.5	-2.2, 1.3	-1.4, -0.4
			Min, Max	-1.6, -0.3	-1.1, -0.5	-2.2, 1.3	-2.2, 1.3
	Month 1	Actual Value	n	2	2	2	6
			Mean	1.65	1.00	1.50	1.38
			SD	1.202	0.141	0.566	0.671

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Median	1.65	1.00	1.50	1.10
			Q1, Q3	0.8, 2.5	0.9, 1.1	1.1, 1.9	0.9, 1.9
			Min, Max	0.8, 2.5	0.9, 1.1	1.1, 1.9	0.8, 2.5
		Change from Baseline	n	1	2	2	5
			Mean	-0.50	-1.05	-0.75	-0.82
			SD		0.636	0.071	0.396
			Median	-0.50	-1.05	-0.75	-0.70
			Q1, Q3	-0.5, -0.5	-1.5, -0.6	-0.8, -0.7	-0.8, -0.6
			Min, Max	-0.5, -0.5	-1.5, -0.6	-0.8, -0.7	-1.5, -0.5
	Month 3	Actual Value	n	3	3	2	8
			Mean	2.13	1.60	2.25	1.96
			SD	0.777	0.000	0.354	0.532
			Median	1.90	1.60	2.25	1.75
			Q1, Q3	1.5, 3.0	1.6, 1.6	2.0, 2.5	1.6, 2.3
			Min, Max	1.5, 3.0	1.6, 1.6	2.0, 2.5	1.5, 3.0
		Change from Baseline	n	2	3	2	7
			Mean	-0.10	-0.33	0.00	-0.17
			SD	0.424	0.586	0.283	0.427
			Median	-0.10	-0.10	0.00	-0.10
			Q1, Q3	-0.4, 0.2	-1.0, 0.1	-0.2, 0.2	-0.4, 0.2
			Min, Max	-0.4, 0.2	-1.0, 0.1	-0.2, 0.2	-1.0, 0.2

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 6	Actual Value	n	3	3	2	8
			Mean	1.50	1.90	2.55	1.91
			SD	0.346	0.458	0.778	0.608
			Median	1.30	1.80	2.55	1.85
			Q1, Q3	1.3, 1.9	1.5, 2.4	2.0, 3.1	1.4, 2.2
			Min, Max	1.3, 1.9	1.5, 2.4	2.0, 3.1	1.3, 3.1
		Change from Baseline	n	2	3	2	7
			Mean	-1.05	-0.03	0.30	-0.23
			SD	1.485	0.751	0.141	0.946
			Median	-1.05	0.00	0.30	0.00
			Q1, Q3	-2.1, 0.0	-0.8, 0.7	0.2, 0.4	-0.8, 0.4
			Min, Max	-2.1, 0.0	-0.8, 0.7	0.2, 0.4	-2.1, 0.7
	Month 9	Actual Value	n			1	1
			Mean			2.00	2.00
			SD				
			Median			2.00	2.00
			Q1, Q3			2.0, 2.0	2.0, 2.0
			Min, Max			2.0, 2.0	2.0, 2.0
		Change from Baseline	n			1	1
			Mean			0.20	0.20

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD				
			Median			0.20	0.20
			Q1, Q3			0.2, 0.2	0.2, 0.2
			Min, Max			0.2, 0.2	0.2, 0.2
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	2.17	2.00	2.25	2.13
			SD	0.764	0.173	0.636	0.495
			Median	2.00	1.90	2.25	1.95
			Q1, Q3	1.5, 3.0	1.9, 2.2	1.8, 2.7	1.9, 2.5
			Min, Max	1.5, 3.0	1.9, 2.2	1.8, 2.7	1.5, 3.0
		Change from Baseline	n	2	3	2	7
			Mean	-0.10	0.07	0.00	0.00
			SD	0.424	0.416	0.000	0.306
			Median	-0.10	0.20	0.00	0.00
			Q1, Q3	-0.4, 0.2	-0.4, 0.4	0.0, 0.0	-0.4, 0.2
			Min, Max	-0.4, 0.2	-0.4, 0.4	0.0, 0.0	-0.4, 0.4
Lymphocytes/Leukocytes(%)	Baseline	Actual Value	n	2	3	3	8
			Mean	35.50	26.67	28.00	29.38
			SD	6.364	8.021	9.539	8.052
			Median	35.50	26.00	23.00	28.50
			Q1, Q3	31.0, 40.0	19.0, 35.0	22.0, 39.0	22.5, 37.0
			Min, Max	31.0, 40.0	19.0, 35.0	22.0, 39.0	19.0, 40.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Day 15	Actual Value	n	3	3	3	9
			Mean	13.00	10.67	11.67	11.78
			SD	7.000	4.041	10.786	6.815
			Median	10.00	10.00	7.00	10.00
			Q1, Q3	8.0, 21.0	7.0, 15.0	4.0, 24.0	7.0, 15.0
			Min, Max	8.0, 21.0	7.0, 15.0	4.0, 24.0	4.0, 24.0
		Change from Baseline	n	2	3	3	8
			Mean	-26.50	-16.00	-16.33	-18.75
			SD	4.950	6.083	18.502	11.610
			Median	-26.50	-19.00	-16.00	-19.50
			Q1, Q3	-30.0, -23	-20.0, -9.	-35.0, 2.0	-26.5, -12
			Min, Max	-30.0, -23	-20.0, -9.	-35.0, 2.0	-35.0, 2.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	18.50	11.50	13.00	14.33
			SD	10.607	2.121	2.828	5.989
			Median	18.50	11.50	13.00	12.00
			Q1, Q3	11.0, 26.0	10.0, 13.0	11.0, 15.0	11.0, 15.0
			Min, Max	11.0, 26.0	10.0, 13.0	11.0, 15.0	10.0, 26.0
		Change from Baseline	n	1	2	2	5
			Mean	-20.00	-15.50	-18.00	-17.40

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD		9.192	8.485	6.542
			Median	-20.00	-15.50	-18.00	-20.00
			Q1, Q3	-20.0, -20	-22.0, -9.	-24.0, -12	-22.0, -12
			Min, Max	-20.0, -20	-22.0, -9.	-24.0, -12	-24.0, -9.
	Month 3	Actual Value	n	3	3	2	8
			Mean	31.00	28.33	28.50	29.38
			SD	7.000	3.786	0.707	4.470
			Median	31.00	30.00	28.50	29.50
			Q1, Q3	24.0, 38.0	24.0, 31.0	28.0, 29.0	26.0, 31.0
			Min, Max	24.0, 38.0	24.0, 31.0	28.0, 29.0	24.0, 38.0
		Change from Baseline	n	2	3	2	7
			Mean	-1.00	1.67	-2.50	-0.29
			SD	1.414	9.074	12.021	7.455
			Median	-1.00	-2.00	-2.50	-2.00
			Q1, Q3	-2.0, 0.0	-5.0, 12.0	-11.0, 6.0	-5.0, 6.0
			Min, Max	-2.0, 0.0	-5.0, 12.0	-11.0, 6.0	-11.0, 12.
	Month 6	Actual Value	n	3	3	2	8
			Mean	26.33	29.67	31.00	28.75
			SD	4.041	4.933	8.485	5.120
			Median	24.00	32.00	31.00	28.00
			Q1, Q3	24.0, 31.0	24.0, 33.0	25.0, 37.0	24.0, 32.5
			Min, Max	24.0, 31.0	24.0, 33.0	25.0, 37.0	24.0, 37.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	-8.00	3.00	0.00	-1.00
			SD	11.314	8.660	2.828	8.505
			Median	-8.00	-2.00	0.00	-2.00
			Q1, Q3	-16.0, 0.0	-2.0, 13.0	-2.0, 2.0	-2.0, 2.0
			Min, Max	-16.0, 0.0	-2.0, 13.0	-2.0, 2.0	-16.0, 13.
	Month 9	Actual Value	n			1	1
			Mean			26.00	26.00
			SD				
			Median			26.00	26.00
			Q1, Q3			26.0, 26.0	26.0, 26.0
			Min, Max			26.0, 26.0	26.0, 26.0
		Change from Baseline	n			1	1
			Mean			3.00	3.00
			SD				
			Median			3.00	3.00
			Q1, Q3			3.0, 3.0	3.0, 3.0
			Min, Max			3.0, 3.0	3.0, 3.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	35.67	32.00	34.00	33.88

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	7.506	8.000	7.071	6.664
			Median	36.00	32.00	34.00	34.00
			Q1, Q3	28.0, 43.0	24.0, 40.0	29.0, 39.0	28.5, 39.5
			Min, Max	28.0, 43.0	24.0, 40.0	29.0, 39.0	24.0, 43.0
		Change from Baseline	n	2	3	2	7
			Mean	0.00	5.33	3.00	3.14
			SD	4.243	7.506	4.243	5.521
			Median	0.00	5.00	3.00	3.00
			Q1, Q3	-3.0, 3.0	-2.0, 13.0	0.0, 6.0	-2.0, 6.0
			Min, Max	-3.0, 3.0	-2.0, 13.0	0.0, 6.0	-3.0, 13.0
Monocytes(10 ⁹ /L)	Baseline	Actual Value	n	2	3	3	8
			Mean	0.40	0.50	0.40	0.44
			SD	0.000	0.000	0.173	0.106
			Median	0.40	0.50	0.30	0.45
			Q1, Q3	0.4, 0.4	0.5, 0.5	0.3, 0.6	0.4, 0.5
			Min, Max	0.4, 0.4	0.5, 0.5	0.3, 0.6	0.3, 0.6
	Day 15	Actual Value	n	3	3	3	9
			Mean	0.63	0.33	0.57	0.51
			SD	0.404	0.153	0.503	0.359
			Median	0.70	0.30	0.50	0.50
			Q1, Q3	0.2, 1.0	0.2, 0.5	0.1, 1.1	0.2, 0.7
			Min, Max	0.2, 1.0	0.2, 0.5	0.1, 1.1	0.1, 1.1

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	3	8
			Mean	0.05	-0.17	0.17	0.01
			SD	0.354	0.153	0.351	0.290
			Median	0.05	-0.20	0.20	-0.10
			Q1, Q3	-0.2, 0.3	-0.3, 0.0	-0.2, 0.5	-0.2, 0.3
			Min, Max	-0.2, 0.3	-0.3, 0.0	-0.2, 0.5	-0.3, 0.5
	Month 1	Actual Value	n	2	2	2	6
			Mean	0.55	0.30	0.50	0.45
			SD	0.212	0.000	0.141	0.164
			Median	0.55	0.30	0.50	0.40
			Q1, Q3	0.4, 0.7	0.3, 0.3	0.4, 0.6	0.3, 0.6
			Min, Max	0.4, 0.7	0.3, 0.3	0.4, 0.6	0.3, 0.7
		Change from Baseline	n	1	2	2	5
			Mean	0.00	-0.20	0.05	-0.06
			SD		0.000	0.071	0.134
			Median	0.00	-0.20	0.05	0.00
			Q1, Q3	0.0, 0.0	-0.2, -0.2	0.0, 0.1	-0.2, 0.0
			Min, Max	0.0, 0.0	-0.2, -0.2	0.0, 0.1	-0.2, 0.1
	Month 3	Actual Value	n	3	3	2	8
			Mean	0.37	0.40	0.60	0.44

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.115	0.173	0.141	0.160
			Median	0.30	0.30	0.60	0.40
			Q1, Q3	0.3, 0.5	0.3, 0.6	0.5, 0.7	0.3, 0.6
			Min, Max	0.3, 0.5	0.3, 0.6	0.5, 0.7	0.3, 0.7
		Change from Baseline	n	2	3	2	7
			Mean	0.00	-0.10	0.15	0.00
			SD	0.141	0.173	0.071	0.163
			Median	0.00	-0.20	0.15	0.10
			Q1, Q3	-0.1, 0.1	-0.2, 0.1	0.1, 0.2	-0.2, 0.1
			Min, Max	-0.1, 0.1	-0.2, 0.1	0.1, 0.2	-0.2, 0.2
	Month 6	Actual Value	n	3	3	2	8
			Mean	0.40	0.47	0.35	0.41
			SD	0.100	0.208	0.495	0.230
			Median	0.40	0.40	0.35	0.40
			Q1, Q3	0.3, 0.5	0.3, 0.7	0.0, 0.7	0.3, 0.6
			Min, Max	0.3, 0.5	0.3, 0.7	0.0, 0.7	0.0, 0.7
		Change from Baseline	n	2	3	2	7
			Mean	-0.05	-0.03	-0.10	-0.06
			SD	0.071	0.208	0.283	0.172
			Median	-0.05	-0.10	-0.10	-0.10
			Q1, Q3	-0.1, 0.0	-0.2, 0.2	-0.3, 0.1	-0.2, 0.1
			Min, Max	-0.1, 0.0	-0.2, 0.2	-0.3, 0.1	-0.3, 0.2

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 9	Actual Value	n			1	1
			Mean			0.70	0.70
			SD				
			Median			0.70	0.70
			Q1, Q3			0.7, 0.7	0.7, 0.7
			Min, Max			0.7, 0.7	0.7, 0.7
		Change from Baseline	n			1	1
			Mean			0.10	0.10
			SD				
			Median			0.10	0.10
			Q1, Q3			0.1, 0.1	0.1, 0.1
			Min, Max			0.1, 0.1	0.1, 0.1
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	0.37	0.50	0.40	0.43
			SD	0.058	0.173	0.283	0.158
			Median	0.40	0.40	0.40	0.40
			Q1, Q3	0.3, 0.4	0.4, 0.7	0.2, 0.6	0.4, 0.5
			Min, Max	0.3, 0.4	0.4, 0.7	0.2, 0.6	0.2, 0.7
		Change from Baseline	n	2	3	2	7
			Mean	-0.05	0.00	-0.05	-0.03

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	0.071	0.173	0.071	0.111
			Median	-0.05	-0.10	-0.05	-0.10
			Q1, Q3	-0.1, 0.0	-0.1, 0.2	-0.1, 0.0	-0.1, 0.0
			Min, Max	-0.1, 0.0	-0.1, 0.2	-0.1, 0.0	-0.1, 0.2
Monocytes/Leukocytes(%)	Baseline	Actual Value	n	2	3	3	8
			Mean	6.50	6.67	6.33	6.50
			SD	2.121	0.577	2.082	1.414
			Median	6.50	7.00	7.00	7.00
			Q1, Q3	5.0, 8.0	6.0, 7.0	4.0, 8.0	5.5, 7.5
			Min, Max	5.0, 8.0	6.0, 7.0	4.0, 8.0	4.0, 8.0
	Day 15	Actual Value	n	3	3	3	9
			Mean	4.67	3.33	4.33	4.11
			SD	3.215	1.528	3.055	2.421
			Median	6.00	3.00	5.00	5.00
			Q1, Q3	1.0, 7.0	2.0, 5.0	1.0, 7.0	2.0, 6.0
			Min, Max	1.0, 7.0	2.0, 5.0	1.0, 7.0	1.0, 7.0
		Change from Baseline	n	2	3	3	8
			Mean	-3.00	-3.33	-2.00	-2.75
			SD	1.414	1.528	1.000	1.282
			Median	-3.00	-3.00	-2.00	-2.50
			Q1, Q3	-4.0, -2.0	-5.0, -2.0	-3.0, -1.0	-3.5, -2.0
			Min, Max	-4.0, -2.0	-5.0, -2.0	-3.0, -1.0	-5.0, -1.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 1	Actual Value	n	2	2	2	6
			Mean	6.50	3.50	4.50	4.83
			SD	0.707	0.707	2.121	1.722
			Median	6.50	3.50	4.50	5.00
			Q1, Q3	6.0, 7.0	3.0, 4.0	3.0, 6.0	3.0, 6.0
			Min, Max	6.0, 7.0	3.0, 4.0	3.0, 6.0	3.0, 7.0
		Change from Baseline	n	1	2	2	5
			Mean	-2.00	-3.00	-1.50	-2.20
			SD		1.414	0.707	1.095
			Median	-2.00	-3.00	-1.50	-2.00
			Q1, Q3	-2.0, -2.0	-4.0, -2.0	-2.0, -1.0	-2.0, -2.0
			Min, Max	-2.0, -2.0	-4.0, -2.0	-2.0, -1.0	-4.0, -1.0
	Month 3	Actual Value	n	3	3	2	8
			Mean	6.00	7.00	8.00	6.88
			SD	3.464	1.732	2.828	2.475
			Median	4.00	6.00	8.00	6.00
			Q1, Q3	4.0, 10.0	6.0, 9.0	6.0, 10.0	5.0, 9.5
			Min, Max	4.0, 10.0	6.0, 9.0	6.0, 10.0	4.0, 10.0
		Change from Baseline	n	2	3	2	7
			Mean	0.50	0.33	2.00	0.86

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	2.121	1.528	0.000	1.464
			Median	0.50	0.00	2.00	2.00
			Q1, Q3	-1.0, 2.0	-1.0, 2.0	2.0, 2.0	-1.0, 2.0
			Min, Max	-1.0, 2.0	-1.0, 2.0	2.0, 2.0	-1.0, 2.0
	Month 6	Actual Value	n	3	3	2	8
			Mean	7.00	7.00	4.50	6.38
			SD	0.000	1.000	6.364	2.722
			Median	7.00	7.00	4.50	7.00
			Q1, Q3	7.0, 7.0	6.0, 8.0	0.0, 9.0	6.5, 7.5
			Min, Max	7.0, 7.0	6.0, 8.0	0.0, 9.0	0.0, 9.0
		Change from Baseline	n	2	3	2	7
			Mean	0.50	0.33	-1.50	-0.14
			SD	2.121	0.577	3.536	1.952
			Median	0.50	0.00	-1.50	0.00
			Q1, Q3	-1.0, 2.0	0.0, 1.0	-4.0, 1.0	-1.0, 1.0
			Min, Max	-1.0, 2.0	0.0, 1.0	-4.0, 1.0	-4.0, 2.0
	Month 9	Actual Value	n			1	1
			Mean			9.00	9.00
			SD				
			Median			9.00	9.00
			Q1, Q3			9.0, 9.0	9.0, 9.0
			Min, Max			9.0, 9.0	9.0, 9.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n			1	1
			Mean			1.00	1.00
			SD				
			Median			1.00	1.00
			Q1, Q3			1.0, 1.0	1.0, 1.0
			Min, Max			1.0, 1.0	1.0, 1.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	6.67	7.67	7.00	7.13
			SD	1.528	1.528	4.243	2.031
			Median	7.00	8.00	7.00	7.50
			Q1, Q3	5.0, 8.0	6.0, 9.0	4.0, 10.0	5.5, 8.5
			Min, Max	5.0, 8.0	6.0, 9.0	4.0, 10.0	4.0, 10.0
		Change from Baseline	n	2	3	2	7
			Mean	0.00	1.00	1.00	0.71
			SD	0.000	1.000	1.414	0.951
			Median	0.00	1.00	1.00	0.00
			Q1, Q3	0.0, 0.0	0.0, 2.0	0.0, 2.0	0.0, 2.0
			Min, Max	0.0, 0.0	0.0, 2.0	0.0, 2.0	0.0, 2.0
Neutrophils(10 ⁹ /L)	Baseline	Actual Value	n	2	3	3	8
			Mean	3.40	4.47	4.00	4.03

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	1.273	0.833	0.985	0.950
			Median	3.40	4.20	3.70	4.00
			Q1, Q3	2.5, 4.3	3.8, 5.4	3.2, 5.1	3.5, 4.7
			Min, Max	2.5, 4.3	3.8, 5.4	3.2, 5.1	2.5, 5.4
	Day 15	Actual Value	n	3	3	3	9
			Mean	11.87	8.20	10.67	10.24
			SD	2.822	0.265	3.669	2.828
			Median	10.60	8.10	11.10	9.90
			Q1, Q3	9.9, 15.1	8.0, 8.5	6.8, 14.1	8.1, 11.1
			Min, Max	9.9, 15.1	8.0, 8.5	6.8, 14.1	6.8, 15.1
		Change from Baseline	n	2	3	3	8
			Mean	9.45	3.73	6.67	6.26
			SD	1.909	0.569	2.774	2.920
			Median	9.45	3.90	7.40	5.80
			Q1, Q3	8.1, 10.8	3.1, 4.2	3.6, 9.0	3.8, 8.6
			Min, Max	8.1, 10.8	3.1, 4.2	3.6, 9.0	3.1, 10.8
	Month 1	Actual Value	n	2	2	2	6
			Mean	6.25	7.50	9.40	7.72
			SD	0.354	0.424	1.556	1.599
			Median	6.25	7.50	9.40	7.50
			Q1, Q3	6.0, 6.5	7.2, 7.8	8.3, 10.5	6.5, 8.3
			Min, Max	6.0, 6.5	7.2, 7.8	8.3, 10.5	6.0, 10.5

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	1	2	2	5
			Mean	3.50	2.90	5.00	3.86
			SD		0.707	2.546	1.699
			Median	3.50	2.90	5.00	3.40
			Q1, Q3	3.5, 3.5	2.4, 3.4	3.2, 6.8	3.2, 3.5
			Min, Max	3.5, 3.5	2.4, 3.4	3.2, 6.8	2.4, 6.8
	Month 3	Actual Value	n	3	3	2	8
			Mean	4.27	3.50	4.85	4.13
			SD	1.450	0.557	1.344	1.129
			Median	4.30	3.40	4.85	4.00
			Q1, Q3	2.8, 5.7	3.0, 4.1	3.9, 5.8	3.2, 5.0
			Min, Max	2.8, 5.7	3.0, 4.1	3.9, 5.8	2.8, 5.8
		Change from Baseline	n	2	3	2	7
			Mean	0.15	-0.97	0.45	-0.24
			SD	0.212	1.250	2.333	1.382
			Median	0.15	-0.40	0.45	-0.10
			Q1, Q3	0.0, 0.3	-2.4, -0.1	-1.2, 2.1	-1.2, 0.3
			Min, Max	0.0, 0.3	-2.4, -0.1	-1.2, 2.1	-2.4, 2.1
	Month 6	Actual Value	n	3	3	2	8
			Mean	3.73	4.13	4.95	4.19

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	1.305	2.146	0.071	1.435
			Median	3.60	3.10	4.95	4.25
			Q1, Q3	2.5, 5.1	2.7, 6.6	4.9, 5.0	2.9, 5.1
			Min, Max	2.5, 5.1	2.7, 6.6	4.9, 5.0	2.5, 6.6
		Change from Baseline	n	2	3	2	7
			Mean	-0.35	-0.33	0.55	-0.09
			SD	0.495	2.570	1.061	1.618
			Median	-0.35	-0.70	0.55	-0.20
			Q1, Q3	-0.7, 0.0	-2.7, 2.4	-0.2, 1.3	-0.7, 1.3
			Min, Max	-0.7, 0.0	-2.7, 2.4	-0.2, 1.3	-2.7, 2.4
	Month 9	Actual Value	n			1	1
			Mean			4.90	4.90
			SD				
			Median			4.90	4.90
			Q1, Q3			4.9, 4.9	4.9, 4.9
			Min, Max			4.9, 4.9	4.9, 4.9
		Change from Baseline	n			1	1
			Mean			-0.20	-0.20
			SD				
			Median			-0.20	-0.20
			Q1, Q3			-0.2, -0.2	-0.2, -0.2
			Min, Max			-0.2, -0.2	-0.2, -0.2

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	3.30	3.63	3.55	3.49
			SD	0.265	1.429	0.354	0.804
			Median	3.20	3.30	3.55	3.30
			Q1, Q3	3.1, 3.6	2.4, 5.2	3.3, 3.8	3.2, 3.7
			Min, Max	3.1, 3.6	2.4, 5.2	3.3, 3.8	2.4, 5.2
		Change from Baseline	n	2	3	2	7
			Mean	0.00	-0.83	-0.85	-0.60
			SD	0.990	1.626	1.344	1.230
			Median	0.00	-1.40	-0.85	-0.70
			Q1, Q3	-0.7, 0.7	-2.1, 1.0	-1.8, 0.1	-1.8, 0.7
			Min, Max	-0.7, 0.7	-2.1, 1.0	-1.8, 0.1	-2.1, 1.0
Neutrophils/Leukocytes(%)	Baseline	Actual Value	n	2	3	3	8
			Mean	53.50	61.67	61.67	59.63
			SD	4.950	8.737	6.658	7.230
			Median	53.50	64.00	65.00	60.50
			Q1, Q3	50.0, 57.0	52.0, 69.0	54.0, 66.0	53.0, 65.5
			Min, Max	50.0, 57.0	52.0, 69.0	54.0, 66.0	50.0, 69.0
	Day 15	Actual Value	n	3	3	3	9
			Mean	81.67	85.33	83.33	83.44
			SD	9.292	5.033	12.220	8.233

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Median	86.00	86.00	86.00	86.00
			Q1, Q3	71.0, 88.0	80.0, 90.0	70.0, 94.0	80.0, 88.0
			Min, Max	71.0, 88.0	80.0, 90.0	70.0, 94.0	70.0, 94.0
		Change from Baseline	n	2	3	3	8
			Mean	33.50	23.67	21.67	25.38
			SD	6.364	5.859	17.559	11.388
			Median	33.50	26.00	20.00	27.00
			Q1, Q3	29.0, 38.0	17.0, 28.0	5.0, 40.0	18.5, 33.5
			Min, Max	29.0, 38.0	17.0, 28.0	5.0, 40.0	5.0, 40.0
	Month 1	Actual Value	n	2	2	2	6
			Mean	75.00	84.50	82.00	80.50
			SD	11.314	2.121	0.000	6.775
			Median	75.00	84.50	82.00	82.50
			Q1, Q3	67.0, 83.0	83.0, 86.0	82.0, 82.0	82.0, 83.0
			Min, Max	67.0, 83.0	83.0, 86.0	82.0, 82.0	67.0, 86.0
		Change from Baseline	n	1	2	2	5
			Mean	26.00	24.00	22.00	23.60
			SD		9.899	8.485	6.731
			Median	26.00	24.00	22.00	26.00
			Q1, Q3	26.0, 26.0	17.0, 31.0	16.0, 28.0	17.0, 28.0
			Min, Max	26.0, 26.0	17.0, 31.0	16.0, 28.0	16.0, 31.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
	Month 3	Actual Value	n	3	3	2	8
			Mean	61.00	61.33	60.00	60.88
			SD	8.718	3.786	7.071	5.768
			Median	57.00	63.00	60.00	60.00
			Q1, Q3	55.0, 71.0	57.0, 64.0	55.0, 65.0	56.0, 64.5
			Min, Max	55.0, 71.0	57.0, 64.0	55.0, 65.0	55.0, 71.0
		Change from Baseline	n	2	3	2	7
			Mean	2.50	-0.33	0.00	0.57
			SD	3.536	11.504	15.556	9.396
			Median	2.50	0.00	0.00	0.00
			Q1, Q3	0.0, 5.0	-12.0, 11.	-11.0, 11.	-11.0, 11.
			Min, Max	0.0, 5.0	-12.0, 11.	-11.0, 11.	-12.0, 11.
	Month 6	Actual Value	n	3	3	2	8
			Mean	64.33	61.00	60.50	62.13
			SD	4.619	5.292	0.707	4.190
			Median	67.00	59.00	60.50	60.50
			Q1, Q3	59.0, 67.0	57.0, 67.0	60.0, 61.0	59.0, 67.0
			Min, Max	59.0, 67.0	57.0, 67.0	60.0, 61.0	57.0, 67.0
		Change from Baseline	n	2	3	2	7
			Mean	9.50	-0.67	0.50	2.57

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	10.607	8.145	7.778	8.580
			Median	9.50	3.00	0.50	3.00
			Q1, Q3	2.0, 17.0	-10.0, 5.0	-5.0, 6.0	-5.0, 6.0
			Min, Max	2.0, 17.0	-10.0, 5.0	-5.0, 6.0	-10.0, 17.0
	Month 9	Actual Value	n			1	1
			Mean			62.00	62.00
			SD				
			Median			62.00	62.00
			Q1, Q3			62.0, 62.0	62.0, 62.0
			Min, Max			62.0, 62.0	62.0, 62.0
		Change from Baseline	n			1	1
			Mean			-4.00	-4.00
			SD				
			Median			-4.00	-4.00
			Q1, Q3			-4.0, -4.0	-4.0, -4.0
			Min, Max			-4.0, -4.0	-4.0, -4.0
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	56.33	55.33	55.50	55.75
			SD	5.508	10.599	0.707	6.409
			Median	56.00	57.00	55.50	56.00
			Q1, Q3	51.0, 62.0	44.0, 65.0	55.0, 56.0	53.0, 59.5
			Min, Max	51.0, 62.0	44.0, 65.0	55.0, 56.0	44.0, 65.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	3.00	-6.33	-4.50	-3.14
			SD	2.828	6.658	9.192	6.962
			Median	3.00	-8.00	-4.50	1.00
			Q1, Q3	1.0, 5.0	-12.0, 1.0	-11.0, 2.0	-11.0, 2.0
			Min, Max	1.0, 5.0	-12.0, 1.0	-11.0, 2.0	-12.0, 5.0
Platelets(10 ⁹ /L)	Baseline	Actual Value	n	2	3	3	8
			Mean	279.5	278.0	310.0	290.4
			SD	36.062	29.052	84.611	52.315
			Median	279.5	280.0	305.0	292.5
			Q1, Q3	254, 305	248, 306	228, 397	251, 306
			Min, Max	254, 305	248, 306	228, 397	228, 397
	Day 15	Actual Value	n	3	3	3	9
			Mean	262.7	226.0	340.7	276.4
			SD	6.429	23.259	75.002	64.219
			Median	260.0	222.0	340.0	260.0
			Q1, Q3	258, 270	205, 251	266, 416	251, 270
			Min, Max	258, 270	205, 251	266, 416	205, 416
		Change from Baseline	n	2	3	3	8
			Mean	-14.50	-52.00	30.67	-11.63

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD	43.134	24.637	10.214	44.006
			Median	-14.50	-55.00	35.00	-5.00
			Q1, Q3	-45.0, 16.	-75.0, -26	19.0, 38.0	-50.0, 27.
			Min, Max	-45.0, 16.	-75.0, -26	19.0, 38.0	-75.0, 38.
	Month 1	Actual Value	n	2	2	2	6
			Mean	251.0	237.0	281.5	256.5
			SD	12.728	36.770	19.092	28.105
			Median	251.0	237.0	281.5	261.5
			Q1, Q3	242, 260	211, 263	268, 295	242, 268
			Min, Max	242, 260	211, 263	268, 295	211, 295
		Change from Baseline	n	1	2	2	5
			Mean	-12.00	-27.00	-69.50	-41.00
			SD		14.142	45.962	35.951
			Median	-12.00	-27.00	-69.50	-37.00
			Q1, Q3	-12.0, -12	-37.0, -17	-102.0, -3	-37.0, -17
			Min, Max	-12.0, -12	-37.0, -17	-102.0, -3	-102.0, -1
	Month 3	Actual Value	n	3	3	2	8
			Mean	270.7	259.7	338.5	283.5
			SD	37.448	58.620	43.134	53.166
			Median	264.0	292.0	338.5	293.5
			Q1, Q3	237, 311	192, 295	308, 369	251, 310
			Min, Max	237, 311	192, 295	308, 369	192, 369

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
		Change from Baseline	n	2	3	2	7
			Mean	-5.50	-18.33	-12.50	-13.00
			SD	16.263	35.698	21.920	24.125
			Median	-5.50	-14.00	-12.50	-14.00
			Q1, Q3	-17.0, 6.0	-56.0, 15.	-28.0, 3.0	-28.0, 6.0
			Min, Max	-17.0, 6.0	-56.0, 15.	-28.0, 3.0	-56.0, 15.
	Month 6	Actual Value	n	3	3	2	8
			Mean	287.3	286.3	387.0	311.9
			SD	26.274	29.738	32.527	52.453
			Median	278.0	282.0	387.0	299.5
			Q1, Q3	267, 317	259, 318	364, 410	273, 341
			Min, Max	267, 317	259, 318	364, 410	259, 410
		Change from Baseline	n	2	3	2	7
			Mean	12.50	8.33	36.00	17.43
			SD	0.707	27.683	97.581	44.799
			Median	12.50	12.00	36.00	12.00
			Q1, Q3	12.0, 13.0	-21.0, 34.	-33.0, 105	-21.0, 34.
			Min, Max	12.0, 13.0	-21.0, 34.	-33.0, 105	-33.0, 105
	Month 9	Actual Value	n			1	1
			Mean			375.0	375.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			SD				
			Median			375.0	375.0
			Q1, Q3			375, 375	375, 375
			Min, Max			375, 375	375, 375
		Change from Baseline	n			1	1
			Mean			-22.00	-22.00
			SD				
			Median			-22.00	-22.00
			Q1, Q3			-22.0, -22	-22.0, -22
			Min, Max			-22.0, -22	-22.0, -22
	Month 12 (EOS)	Actual Value	n	3	3	2	8
			Mean	289.3	278.0	301.5	288.1
			SD	29.263	8.660	28.991	21.951
			Median	297.0	283.0	301.5	283.0
			Q1, Q3	257, 314	268, 283	281, 322	275, 306
			Min, Max	257, 314	268, 283	281, 322	257, 322
		Change from Baseline	n	2	3	2	7
			Mean	-2.50	0.00	-49.50	-14.86
			SD	7.778	21.656	36.062	30.732
			Median	-2.50	3.00	-49.50	-8.00
			Q1, Q3	-8.0, 3.0	-23.0, 20.	-75.0, -24	-24.0, 3.0

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24

Table 14.3.4.2.2
Summary of Selected Hematology Laboratory Parameters by Visit
Safety Population

Parameter(Unit)	Visit		Statistics	Cohort 1 (N=3) n(%)	Cohort 2 (N=3) n(%)	Cohort 3 (N=3) n(%)	Total (N=9) n(%)
			Min, Max	-8.0, 3.0	-23.0, 20.	-75.0, -24	-75.0, 20.

Note: Baseline is defined as the last measurement before injection. Change from baseline is derived as visit value minus baseline.

Output: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\outputs\Table 14.3.4.2.2.rtf
Program: BDM\OCU 410ST-101\Biostatistics\CDISC\prod\TLF\Programs\Table 14.3.4.2.2.sas

Analysis date: 2026-04-21-16:24