

# HTML

## Full Course PDF



DesignWithRehana

# About this PDF

In this PDF, we have covered all the topics of HTML(Hyper Text Markup Language), in detail.

We have used some real-life examples for better understanding. Hope you will enjoy this PDF as we have also used some funny things in between because

**(Padhai ke Sath Masti is very important 😊)**

## Audience

This course is basically for a person like you who want to make a career in frontend development. If you are beginner then you are at right place.

## Requirement

1. Ofcourse ( Laptop, Computer) 😊

2. Use of Code Editor (Notepad, Notepad++, Sublime, code, Brackets, etc)



@designwithrehana



DesignWithRehana

# Table of Contents

- HTML Introduction
- HTML – Basic Tags
- HTML – Elements
- HTML – Attributes
- HTML – Heading
- HTML – Paragraphs
- HTML – Formatting
- HTML Quotation and Citation Elements
- HTML Comments
- HTML – Meta Tags
- HTML Links
- HTML – Images
- HTML – Tables
- HTML – List
- HTML - Favicon
- HTML – Page Title
- HTML – Block and Inline Elements
- HTML – class Attribute
- HTML – id Attribute
- HTML - Forms
- HTML – Head
- HTML – Semantic Elements
- HTML - Non-Semantics Elements
- HTML – Style
- HTML – Media
- HTML – Iframe
- HTML – Entities
- HTML – Responsive Web Design



@designwithrehana



DesignWithRehana


# Are you ready?? 😊

To chaliye Shuru karte  
hai pehle topic se

Get ready with laptop, pen, notebook 😎



@designwithrehana



DesignWithRehana

# HTML Introduction

## HTML stands for?

==> Hyper Text Markup Language

Ye hai  
HTML 😊



## Use of HTML?

==> It is used to create the structure of web pages.

**Hypertext** - Hypertext refers to text that contains links or hyperlinks to other content, such as images, videos, audio files, web pages, or other documents. It allows users to navigate from one content to another just by clicking the links.

**Markup** - It consists of a set of tags, elements, and attributes which is used to create the structure of web pages.

**Language** - Computer system understands and uses to Render commands.

**Imp Note :** HTML is not programming language it is markup language. (Remember this line always 😊) for better understanding you can search meme on this 😊

HTML is Not Case Sensitive: The HTML standard does not require lowercase tags, but W3C recommends lowercase in HTML, and demands lowercase for stricter document types like XHTML



@designwithrehana



DesignWithRehana



```
<!DOCTYPE html>
<html lang="en">
<head>
    <title> Page Title </title>
</head>
<body>

    <h1>Heading</h1>
    <p>Paragraph</p>

</body>
</html>
```

We will see all the above elements & tags in detail.

Stay Tuned for more...

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML – Basic Tags

<b>&lt;!DOCTYPE html&gt;</b>	Document type
<b>&lt;html&gt;</b>	Main element of HTML document
<b>&lt;head&gt;</b>	Contains Metadata like title, keywords, author
<b>&lt;title&gt;</b>	Title for the document
<b>&lt;body&gt;</b>	Content of the document
<b>&lt;h1&gt;-&lt;h6&gt;</b>	HTML Headings
<b>&lt;p&gt;</b>	HTML Paragraph
<b>&lt;a&gt;</b>	used for hyperlink to another webpage
<b>&lt;img&gt;</b>	used to add images in the document
<b>&lt;ul&gt; and &lt;ol&gt;</b>	used to create ordered or unordered list
<b>&lt;li&gt;</b>	used list items
<b>&lt;table&gt;</b>	used to create tables
<b>&lt;tr&gt;</b>	used to create tables row
<b>&lt;td&gt;</b>	used to create tables column
<b>&lt;form&gt;</b>	Used for HTML form for user input
<b>&lt;input&gt;</b>	Used for input control
<b>&lt;select&gt;</b>	Used for drop-down list
<b>&lt;option&gt;</b>	Used for option in a drop-down list
<b>&lt;button&gt;</b>	Used for clickable button

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML - Elements

- HTML elements are used to create the structure, content, and layout of a web page.
- HTML elements are represented by tags, which are enclosed in angle brackets (< >).

## Examples -

<h1>--<h6>, <p>, <img>, <a>, <ul>, <li>, <table>, <form>, etc

ab aap bologe yahi sb to tags me use kiya ab elements me bhi same 😊 😢


*take a chill pill 😊. Lemme  
clear the doubt and tell you  
the difference between  
elements and tags.*



HTML Elements: They are represented by the tags

HTML Tags: Used to define HTML elements.

**Note:** An HTML element is started by a **starting tag**. then contains content, it ends with a **closing tag**.



-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML - Attributes

- HTML attribute is used for additional information
- Attributes are placed in the start tag
- Attribute have name and value.

## Examples -

```
<div width = "100%">this is div element</div>
```

In the above example

**width ---> name**

**100% --> value**

*Note - Attribute values should always be enclosed in quotation marks.*

## Some Core Attribute

- **id** - Unique identifier for an HTML element.
- **title** - Specifies a title or tooltip for an HTML element.
- **href** - Specifies the URL of the page the link
- **class** - Specifies one or more class names for an HTML element.
- **style** - Specifies inline CSS styles for an HTML element.
- **lang** - Specifies the language of the content inside an HTML
- **height** - Used to set the height
- **width** - Use to set the width
- **alt** - Used to set the alternative text of the image

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML - Heading

- HTML Heading is used to add the heading in the web page.
- There are 6 heading h1, h2, h3, h4, h5, h6
- Each heading has default size
- <h1> defines the most important heading and h6 defines the least important heading.

## Heading 1


### Heading 2

#### Heading 3

##### Heading 4

###### Heading 5

###### Heading 6



### Examples -

```
<h1>Heading 1</h1>
<h2>Heading 2</h2>
<h3>Heading 3</h3>
<h4>Heading 4</h4>
<h5>Heading 5</h5>
<h6>Heading 6</h6>
```



## Why headings are important?

- It helps in SEO
- Always use <h1> headings for main page heading, <h2> for sub heading

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML – Paragraphs

- HTML paragraph `<p>` element is used to add paragraph text
- It is block level element
- `<p>` tag has default margin-top and margin-bottom i.e. 16px (1em)
- A paragraph always starts on a new line

## Examples -

`<p>`This is a paragraph of text.`</p>`

## Let's see how its output looks like -->

`<p>` Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam`</p>`

`<p>` Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam`</p>`

## Output -

  Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam

  Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam

**NOTE:** If you want to break the line in between paragraph then you can use `<br>` tag

**Example -** `<p>`This is`<br>`a paragraph`<br>`with line breaks.`</p>`

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML - Formatting

- HTML formatting is used to style the text to make it more presentable.
- These tags are used to define how text should be displayed on a web page
- used to change the appearance of text, such as making it bold, italic, underlined, or applying other formatting styles.

**HTML Formatting Elements --> Here are HTML formatting tags given below:**

- **<b>** - Bold text
- **<strong>** - Important text
- **<i>** - Italic text
- **<em>** - Emphasized text
- **<mark>** - Marked text
- **<small>** - Smaller text
- **<del>** - Deleted text
- **<ins>** - Inserted text
- **<sub>** - Subscript text
- **<sup>** - Superscript text

**NOTE:** for extra design and styling use CSS

**Now I will cover every tag given above in detail**

**<b> Tag** - It is used to make text bold.

**Example** - **<b>This text is bold.</b>**

**Output** - **This text is bold.**

---

**<strong> Tag** - It is used to define text with strong importance.  
The output is the same as bold.

**Example** - **<strong>Important text</strong>**

**Output** - **Important text**



@designwithrehana



DesignWithRehana

**<i> Tag** - It is used to make the text italic

**Example** - <i>This text is italic</i>

**Output** - *This text is italic*

---

**<em> Tag** - It is used to emphasize text. The output of the text is italic

**Example** - <em>This text is emphasized</em>

**Output** - *This text is emphasized*

---

**<mark> Tag** - The <mark> tag is an HTML element used to highlight or mark a specific portion of text on a webpage.

**Example** - <p>This is used for<mark>highlighted text</mark></p>

**Output** - This is used for **highlighted text**

---

**<small> Tag** - This element is used for smaller text

**Example** - <p>This is some <small>smaller text.</small></p>

**Output** - This is some smaller text.

---

**<del> Tag** - This element is used to delete text

**Example** - <p>My fav channel is <del>DWR</del></p>

**Output** - My fav channel is ~~DWR~~



@designwithrehana



DesignWithRehana

**<ins> Tag** - It is used to insert text

**Example** - <p>My fav channel is <ins>DWR</ins></p>

**Output** - My fav channel is DWR

---

**<sub> Tag** - Subscript text appears half a character below the normal line, and is sometimes rendered in a smaller font. Subscript text can be used for chemical formulas

**Example** - <p>My fav channel is <sub>DWR</sub></p>

**Output** - My fav channel is <sub>DWR</sub>

---

**<sup> Tag** - Superscript text appears half a character above the normal line. It is used for footnotes

**Example** - <p>My fav channel is <sup>DWR</sup></p>

**Output** - My fav channel is <sup>DWR</sup>

---

*So from the above tags, there are some tags that you will use frequently like - <i>, <b>, <sup>*

*so make sure don't skip these 😊. wo bhi dhyan se.*

*agr dhyan se nahi padha then scroll up again and read it properly 😊. agar mann kare to sare hi dhyan se padh lena*

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML Quotation and Citation Elements

- Quotation - HTML Quotation refers to the HTML tag used to indicate a quoted text within a document.
- Quotation - HTML Quotation refers to the HTML tag used to indicate a quoted text within a document.

[HTML Quotation and Citation Elements](#) --> Here are tags given below:

- <blockquote> - quotation text
- <q> - defines a short quotation
- <cite> - defines the title of a creative work
- <abbr> - It is used for marking up abbreviated text.

**NOTE:** These elements help structure the content and provide semantic meaning to different types of text within a document

**Now I will cover every tag given above in detail**

**<blockquote> Tag** - It is commonly used to attribute the quoted text to its original author or source.

**Example** - <p>This is a quoted text.</p><blockquote>This text is output.</blockquote>

**Output** -

This is a quoted text.

This text is output.



@designwithrehana



DesignWithRehana

**<q> Tag** - It is used to indicate a short quotation or inline quote within a paragraph.

**Example** - <p>This is a short quotation text.</p><q>This text is output</q>

**Output** -

This is a short quotation text.

"This text is output"

---

**<cite> Tag** - It is used to indicate the title or source of a creative work, such as a book, article, or a piece of artwork. Its output shows in italic

**Example** - <p>This is a cite text.</p><cite>This text is output</cite>

**Output** -

This is a cite text.

*This text is output*

---

**<abbr> Tag** - It is typically used to provide additional information or context about an abbreviated term. it uses title attribute. when you hover the text then you will see the text which you have added in the title attribute.

**Example** - <p>This is an abbr text.</p><abbr title ="abbr text">This text is output</abbr>

**Output** -

This is an abbr text.

*This text is output*

---

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML Comments

HTML comments are the most important part of the code. HTML comments are not displayed in the browser.

Comments are basically used for clean code so that if the new person checks your code then he/she can easily understand your code.

In HTML, comments are denoted by the `<!--` and `-->` delimiters. Anything **between these delimiters is considered a comment** and is ignored by the web browser when rendering the page.

**Example:**

```
<!-- Banner Section -->  
  
<p>this is dummy text</p>  
  
<!-- End Banner Section -->
```

Like the above example, you can add comments in your for every section.

**jaise rooms ko alag karne ke liye diwaar ki jarurt padti hai  
waise hi code ko alg krne ke liye comments ki jarurt padti hai**



**samjh gaye naa ??**




@designwithrehana



DesignWithRehana

# HTML comments are commonly used for various purposes, including:

- Documenting and explaining sections of code
- Temporarily disabling or "commenting out" a piece of code without deleting it
- Providing instructions or reminders for future editing or maintenance
- Collaborative development, where multiple developers can add comments to the code for communication purposes



-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML – Meta Tags

HTML meta tags are special elements used to provide additional information about an HTML document.

These are placed in the head section

```
<head>  
.  
.  
.</head>
```



Meta tags are not visible to the users. These are used by **search engines, social media platforms, and web browsers** to gather information about a webpage.

It is used to specify the **character set, page description, keywords, author of the document, and viewport settings**



@designwithrehana



DesignWithRehana

# Here are some commonly used meta tags:

`<meta charset="UTF-8">`

Specifies the character **encoding** for the HTML document. **UTF-8** is the most common character encoding.

`<meta name="viewport" content="width=device-width, initial-scale=1.0">`

Sets the **viewport** properties for **responsive web design**, ensuring proper rendering on various devices and screen sizes.

`<meta name="description" content="Description of the page">`

Provides a brief summary or **description of the webpage's content**. **Search engines** often display this description in search results



@designwithrehana



DesignWithRehana

**<meta name="author" content="Author name">**

Specifies the **author** of the webpage.

**<meta http-equiv="refresh" content="5" URL=http://example.com/">**

**Redirects** the user to another page after a specified time interval (in seconds). means in **5 sec**

**<meta name="keywords" content="keyword1, keyword2, ...">**

Define **keywords** for search engines

**Example :**

```
<head>
  <meta charset="UTF-8">
  <meta name="description" content="Learn Free Frontend">
  <meta name="keywords" content="HTML, CSS, JavaScript">
  <meta name="author" content="Designwithrehana">
</head>
```

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML Links

HTML links are used to navigate from one page to another. It is also known as a hyperlink.

They allow users to click on a text or an image and be redirected to another page or location on the web.

HTML links are created using `<a>` tag

**Let's take an example -**

```
<a href="https://designwithrehana.com">Join Now</a>
```

**Output:** [Join Now](https://designwithrehana.com)

In above example, if you click on Join Now then you will navigate to the "designwithrehana.com" page.

**href** attribute, which indicates the link's destination.

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML – Images

HTML images are used to display images on the web page.

The `<img>` tag is a self-closing tag, meaning it doesn't require a closing tag.

## Example:

```

```

In the above example -

`src` attribute is used to mention the path of the image

File ka path ekdam sahi hona chahiye wrna image open nhi hogi too ronaa mat 😊



`alt` text is alternative text, which is displayed if the image cannot be loaded or for accessibility purposes.

*So always try to use meaningful image name in the alt text.*

you can use height and width attributes also to define the height and width of the image.

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML – Tables

HTML table is used to create tables. It helps you to arrange the data in the rows and columns

## Table Example :

### HTML Table

Food	Price	Quantity
Burger	240	1
Maggi	30	Full
Dosa	80	1
Pasta	150	Full

In the above table, first row in the table header. And rest of the row and column come under table body.

Now we will see all HTML tags and all HTML table attributes.



@designwithrehana



DesignWithRehana

## All HTML Table tags

- <table> Used to create table.
- <th> Used for header cell in the table.
- <tr> Used for creating row in the table.
- <td> Used for creating column in the table
- <caption> Used for table caption
- <colgroup> Group of one or more columns in a table for formatting.
- <col> Column properties for each column within a <colgroup> element
- <thead> Used to create header content in the table.
- <tbody> Used for grouping body content of the table.
- <tfoot> Used for table footer.



# All HTML Table Attributes

- **border**      Used to add border in the table
- **cellpadding**      Specifies the space between the cell content and the cell borders.
- **cellspacing**      Specifies the space between cells
- **width**      Used to adjust the width of the table.
- **height**      Used to adjust the height of the table.
- **summary**      Provides a summary or description of the table's purpose and structure
- **align**      Specifies the horizontal alignment of the table on the page
- **bgcolor**      Sets the background color of the table.
- **colspan**      Specifies the number of columns a cell should span.
- **rowspan**      Specifies the number of rows a cell should span.



## Table Hierarchy:



```
<table>
  <thead>
    <tr>
      <th> </th>
      <th> </th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>
        <table>
          <tr>
            <td> </td>
          </tr>
        </table>
      </td>
      <td> </td>
    </tr>
  </tbody>
</table>
```

-----Topic End-----



@designwithrehana




DesignWithRehana

# HTML - List

List is a way to organize and display a collection of related items.

There are two types of HTML lists.

## HTML - List



### Ordered List

**Example:**

1. Item one
2. Item two
3. Item three

### Unordered List

**Example:**

- Item one
- Item two
- Item three

Now we will see both lists in detail.



@designwithrehana



DesignWithRehana

## Unordered HTML List

It uses `<ul>` tag. Each item list uses `<li>` tag

The list items will be marked with bullets

### Code Example:

```
<ul>
    <li>Designwithrehana</li>
    <li>Rehana ka drama</li>
    <li>mixedprism</li>
</ul>
```

### Output:

- Designwithrehana
- Rehana ka drama
- mixedprism

**Note:** If you want you can customise the list also



@designwithrehana



DesignWithRehana

# Ordered HTML List

It uses `<ol>` tag. Each item list uses `<li>` tag

The list items will be marked with numbers

## Code Example:

```
<ol>
    <li>Designwithrehana</li>
    <li>Rehana ka drama</li>
    <li>mixedprism</li>
</ol>
```

## Output:

1. Designwithrehana
2. Rehana ka drama
3. mixedprism

**Note:** If you want you can customise the list also



@designwithrehana



DesignWithRehana

## Other Lists

### HTML Description Lists

It is a list with a description. It uses `<dl>`, `<dt>` and `<dd>`

The main tag is `<dl>` then items are wrapped with `<dt>` tag.  
`<dd>` tag is used for description.

#### Code Example:

```
<dl>
  <dt>Designwithrehana</dt>
  <dd>Description 1</dd>

  <dt>Rehana ka drama</dt>
  <dd>Description 2</dd>

  <dt>mixedprism</dt>
  <dd>Description 3</dd>
</dl>
```



#### **Output:**

```
Designwithrehana
  Description 1
Rehana ka drama
  Description 2
mixedprism
  Description 3
```

-----Topic End-----



@designwithrehana




DesignWithRehana

# HTML - Favicon

It is small image on the title bar of the browser.

## Example:



**DesignWithRehana**

## Image for Favicon

you can simply use any image as per your choice. Or if you want to create your own favicon using the below site.

**<https://www.favicon.cc>**

In the HTML head section, through link you can add fav icon.

**See the below code:**

```
index.html
index.html > html
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <title>Designwithrehana</title>
5      <link rel="icon" type="image" href="fav-image.png">
6  </head>
7  <body>
8      <h2>DesignWithRehana</h2>
9  </body>
10 </html>
```

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML Page Title

The HTML page title is a text that appears in the title bar or tab of a web browser when a web page is opened.


It is defined within the `<title>` element, which is placed within the `<head>` section of an HTML document.

## Code Example:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Designwithrehana</title>
  </head>
  <body>
    <!-- add content here-->
  </body>
</html>
```

Kisi bhi website ke upr name likh kr aa raha hai jaise yahan pe **Designwithrehana** aa raha usi trh hai wo page title hota hai

Page title



-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML Block and Inline Elements

The HTML , all elements have default value how they display

There are two display values:

**Inline element**

**block element**

**Inline element:** <span>, <a>, <strong>, <em>, <img>, <input>, <br>, and <button>.

**Block element:** <div>, <p>, <h1> to <h6>, <ul>, <ol>, <li>, <header>, <footer>, <nav>, <section>, and <article>.

**Now we will see both elements in detail**



@designwithrehana



DesignWithRehana

## Inline element:

Inline elements do not start on a new line


They occupy only the space necessary to display their content.

## Code Example:

```
● ● ●  
<!DOCTYPE html>  
<html>  
<body>  
  
  <span> Designwithrehana </span>  
  <span> Rehanakadrama </span>  
  <span> Mixedprism </span>  
  
</body>  
</html>
```

## Output:

Designwithrehana Rehanakadrama Mixedprism



line break nahi hui  
utna hi space liya hai  
 jitna content hai



@designwithrehana



DesignWithRehana

## Block element:

Block-level elements start on a new line

It take up the full available width of their parent container.

### Code Example:

```
<!DOCTYPE html>
<html>
<body>

<p> Designwithrehana </p>
<p> Rehanakadrama </p>
<p> Mixedprism </p>

</body>
</html>
```

### Output:

Designwithrehana  
Rehanakadrama  
Mixedprism

hmesha new line se start hota hai  
agr dusra tag use krte hai. Full  
width cover krtा hai default  
spacing bhi add hoti hai

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML class Attribute

Class attribute is used to give class name to any element to group element together and apply CSS and JavaScript.

## Syntax:

```
class ="class-name"
```

You can use multiple class names for one element

## Example :

```
<div class="container banner-section div-space"></div>
```

you can reuse class names if you want to repeat any functionality and style.

## Example :

```
<div class="div-space"></div>
<p class="div-space"></p>
```

**Note:** The class name is case sensitive!



@designwithrehana



DesignWithRehana

# The Syntax For Class

To create a class; write a period (.) character, followed by a class name. Then, define the CSS properties within curly braces {}

## Code Example:

```
<!DOCTYPE html>
<html>
  <head>
    <style>
      .heading_color {
        color: Red;
      }
    </style>
  </head>
  <body>

    <h2 class="heading_color">Designwithrehana</h2>
    <p>If you are interested in frontend development then you are at right place.
  </p>
  </body>
</html>
```

## Output:

### Designwithrehana

If you are interested in frontend development then you are at right place.

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML id Attribute

The HTML id attribute is used to uniquely identify an element within an HTML document.

## Syntax:

`id ="id-name"`

You cannot have more than one element with the same id in an HTML document.

## Using the id Attribute

To create a id; write a period (#), followed by a class id. Then, define the CSS properties within curly braces {}

## Example:

```
#banner-section{  
background-color:red;  
}
```



@designwithrehana



DesignWithRehana

## Code Example:

```
<!DOCTYPE html>
<html>
  <head>
    <style>
      #heading {
        color: Red;
      }
    </style>
  </head>
  <body>

    <h2 id="heading">Designwithrehana</h2>
    <p>If you are interested in frontend development then you are at right place.
  </p>
  </body>
</html>
```

## Output:

### Designwithrehana

If you are interested in frontend development then you are at right place.

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML - Forms

HTML forms are very important part of web development, allowing users to input and submit data to a server.

They are used for a wide range of purposes, such as user registration, contact forms, search boxes, and more.

## Syntax:

```
● ● ●  
<form action="">  
  
</form>
```

## Inside the <form>

We have some elements -

Label

Input



@designwithrehana



DesignWithRehana

## Label

The <label> element, which provides a text description for the input field.

### Syntax:

```
<label> .... </label>
```

Label

Login

User Name \*

Enter user name

Password \*

Enter the password that accompanies your username.

Sign



@designwithrehana



DesignWithRehana

## Input

The <input> element is used so that user can enter information. Input filed is created using tag. It is self closing tag

Input

Login

User Name \*

Enter user name

Password \*

Enter the password that accompanies your username.

Sign

**NOTE:** The <form> element is a container for different types of input elements, such as: text fields, checkboxes, radio buttons, submit buttons, etc.



@designwithrehana



DesignWithRehana

# Form attributes



## Action:

The action attribute specifies the URL or server-side script to which the form data should be submitted when the user clicks the submit button.

The value of the action attribute is typically a **URL or a relative path**.

## **Example :**

```
● ● ●  
<form action="/submit_form" >
```

## Method:

Defines the HTTP method to be used when submitting the form data to the server.

It can be either **"GET" or "POST"**



@designwithrehana



DesignWithRehana

## GET

When the method is set to "GET", the form data is appended to the URL as query parameters and sent as part of the URL string. In this method, form data is visible in the URL.

### Example :

```
● ● ●  
<form action="/action_page.php" method="GET">  
  <label for="name">Name:</label>  
  <input type="text" id="name" name="name">  
  
  <label for="email">Email:</label>  
  <input type="email" id="email"  
  name="email">  
  <input type="submit" value="Submit">  
</form>
```

## POST

When the method is set to "POST", the form data is sent in the body of the HTTP request. This method is suitable for sending sensitive or large amounts of data that should not be exposed in the URL.

It is commonly used for submitting forms that create, update, or delete data on the server.

### Example :

```
● ● ●  
<form action="/action_page.php" method="POST">  
  <label for="name">Name:</label>  
  <input type="text" id="name" name="name">  
  
  <label for="email">Email:</label>  
  <input type="email" id="email" name="email">  
  
  <input type="submit" value="Submit">  
</form>
```



@designwithrehana



DesignWithRehana

# The HTML <form> Elements

- **<form>** Used for HTML form for user input
- **<input>** Used for input control
- **<textarea>** Used for multiline input control (text area)
- **<label>** Used for label for an <input> element
- **<fieldset>** Groups related elements in a form
- **<legend>** Used for caption for a <fieldset> element
- **<select>** Used for drop-down list
- **<optgroup>** a group of related options in a drop-down list
- **<option>** Used for option in a drop-down list
- **<button>** Used for clickable button
- **<datalist>** Used for list of pre-defined options for input controls
- **<output>** Used for result of a calculation.



# HTML Input Types

`<input type="button">`

Button

`<input type="checkbox">`

Are you agree?

`<input type="color">`



`<input type="date">`

Meeting :

`<input type="email">`



`<input type="file">`

Select a file :  No file chosen

`<input type="hidden">`

The hidden field is not shown to the user.

But we can save data of the user



`<input type="image">`

`<input type="month">`

Meeting (month & Year) :

`<input type="number">`

`<input type="password">`



@designwithrehana



DesignWithRehana

`<input type="radio">`

Do you Like my Content

`<input type="range">`



`<input type="reset">`

**Reset**

`<input type="search">`



`<input type="submit">`

**SUBMIT**

`<input type="tel">`

**133-291 032**

`<input type="text">`

Name...

`<input type="time">`

Select time :

`<input type="url">`

Type URL...

`<input type="week">`

Select a week :

**Above are all input types with output examples.**

For practice, you can create some input types to check the output. Then you will understand more.

***Jaldi se implement karoooooo abhiii***



@designwithrehana



DesignWithRehana

# HTML - Head

Head element is a container for all meta tags. It contains -

<title>, <style>, <meta>, <link>, <script>, and <base>.

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <meta name="description" content="Frontend Dev">
  <meta name="keywords" content="HTML, CSS, JavaScript">
  <meta name="author" content="Designwithrehana">
  <link rel="stylesheet" href="styles.css">
  <style>
    body {
      background-color: #f0f0f0;
    }
  </style>
</head>
```

-----Topic End-----



@designwithrehana



DesignWithRehana

# HTML Semantic Elements

## *Element + Meaning of the element*

HTML semantic elements are special elements introduced in HTML5 that provide meaningful structure to web pages.

Here are some commonly used HTML semantic elements:

- <header>** container for a group of introductory content at the top of a section.
- <nav>** Used for the navigation section
- <main>** Specifies the main content of a document and it is unique.
- <table>** Used to create tables
- <form>** used to create forms
- <article>** Defines independent, self-contained content. Used for blogs, new articles, etc.
- <section>** Defines a standalone section of content within a document
- <aside>** used for sidebar content
- <footer>** Used to create footer



# HTML Non-Semantic Elements

These non-semantic elements are often employed for styling purposes or to achieve a specific visual layout.

Here are some commonly used HTML non-semantic elements:

**<div>** A generic container that is used to group and style other elements

**<span>** It is an inline container used for styling or targeting specific parts of the text within a larger block of content.

**<br>** this tag is used to break the line.

**<b>** Used to make the text bold

**<i>** used to make the italic



# HTML – Style

HTML style is used to add style to the element like, font-size, color, text-decoration, etc.

**Syntax:** <tagname style="property:value;">

## background-color:

Background color is used to set the background color of any element.

**Example:**



```
<div style="background-color:blue;"></div>
```

## Font Size

font-size is used to increase or decrease the size of the font.

**Example:**

```
<div style="font-size:20px;"></div>
```



@designwithrehana



DesignWithRehana

# HTML Media


These are the elements which allow you to include images, audio files, videos, and other multimedia elements within your HTML documents.

Multimedia files have formats and different extensions like: [.wav](#), [.mp3](#), [.mp4](#), [.mpg](#), [.wmv](#), and [.avi](#).

## HTML Media



**Video**



**audio files**



@designwithrehana



DesignWithRehana

Here are HTML media elements:

## HTML Video

HTML video element is used to show the video on the web page.

For this <video> tag is used.

### Example:

```
<!DOCTYPE html>
<html lang="en">

<body>
    <video width="320" height="240" autoplay muted controls>
        <source src="/movie.mp4" type="video/mp4">
    </video>
</body>

</html>
```

## How it Works

**Controls:** With the help of control you can add play, pause and volume.,

**Height:** It is used to set the height of the element

**Width:** It is used to set the width of the element

**<source>** It allows you to provide multiple sources for the media content, allowing the browser to choose the most appropriate source based on its supported formats.




@designwithrehana




DesignWithRehana

Add **muted** after **autoplay** to your video to start playing video automatically but the video will be muted.

## Output Example:



Upar wale code pe src  
pe apne video ka path  
laga kr check karo



@designwithrehana



DesignWithRehana

## HTML Audio:

HTML video element is used to show the audio file on the web page.  
For this `<audio>` tag is used.

### Example:

```
<!DOCTYPE html>
<html>
<body>

    <audio controls autoplay muted>
        <source src="dwr.ogg" type="audio/ogg">
    </audio>

</body>
</html>
```


## How it Works

**Controls:** With the help of control you can add play, pause and volume.,

**<source>** It allows you to provide multiple sources for the media content, allowing the browser to choose the most appropriate source based on its supported formats.

Add **muted** after **autoplay** to your audio to start playing audio automatically but the video will be muted.

### Output Example:



@designwithrehana



DesignWithRehana

# HTML Iframe

- The <iframe> is an Inline Frame.
- This element in HTML is used to embed content from another source within a web page.
- It creates a window or frame within the current document where external content can be displayed, such as a webpage, video, map, or document.

## Syntax:



```
<iframe src="url" title="description"></iframe>
```

## iframe Attributes -

**height:** It is used to set the height of the element

**width:** It is used to set the width of the element

**src:** It is used to add the file path

**title:** Used to define the content the content of the iframe and it is used by the reader.

**frameborder:** Used to add the border to the iframe

**style:** Used to add the style to the iframe.

-----Topic End-----



@designwithrehana



DesignWithRehana


# HTML Entities

HTML entities are special character codes used to represent reserved characters and symbols in HTML.

If you use < or > sign so may be browser will treat them as aa tag.

These entities are used to ensure proper rendering

HTML entities start with an "&" and ends with a semicolon ";"



No Need to worry. Itni saari entities kisi ko  
yaad nahi hoti. Whenever you want to use  
just google it



@designwithrehana



DesignWithRehana

Here are a few commonly used HTML entities:

&lt;	less-than sign (<) - &#60
&gt;	greater-than sign (>) - &#62
&amp;	ampersand (&) - &#38
&quot;	double quotation mark (") - &#34
&apos;	single quotation mark (' ) - &#39
&nbsp;	non-breaking space - &#160
&copy;	copyright symbol (©) - &#169
&reg;	registered trademark symbol (®) - &#174
&trade;	trademark symbol (™) - &#8482
&deg;	degree symbol (°) - &#176
&micro;	micro symbol (μ) - &#181
&pound;	pound sterling symbol (£) - &#163
&euro;	euro symbol (€) - &#8364
&yen;	yen symbol (¥) - &#165
&cent;	cent symbol (¢) - &#162
&dollar;	dollar sign (\$) - &#36
&#x2713;	checkmark symbol (✓) - &#10003
&#x2717;	cross mark symbol (✗) - &#10007
&sect;	section symbol (§) - &#167
&para;	paragraph symbol (¶) - &#182

**Example:**



```
<h2>Here is register mark &reg;  
</h2>
```

**Output:**

**Here is register mark ®**

-----Topic End-----



@designwithrehana




DesignWithRehana


# HTML Responsive Web Design

Responsive design means creating web pages in such a way which looks good in all devices like desktop, laptop, tab, mobile.


Web pages will automatically adjust on all the devices once you open a web page on different devices with different screen size.



Tablet



Laptop



Mobile

To achieve responsive web design, several techniques and features are commonly used:

*Most important and first thing to remember is -*

## Viewport Meta Tag

Add the below line in `<meta>` tag to all your web pages

```
● ● ●  
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```



@designwithrehana



DesignWithRehana

To achieve responsive web design, several techniques and features are commonly used:

## Fluid Grid Layout

Use width in percentage instead for a fixed value. That will adjust with all the screensize.

## Flexible Images and Media

Images and media elements, such as videos or embedded content, should also be responsive. They can be styled using CSS to ensure they resize and adapt based on the available screen space.

## Media Queries

By using media queries, you can create specific CSS styles for different screen sizes or devices.

```
/* Media queries for different screen sizes */
```

```
@media (min-width: 600px) {
```

Add your CSS here

```
}
```

-----Topic End-----



@designwithrehana



DesignWithRehana

ohh so you reached to the last page  
amazingggggggg 😊

# Thank You

## Rate and Review:

Don't forget to drop lovely **review** for my motivation.  
So that I can come up with **CSS** course too.



@designwithrehana



DesignWithRehana

## Follow me on:

 @designwithrehana

 DesignWithRehana

 @designwithrehana

 @designwithreha1

 @heyitsrehana



## Sharing some reference website for frontend developer:

<https://www.theodinproject.com/>

<https://www.30secondsofcode.org/>

<https://www.colorsandfonts.com/>

<https://www.frontendmentor.io/>

<https://codemyui.com/>

<https://100dayscss.com/>

<https://www.mygreatlearning.com/>

<https://www.freecodecamp.org/>



@designwithrehana



DesignWithRehana

# *The End*

