Thyrocare

Tests you can trust

Name : Saikat Manna(47Y/M)

Date : 6 Mar, 2026

Test Asked : Executive Health Checkup Above 40 Yrs Male With Utsh

Report Status : Complete Report

100% NABL ACCREDITATION

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Accredited by

NABL From 2005# | ISO 9001: 2015 - From 2015 | CAP From 2011~

Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity of reported values

QR code will remain active for 30 days from report release date

98% Reports released within 06 Hours of sample reaching the lab*

9 out of 10 Doctors Trust that Thyrocare reports are Accurate & Reliable*

1200+ Tests & Profiles

Temperature-Controlled Sample Logistics

Unique Barcode Tracking

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Processed At :
5CA-711, 3rd Floor, HRBR 2nd
Block, Hennur, Bengaluru-560043

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name : **SAIKAT MANNA(47Y/M)**
Referred By : **SELF**
Home Collection : **BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA INDIA 560100-560100**

Tests Done : **EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH**

Report Availability Summary

Note: Please refer to the table below for status of your tests.

13 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH	Ready
FASTING BLOOD SUGAR(GLUCOSE)	Ready
HEMOGRAM	Ready
PROSTATE SPECIFIC ANTIGEN (PSA)	Ready
COMPLETE URINE ANALYSIS	Ready
HBA PROFILE	Ready
KIDPRO	Ready
LIPID PROFILE	Ready
FT3-FT4-USTSH	Ready
VITAMIN D PROFILE	Ready
SERUM ALBUMIN-GLOBULIN RATIO	Ready
SERUM SGOT-SGPT RATIO	Ready
INDIRECT BILIRUBIN	Ready
ALKALINE PHOSPHATASE	Ready

Processed At :
1st Floor, 889 HSR layout Sector-7
(BDA), No 1159, Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name : **SAIKAT MANNA(47Y/M)**
Referred By : **SELF**
Home Collection : **BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA INDIA 560100-560100**

Tests Done : **EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH**

Tests Outside Reference Range

Note: Please refer to the table below for tests outside reference range.

Test Name	Observed Value	Units	Bio. Ref. Interval.
COMPLETE HEMOGRAM			
RED CELL DISTRIBUTION WIDTH (RDW-CV)	**14.6**	%	11.6-14
DIABETES			
AVERAGE BLOOD GLUCOSE (ABG)	**126**	mg/dL	90-120
HbA1c	**6**	%	< 5.7
LIPID			
HDL / LDL RATIO	**0.32**	Ratio	> 0.40
LDL CHOLESTEROL - DIRECT	**126**	mg/dL	< 100
TRIG / HDL RATIO	**6.21**	Ratio	< 3.12
TRIGLYCERIDES	**252**	mg/dL	< 150
VLDL CHOLESTEROL	**50.44**	mg/dL	5 - 40
LIVER			
SERUM GLOBULIN	**3.5**	gm/dL	2.5-3.4
RENAL			
URIC ACID	**7.71**	mg/dL	4.2 - 7.3
VITAMIN			
VITAMIN D TOTAL	**14.31**	ng/mL	30-100

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

Patient Name	: SAIKAT MANNA(47Y/M)	**Sample Collected on (SCT)**	: 06 Mar 2026 09:00
Referred By	: SELF	**Sample Received on (SRT)**	: 06 Mar 2026 16:07
Home Collection	: BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA	**Report Released on (RRT)**	: 06 Mar 2026 19:33
		Sample Type | Barcode	: SERUM | FD663328

TEST NAME	TECHNOLOGY	VALUE	UNITS
PROSTATE SPECIFIC ANTIGEN (PSA)	C.L.I.A	1.06	ng/mL

Bio. Ref. Interval. :-

Normal : < 4.00 ng/ml
Border line : 4.01 to 10.00 ng/ml

Clinical Significance:

Elevated levels of PSA are associated with prostate cancer, but may also be seen with prostatitis (Inflammation of the prostate) and benign prostatic hyperplasia (BPH). PSA test done along with free PSA provides additional information. Studies have suggested that the percentage of free PSA in total PSA is lower in patients with prostate cancer than those with benign prostate hyperplasia.

Specification:

Precision: Intra assay (%CV): 4.38%, Inter assay (%CV): 4.67%; Sensitivity: 0.01 ng/ml

Kit validation references:

Wang MC, Valenzuala LA, Murphy GP, and Chu TM. Purification of a human prostate-specific antigen. Invest. Urol. 1979; 17: 159

Please correlate with clinical conditions.
Method:- TWO SITE SANDWICH IMMUNOASSAY

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Syeda Sumaiya
MD(Path)

M. Anuswara
Dr.Anuswara
MBBS,MD (Biochem)

Scan QR to verify(valid for 30 days from release time)

Patient Name	: SAIKAT MANNA(47Y/M)	Sample Collected on (SCT)	: 06 Mar 2026 09:00
Referred By	: SELF	Sample Received on (SRT)	: 06 Mar 2026 16:07
Home Collection	: BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA	Report Released on (RRT)	: 06 Mar 2026 19:33
		Sample Type | Barcode	: SERUM | FD663328

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
TOTAL CHOLESTEROL	PHOTOMETRY	193	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	41	mg/dL	40-60
HDL / LDL RATIO	**CALCULATED**	**0.32**	**Ratio**	**> 0.40**
LDL CHOLESTEROL - DIRECT	**PHOTOMETRY**	**126**	**mg/dL**	**< 100**
TRIG / HDL RATIO	**CALCULATED**	**6.21**	**Ratio**	**< 3.12**
TRIGLYCERIDES	**PHOTOMETRY**	**252**	**mg/dL**	**< 150**
TC/ HDL CHOLESTEROL RATIO	CALCULATED	4.8	Ratio	3 - 5
LDL / HDL RATIO	CALCULATED	3.1	Ratio	1.5-3.5
VLDL CHOLESTEROL	**CALCULATED**	**50.44**	**mg/dL**	**5 - 40**
NON-HDL CHOLESTEROL	CALCULATED	152.1	mg/dL	< 160

Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
HD/LD - Derived from HDL and LDL values.
LDL - Direct Measure
TRI/H - Derived from TRIG and HDL Values
TRIG - Enzymatic, End Point
TC/H - Derived from serum Cholesterol and Hdl values
LDL/ - Derived from serum HDL and LDL Values
VLDL - Derived from serum Triglyceride values
NHDL - Derived from serum Cholesterol and HDL values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Syeda Sumaiya
MD(Path)

M. Anuswara

Dr.Anuswara
MBBS,MD (Biochem)

Patient Name : **SAIKAT MANNA(47Y/M)**
Referred By : **SELF**
Home Collection : BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA

Sample Collected on (SCT) : **06 Mar 2026 09:00**
Sample Received on (SRT) : **06 Mar 2026 16:07**
Report Released on (RRT) : **06 Mar 2026 19:33**
Sample Type | Barcode : **SERUM | FD663328**

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
ALKALINE PHOSPHATASE	PHOTOMETRY	96.11	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.67	mg/dL	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.12	mg/dL	0 - 0.20
BILIRUBIN (INDIRECT)	CALCULATED	0.55	mg/dL	0-0.9
SGOT / SGPT RATIO	CALCULATED	0.58	Ratio	< 2
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	24	U/L	< 35
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	41.7	U/L	< 45
PROTEIN - TOTAL	PHOTOMETRY	7.91	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	4.41	gm/dL	3.2-4.8
SERUM GLOBULIN	**CALCULATED**	**3.5**	**gm/dL**	**2.5-3.4**
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.26	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method
BILT - Diazonium salt DPD method
BILD - Diazonium salt DPD method
BILI - Derived from serum Total and Direct Bilirubin values
OT/PT - Derived from SGOT and SGPT values.
SGOT - IFCC* Without Pyridoxal Phosphate Activation
SGPT - IFCC* Without Pyridoxal Phosphate Activation
PROT - Biuret Method
SALB - Albumin Bcg[1]method (Colorimetric Assay Endpoint)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - Derived from serum Albumin and Protein values

Tests Done : **EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH**

Dr Syeda Sumaiya
MD(Path)

Dr.Anuswara
MBBS,MD (Biochem)

Patient Name	: **SAIKAT MANNA(47Y/M)**	**Sample Collected on (SCT)**	: **06 Mar 2026 09:00**
Referred By	: **SELF**	**Sample Received on (SRT)**	: **06 Mar 2026 16:07**
Home Collection	: BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA	**Report Released on (RRT)**	: **06 Mar 2026 19:33**
		Sample Type | Barcode	: **SERUM | FD663328**

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TSH - ULTRASENSITIVE	E.C.L.I.A	4.23	µIU/mL	0.54-5.30
FREE TRIIODOTHYRONINE (FT3)	E.C.L.I.A	3.09	pg/mL	2.0-4.4
FREE THYROXINE (FT4)	E.C.L.I.A	1.11	ng/dL	0.93-1.7

Comments :

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

FT3,FT4 - Fully Automated Electrochemiluminescence Compititive Immunoassay
USTSH - Fully Automated Electrochemiluminescence Sandwich Immunoassay

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Syeda Sumaiya
MD(Path)

Dr.Anuswara
MBBS,MD (Biochem)

Patient Name : **SAIKAT MANNA(47Y/M)**
Referred By : **SELF**
Home Collection : BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA

Sample Collected on (SCT) : **06 Mar 2026 09:00**
Sample Received on (SRT) : **06 Mar 2026 16:07**
Report Released on (RRT) : **06 Mar 2026 19:33**
Sample Type | Barcode : **SERUM | FD663328**

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
CALCIUM	PHOTOMETRY	9.78	mg/dL	8.8-10.6
URIC ACID	**PHOTOMETRY**	**7.71**	**mg/dL**	**4.2 - 7.3**
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	8.6	mg/dL	7.94 - 20.07
UREA (CALCULATED)	CALCULATED	18.4	mg/dL	Adult : 17-43
CREATININE - SERUM	PHOTOMETRY	0.79	mg/dL	0.72-1.18
UREA / SR.CREATININE RATIO	CALCULATED	23.3	Ratio	< 52
BUN / SR.CREATININE RATIO	CALCULATED	10.89	Ratio	9:1-23:1

Please correlate with clinical conditions.

Method :

CALC - Arsenazo III Method, End Point.
URIC - Uricase / Peroxidase Method
BUN - Kinetic UV Assay.
UREAC - Derived from BUN Value.
SCRE - Creatinine Enzymatic Method
UR/CR - Derived from UREA and Sr.Creatinine values.
B/CR - Derived from serum Bun and Creatinine values

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Syeda Sumaiya
MD(Path)

Dr.Anuswara
MBBS,MD (Biochem)

Patient Name	: SAIKAT MANNA(47Y/M)	**Sample Collected on (SCT)**	: 06 Mar 2026 09:00
Referred By	: SELF	**Sample Received on (SRT)**	: 06 Mar 2026 16:07
Home Collection	: BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA	**Report Released on (RRT)**	: 06 Mar 2026 19:33
		Sample Type | Barcode	: SERUM | FD663328

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	110	mL/min/1.73 m2

Bio. Ref. Interval. :-

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease
<15 : Kidney Failure

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- 2021 CKD EPI Creatinine Equation

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Syeda Sumaiya
MD(Path)

M. Anuswara

Dr.Anuswara
MBBS,MD (Biochem)

Patient Name	: **SAIKAT MANNA(47Y/M)**	**Sample Collected on (SCT)**	: **06 Mar 2026 09:00**
Referred By	: **SELF**	**Sample Received on (SRT)**	: **06 Mar 2026 16:07**
Home Collection	: BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA	**Report Released on (RRT)**	: **06 Mar 2026 19:33**
		Sample Type | Barcode	: **SERUM | FD663328**

TEST NAME	TECHNOLOGY	VALUE	UNITS
VITAMIN D2	LC-MS/MS	1.19	ng/mL
Method : LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY			
VITAMIN D3	LC-MS/MS	13.12	ng/mL
Method : LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY			
VITAMIN D TOTAL	**CALCULATED**	**14.31**	**ng/mL**

Bio. Ref. Interval. :
Deficiency : <20 ng/mL
Insufficiency : 20-30 ng/mL
Sufficiency : 30-100 ng/mL
Toxicity : >100 ng/mL

Method : Derived from VD2 and VD3 values

Please correlate with clinical conditions.

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Syeda Sumaiya
MD(Path)

M. Anuswara

Dr.Anuswara
MBBS,MD (Biochem)

Patient Name	: SAIKAT MANNA(47Y/M)	**Sample Collected on (SCT)**	: 06 Mar 2026 09:00
Referred By	: SELF	**Sample Received on (SRT)**	: 06 Mar 2026 12:30
Home Collection	: BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA	**Report Released on (RRT)**	: 06 Mar 2026 13:08
		Sample Type | Barcode	: FLUORIDE PLASMA | FC428473

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR(GLUCOSE)	PHOTOMETRY	88.5	mg/dL

Bio. Ref. Interval. :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl
Prediabetes	100 mg/dl to 125 mg/dl
Diabetes	126 mg/dl or higher

Note :
The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.

Method:- GOD-POD METHOD

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Yashashwini
MD(Path)

Dr.Ishant MD(Path)

Patient Name : SAIKAT MANNA(47Y/M)
Referred By : SELF
Home Collection : BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA

Sample Collected on (SCT) : 06 Mar 2026 09:00
Sample Received on (SRT) : 06 Mar 2026 12:37
Report Released on (RRT) : 06 Mar 2026 14:05
Sample Type | Barcode : URINE | FH990544

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Complete Urinogram				
Physical Examination				
VOLUME	Visual Determination	3	mL	-
COLOUR	Visual Determination	PALE YELLOW	-	Pale Yellow
APPEARANCE	Visual Determination	CLEAR	-	Clear
SPECIFIC GRAVITY	pKa change	1.010	-	1.003-1.030
PH	pH indicator	7	-	5-8
Chemical Examination				
URINARY PROTEIN	PEI	ABSENT	mg/dL	Absent
URINARY GLUCOSE	GOD-POD	ABSENT	mg/dL	Absent
URINE KETONE	Nitroprusside	ABSENT	mg/dL	Absent
URINARY BILIRUBIN	Diazo coupling	ABSENT	mg/dL	Absent
UROBILINOGEN	Diazo coupling	Normal	mg/dL	<=0.2
BILE SALT	Hays sulphur	ABSENT	-	Absent
BILE PIGMENT	Ehrlich reaction	ABSENT	-	Absent
URINE BLOOD	Peroxidase reaction	ABSENT	-	Absent
NITRITE	Diazo coupling	ABSENT	-	Absent
LEUCOCYTE ESTERASE	Esterase reaction	ABSENT	-	Absent
Microscopic Examination				
MUCUS	Microscopy	ABSENT	-	Absent
RED BLOOD CELLS	Microscopy	ABSENT	cells/HPF	0-2
URINARY LEUCOCYTES (PUS CELLS)	Microscopy	ABSENT	cells/HPF	0-5
EPITHELIAL CELLS	Microscopy	ABSENT	cells/HPF	0-5
CASTS	Microscopy	ABSENT	-	Absent
CRYSTALS	Microscopy	ABSENT	-	Absent
BACTERIA	Microscopy	ABSENT	-	Absent
YEAST	Microscopy	ABSENT	-	Absent
PARASITE	Microscopy	ABSENT	-	Absent

(Reference : *PEI - Protein error of indicator, *GOD-POD - Glucose oxidase-peroxidase**)**

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Yashashwini
MD(Path)

Dr.Ishant MD(Path)

Patient Name	: SAIKAT MANNA(47Y/M)	Sample Collected on (SCT)	: 06 Mar 2026 09:00
Referred By	: SELF	Sample Received on (SRT)	: 06 Mar 2026 12:37
Home Collection	: BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA	Report Released on (RRT)	: 06 Mar 2026 14:23
		Sample Type | Barcode	: EDTA Whole Blood | FD790377

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c	**H.P.L.C**	**6**	**%**

Bio. Ref. Interval. :

As per ADA Guidelines	Guidance For Known Diabetics
Below 5.7% : Normal	Below 6.5% : Good Control
5.7% - 6.4% : Prediabetic	6.5% - 7% : Fair Control
>=6.5% : Diabetic	7.0% - 8% : Unsatisfactory Control
	>8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	**CALCULATED**	**126**	**mg/dL**

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Yashashwini
MD(Path)

Dr.Ishant MD(Path)

Patient Name : SAIKAT MANNA(47Y/M)
Referred By : SELF
Home Collection : BOMMASANDRA INDUSTRIAL ESTATE NEO TOWN ELECTRONIC CITY PHASE 1 THIRUPALYA GM GLOBAL TECHIES TOWN FLAT 3122 TOWER C WING 3 FLOOR 31 BANGALORE KARNATAKA

Sample Collected on (SCT) : 06 Mar 2026 09:00
Sample Received on (SRT) : 06 Mar 2026 12:37
Report Released on (RRT) : 06 Mar 2026 14:23
Sample Type | Barcode : EDTA Whole Blood | FD790377

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
HEMOGLOBIN	SLS-Hemoglobin Method	16.1	g/dL	13.0-17.0
Hematocrit (PCV)	CPH Detection	48.5	%	40.0-50.0
Total RBC	HF & EI	5.26	X 10^6/µL	4.5-5.5
Mean Corpuscular Volume (MCV)	Calculated	92.2	fL	83.0-101.0
Mean Corpuscular Hemoglobin (MCH)	Calculated	30.6	pq	27.0-32.0
Mean Corp.Hemo. Conc (MCHC)	Calculated	33.2	g/dL	31.5-34.5
Red Cell Distribution Width (RDW - CV)	**Calculated**	**14.6**	**%**	**11.6-14**
TOTAL LEUCOCYTE COUNT (WBC)	HF & FC	6.71	X 10^3 / µL	4.0 - 10.0
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils Percentage	Flow Cytometry	58.3	%	40-80
Lymphocytes Percentage	Flow Cytometry	31.1	%	20-40
Monocytes Percentage	Flow Cytometry	7.5	%	2-10
Eosinophils Percentage	Flow Cytometry	2.5	%	1-6
Basophils Percentage	Flow Cytometry	0.3	%	0-2
Immature Granulocyte Percentage (IG%)	Flow Cytometry	0.3	%	0-0.5
Nucleated Red Blood Cells %	Flow Cytometry	0.1	%	0.0-5.0
ABSOLUTE LEUCOCYTE COUNT				
Neutrophils - Absolute Count	Calculated	3.91	X 10^3 / µL	2.0-7.0
Lymphocytes - Absolute Count	Calculated	2.09	X 10^3 / µL	1.0-3.0
Monocytes - Absolute Count	Calculated	0.5	X 10^3 / µL	0.2 - 1.0
Basophils - Absolute Count	Calculated	0.02	X 10^3 / µL	0.02 - 0.1
Eosinophils - Absolute Count	Calculated	0.17	X 10^3 / µL	0.02 - 0.5
Immature Granulocytes (IG)	Calculated	0.02	X 10^3 / µL	0-0.3
Nucleated Red Blood Cells	Calculated	0.01	X 10^3 / µL	0.0-0.5
PLATELET COUNT	HF & EI	170	X 10^3 / µL	150-410

Clinical history is asked for all the relevant abnormalities detected and in absence / failure of receiving of clinical history, results are rechecked twice and released. Advised clinical correlation.

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)
(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height**)**

~~ End of report ~~

Tests Done : EXECUTIVE HEALTH CHECKUP ABOVE 40 YRS MALE WITH UTSH

Dr Yashashwini MD(Path)

Dr.Ishant MD(Path)

Scan QR to verify(valid for 30 days from release time)

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

+T&C Apply, #As on 5th December 2024 (Applicable for all company owned labs except Bhagalpur & Vijayawada),
⁎As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited